

# **Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China**

**Bureau of Animal and Plant Health Inspection and Quarantine  
Council of Agriculture  
Executive Yuan**

In case of any discrepancy between the Chinese text and the English translation thereof,  
the Chinese text shall govern.

Individual Quarantine Requirements please refer to BAPHIQ website ( [www.baphiq.gov.tw](http://www.baphiq.gov.tw) )

**Updated November 11, 2014 ( amendment on B10, p77 )**

## Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China

### A. Prohibited Plants or Plant Products

Pursuant to Paragraph 1, Article 14, Plant Protection and Quarantine Act

1. List of prohibited plants or plant products, countries or districts of origin and the reasons for prohibition:

Plants or Plant Products	Countries or Districts of Origin	Reasons for Prohibition
1. Entire or any part of the following living plants (excluding seeds): (1) <i>Brachiaria</i> spp. (2) <i>Echinochloa</i> spp. (3) <i>Leersia hexandra</i> . (4) <i>Oryza</i> spp (5) <i>Panicum</i> spp. (6) <i>Rottboellia</i> spp. (7) <i>Paspalum</i> spp. (8) <i>Sacciolepis interrupta</i> (9) <i>Triticum aestivum</i>	All countries and districts	1. <i>Rice hoja blanca virus</i> ( <i>Tenuivirus</i> ) 2. <i>Rice dwarf virus</i> ( <i>Phytoreovirus</i> ) 3. Rice stem nematode ( <i>Ditylenchus angustus</i> Butler)
2. Entire or any part of the following living plants (excluding seeds) (1) <i>Calystegia</i> spp. (2) <i>Dioscorea japonica</i> (3) <i>Ipomoea</i> spp. (4) <i>Pharbitis</i> spp.	style="text-align: center;"> <b>Asia and Pacific Region</b> (1) Palau (2) Mainland (3) Cook Islands (4) Federated States of Micronesia (5) Fiji (6) Guam (7) Kiribati (8) New Caledonia (9) Norfolk Island (10) Northern Mariana Islands (11) Pitcairn Islands (12) Polynesia (13) Ryukyu Archipelago (14) Samoa (15) Tonga (16) Vanuatu (17) Wallis and Futuna style="text-align: center;"> <b>North America</b> (18) Hawaii (19) United States style="text-align: center;"> <b>Central and South America</b> (20)Antigua and Barbuda (21)Bahamas (22)Barbados (23)Cuba (24)Dominica (25) Dominican Republic (26) Grenada	West Indian sweet potato weevil ( <i>Euscepes postfasciatus</i> Fairmaire)

	<p>(27) Guadeloupe  (28) Haiti  (29) Jamaica  (30) Lesser Antilles  (31) Martinique  (32) Montserrat  (33) Puerto Rico  (34) Saint Christopher and Nevis  (35) Saint Lucia  (36) Saint Vincent and the Grenadines  (37) Trinidad and Tobago  (38) Virgin Islands (British)  (39) Virgin Islands (United States)  (40) All countries and districts in South America</p>	
<p>3. Underground portion and adventitious root of all living plants, excluding the following plants(excluding tissue culture plantlets ):</p> <p>(1) <i>Agave</i> spp.  (2) <i>Allium</i> spp.  (3) <i>Amaryllis</i> spp. = <i>Hippeastrum</i> spp.  (4) <i>Arctium lappa</i>  (5) <i>Asparagus officinalis</i>  (6) Bryophyta  (7) Cactaceae  (8) <i>Cannabis</i> spp.  (9) <i>Codiaeum</i> spp.  (10) <i>Dianthus</i> spp.  (11) <i>Epipactis longifolia</i>  (12) <i>Euphorbia</i> spp.  (13) <i>Freesia</i> spp.  (14) <i>Geranium</i> spp.  (15) <i>Hyacinthus</i> spp.  (16) <i>Iris</i> spp.  (17) <i>Juglans</i> spp.  (18) <i>Lilium</i> spp.  (19) <i>Malus</i> spp.  (20) <i>Marchantia polymorpha</i>  (21) <i>Muscari</i> spp.  (22) Orchidaceae  (23) <i>Pastinaca sativa</i>  (24) <i>Pelargonium</i> spp.  (25) <i>Prunus</i> spp.;  (excluding <i>P. persica</i>)  (26) Pteridophyte  (27) <i>Rhododendron</i> spp.  (excluding <i>R. indicum</i>)</p>	<p><b>Asia and Pacific Region</b></p> <p>(1) American Samoa  (2) Australia(Northern Territory, New South Wales, Queensland, South Australia, Western Australia)  (3) Belau  (4) Brunei Darussalam  (5) Cook Islands  (6) Federated states of Micronesia  (7) Fiji  (8) French Polynesia  (9) Guam  (10) India  (11) Indonesia  (12) Lebanon  (13) Malaysia  (14) Nepal  (15) Niue  (16) Norfolk Island  (17) Oman  (18) Pakistan  (19) Papua New Guinea  (20) Philippines  (21) Samoa  (22) Singapore  (23) Solomon Islands  (24) Sri Lanka  (25) Thailand  (26) Tonga  (27) Vietnam  (28) Yemen</p> <p><b>Africa</b></p> <p>(29) Countries in Africa</p> <p><b>Europe</b></p>	<p>Burrowing nematode (<i>Radopholus similis</i>(Cobb)Thorne; <i>R. citrophilus</i> Huettel, Dickson &amp; Kaplan)</p>

<p>(28) <i>Rhoeo discolor</i>  (29) <i>Rosa</i> spp.  (30) <i>Rubus</i> spp.  (31) <i>Sagittaria</i> spp.  (32) tuber of <i>Solanum tuberosum</i>  (33) <i>Tulipa</i> spp.  (34) <i>Vitis vinifera</i>  (35) Flower bulbs (excluding  <i>Canna</i> spp. , <i>Musa</i> spp. and  Zingiberaceae)</p>	<p>(30) Belgium  (31) France  (32) Germany  (33) Italy  (34) Luxembourg  (35) Netherlands  (36) Poland  (37) Slovenia  (38) United Kingdom  <b>North America</b>  (39) Mexico  (40) United States (excluding  Alaska and California)  <b>Central and South America</b>  (41) Barbados  (42) Belize  (43) Bolivia  (44) Brazil  (45) Colombia  (46) Costa Rica  (47) Cuba  (48) Dominica  (49) Dominican Republic  (50) Ecuador  (51) El Salvador  (52) French Guiana  (53) French West Indies  (54) Grenada  (55) Guadeloupe  (56) Guatemala  (57) Guyana  (58) Honduras  (59) Jamaica  (60) Martinique  (61) Nicaragua  (62) Panama  (63) Peru  (64) Puerto Rico  (65) St. Christopher &amp; Nevis  (66) Saint Lucia  (67) Saint Vincent and the  Grenadines  (68) Trinidad and Tobago  (69) Suriname  (70) Virgin Islands (United States)  (71) Venezuela</p>	
<p>4. Entire or any part of living citrus  plants (<i>Citrus</i> spp., <i>Fortunella</i>  spp., and <i>Poncirus</i> spp.)  (excluding flowers, fruits, and  seeds)</p>	<p><b>Asia and Pacific Region</b>  (1) Australia  (2) Indonesia  (3) Cyprus  (4) Israel</p>	<p><i>Citrus psorosis virus</i>  (<i>Ophiovirus</i>)</p>

	<p>(5) Lebanon  (6) Mainland  (7) Malaysia  (8) Philippines  (9) Saudi Arabia  (10) Syrian  (11) Turkey</p> <p style="text-align: center;"><b>Africa</b></p> <p>(12) Algeria  (13) Egypt  (14) Democratic Republic of the Congo  (15) Kenya  (16) Libyan  (17) Morocco  (18) Tunisia</p> <p style="text-align: center;"><b>Europe</b></p> <p>(19) Albania  (20) Bosnia and Herzegovina  (21) Croatia  (22) France  (23) Greece  (24) Italy  (25) Malta  (26) Monaco  (27) Portugal  (28) Slovenia  (29) Spain  (30) Yugoslavia</p> <p style="text-align: center;"><b>North America</b></p> <p>(31) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(32) Brazil  (33) Chile  (34) Colombia  (35) Mexico  (36) Peru  (36) Suriname  (37) Uruguay</p>	
<p>5. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) :</p> <p>(1) <i>Calodendrum capense</i>  (2) <i>Catharanthus roseus</i>  (3) <i>Citrus</i> spp.  (4) <i>Fortunella</i> spp.  (5) <i>Poncirus</i> spp.</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Saudi Arabia  (2) Yemen</p> <p style="text-align: center;"><b>Africa</b></p> <p>(3) Burundi  (4) Cameroon  (5) Central African Republic  (6) Comoros  (7) Ethiopia  (8) Kenya  (9) Lesotho  (10) Madagascar</p>	<p>African greening of citrus (<i>Candidatus Liberibacter africanus</i> Garnier <i>et al.</i>)</p>

	(11) Malawi (12) Mauritius (13) Reunion (14) Rwanda (15) Somalia (16) South Africa (17) Swaziland (18) Tanzania (19) Zimbabwe	
6. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Indonesia (2) Mainland (3) Malaysia <b>Central and South America</b> (4) All countries and districts in South America	Stem pitting strains of <i>Citrus tristeza virus</i> ( <i>Closterovirus</i> )
7. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) : (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) Australia <b>Africa</b> (2) Lesotho (3) South Africa (4) Swaziland <b>North America</b> (5) United States (6) Mexico <b>Central and South America</b> (7) All countries and districts in Central America (8) All countries and districts in South America	Citrus blight
8. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Australia (2) Cyprus (3) Israel (4) Lebanon (5) Pakistan (6) Syrian (7) Turkey <b>Africa</b> (8) Algeria (9) Egypt (10) Libyan (11) Morocco (12) Tunisia <b>Europe</b> (13) Albania (14) Bosnia and Herzegovina (15) Croatia (16) France (17) Greece (18) Italy	Stubborn disease of citrus ( <i>Spiroplasma citri</i> )

	(19) Malta (20) Monaco (21) Slovenia (22) Spain (23) Yugoslavia <b>North America</b> (24) United States <b>Central and South America</b> (25) Brazil (26) Suriname	
9. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Cyprus (2) India (3) Israel (4) Jordan (5) Lebanon (6) Philippines (7) Saudi Arabia (8) Syria (9) Turkey (10) Yemen <b>Africa</b> (11) Algeria (12) Egypt (13) Kenya (14) Morocco (15) Lesotho (16) South Africa (17) Swaziland (18) Tunisia <b>Europe</b> (19) Bosnia and Herzegovina (20) Croatia (21) France (22) Greece (23) Italy (24) Portugal (25) Slovenia (26) Spain (27) Yugoslavia <b>North America</b> (28) United States <b>Central and South America</b> (29) Argentina (30) Brazil (31) Colombia (32) Ecuador (33) Guyana (34) Suriname (35) Trinidad and Tobago (36) Venezuela	<i>Citrus cachexia viroid</i>

10. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Australia (2) Japan (3) Indonesia <p style="text-align: center;"><b>Africa</b></p> (4) Kenya (5) Lesotho (6) South Africa (7) Swaziland <p style="text-align: center;"><b>North America</b></p> (8) United States <p style="text-align: center;"><b>Central and South America</b></p> (9) Peru	Vein enation disease
11. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Cyprus (2) Iran (3) Lebanon (4) Turkey <p style="text-align: center;"><b>Africa</b></p> (5) Algeria (6) Morocco (7) Lesotho (8) South Africa (9) Swaziland <p style="text-align: center;"><b>Europe</b></p> (10) Greece (11) Italy (12) Spain <p style="text-align: center;"><b>Central and South America</b></p> (13) Venezuela	Impietratura disease ( virus )
12. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Central and South America</b></p> (1) Brazil	Leaf curl disease ( virus )
13. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Japan (2) Korea (3) Mainland	<i>Satsuma dwarf virus</i> ( <i>Sadwavivirus</i> )
14. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Europe</b></p> (1) Corsica (2) Italy <p style="text-align: center;"><b>Africa</b></p> (3) Algeria (4) Morocco	Cristacortis viroid
15. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Africa</b></p> (1) Kenya (2) Lesotho (3) South Africa (4) Swaziland	Ringspot disease

	<p style="text-align: center;"><b>Europe</b></p> <p>(5) Sicily (6) Spain</p> <p style="text-align: center;"><b>North America</b></p> <p>(7) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(8) El Salvador</p>	
16. Entire or any part of living citrus, lemon, sour orange, and citron plants (excluding seeds and fruits)	<p style="text-align: center;"><b>Asian and Pacific Region</b></p> <p>(1) Armenia (2) Azerbaijan (3) Bahrain (4) Cyprus (5) Georgia (6) Israel (7) Kazakhstan (8) Kyrgyz (9) Moldova (10) Russian Federation (11) Syrian Arab (12) Tajikistan (13) Turkey (14) Turkmenistan (15) Ukraine (16) Uzbekistan</p> <p style="text-align: center;"><b>Africa</b></p> <p>(17) Algeria (18) Tunisia</p> <p style="text-align: center;"><b>Europe</b></p> <p>(19) Crete (20) Estonia (21) France (22) Greece (23) Italy (24) Latvia (25) Lithuania</p>	Citrus drywilt ( <i>Phoma tracheiphila</i> Petri)
17. Entire or any part of living <i>Saccharum</i> spp. and <i>Erianthus maximus</i> plants (excluding flowers, fruits, and seeds)	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Australia (2) Fiji (3) Indonesia (4) Malaysia (5) New Caledonia (6) Papua New Guinea (7) Philippines (8) Samoa Islands (9) Solomon Islands (10) Thailand (11) Vanuatu</p> <p style="text-align: center;"><b>Africa</b></p> <p>(12) Madagascar</p>	<i>Fiji disease virus</i> ( <i>Fijivirus</i> )
18. Entire or any part of the following living plants	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Australia</p>	<i>Sugarcane bacilliform virus</i> ( <i>Badnavirus</i> )

<p>(excluding flowers, fruits, seeds):</p> <p>(1) <i>Brachiaria</i> spp.  (2) <i>Panicum maximum</i>  (3) <i>Rottboellia exaltata</i>  (4) <i>Saccharum</i> spp.  (5) <i>Sorghum halepense</i></p>	<p>(2) Papua New Guinea  <b>Africa</b>  (3) Madagascar  (4) Madeira  (5) Malawi  (6) Morocco  (7) Reunion  (8) Lesotho  (9) South Africa  (10) Swaziland</p>	
<p>19. Entire or any part of the following living plants (excluding seeds and fruits):</p> <p>(1) <i>Digitaria</i> spp.  (2) <i>Eleusine</i> spp.  (3) <i>Paspalum</i> spp.  (4) <i>Setaria</i> spp.  (5) <i>Sporobolus</i> spp.  (6) <i>Saccharum officinarum</i></p>	<p><b>Asia and Pacific Region</b>  (1) India  (2) Pakistan  <b>Africa</b>  (3) Benin  (4) Egypt  (5) Cote d'Ivoire  (6) Kenya  (7) Madeira  (8) Malawi  (9) Mauritius  (10) Mozambique  (11) Reunion  (12) Lesotho  (13) South Africa  (14) Swaziland  (15) Sudan  (16) Uganda  (17) Zimbabwe</p>	<p><i>Sugarcane streak virus (Mastrevirus)</i></p>
<p>20. Entire or any part of living <i>Saccharum</i> spp. plants</p>	<p><b>Asia and Pacific Region</b>  (1) Bangladesh  (2) India  (3) Malaysia  (4) Myanmar  (5) Nepal  (6) Sri Lanka  <b>Africa</b>  (7) Sudan</p>	<p>Sugarcane grassy shoot phytoplasma</p>
<p>21. Entire or any part of the following living plants (excluding seeds):</p> <p>(1) <i>Areca catechu</i>  (2) Bamboo (<i>Bambusa vulgaris</i>)  (3) <i>Brachiaria mutica</i>  (4) Coconut (<i>Cocos nucifera</i>)  (5) Job's tears (<i>Coix lachrymajobi</i>)  (6) <i>Dictyosperma album</i>  (7) Guinea grass (<i>Panicum maximum</i>)</p>	<p><b>Asia and Pacific Region</b>  (1) Fiji  (2) India  <b>Africa</b>  (3) Ghana  (4) Madagascar  (5) Madeira  (6) Malawi  (7) Mauritius  (8) Mozambique  (9) Reunion  (10) Lesotho  (11) South Africa</p>	<p>Sugarcane Gumming disease (<i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i>)</p>

<p>(8) Millet (<i>Panicum iliaceum</i>)  (9) Elephant grass (<i>Pennisetum purpureum</i>)  (10) <i>Roystonea regia</i>  (11) <i>Saccharum</i> spp.  (12) Sorghum (<i>Sorghum bicolor</i>)  (13) Johnson grass (<i>Sorghum halepense</i>)  (14) Sudan grass (<i>Sorghum sudanense</i>)  (15) <i>Sorghum verticilliform</i>  (16) <i>Thysanolaena maxima</i>  (17) <i>Tripsacum fasciculatum</i>  (18) <i>Zea mays</i> (excluding ears without husks)</p>	<p>(12) Swaziland  (13) Zimbabwe  <b>Central and South America</b>  (14) Antigua  (15) Antigua and Barbuda  (16) Argentina  (17) Barbados  (18) Belize  (19) Brazil  (20) Colombia  (21) Cuba  (22) Dominican Republic  (23) Guadeloupe  (24) Martinique  (25) Puerto Rico  (26) Saint Christopher and Nevis  (27) Saint Lucia  (28) Saint Vincent and the Grenadines</p>	
<p>22. Entire or any part of the following living plants:  (1) <i>Arenga engleri</i>  (2) <i>Borassus flabellifer</i>  (3) <i>Caryota mitis</i>  (4) <i>Chrysalidocarpus cabadae</i>  (5) <i>Cocos nucifera</i>  (6) <i>Corypha utan</i>  (7) <i>Dictyosperma album</i>  (8) <i>Howea forsteriana</i>  (9) <i>Hyophorbe verschaffeltii</i>  (10) <i>Latania</i> spp.  (11) <i>Livistona chinensis</i>  (12) <i>Livistona rotundifolia</i>  (13) <i>Phoenix canariensis</i>  (14) <i>Phoenix dactylifera</i>  (15) <i>Phoenix reclinata</i>  (16) <i>Phoenix sylvestris</i>  (17) <i>Trachycarpus fortunei</i>  (18) <i>Veitchia macdanielsii</i>  (19) <i>Veitchia merrillii</i></p>	<p><b>Africa</b>  (1) Benin  (2) Cameroon  (3) Ghana  (4) Kenya  (5) Mozambique  (6) Nigeria  (7) Tanzania  (8) Togo  <b>North America</b>  (9) United States ( Florida )  <b>South America</b>  (10) Mexico  (11) Belize  (12) Cayman Islands  (13) Cuba  (14) Dominican Republic  (15) Haiti  (16) Honduras  (17) Jamaica</p>	<p>Lethal yellowing phytoplasma</p>
<p>23. Entire or any part of living coconut palm</p>	<p><b>Asian and Pacific Region</b>  (1) Guam</p>	<p><i>Coconut tinangaja viroid</i> (<i>Cocadviroid</i>)</p>
<p>24. Entire or any part of following living plants:  (1) <i>Areca catechu</i>  (2) <i>Arenga pinnata</i>  (3) <i>Borassus</i> spp.  (4) <i>Chloris</i> spp.  (5) <i>Corypha elata</i>  (6) <i>Cocos nucifera</i>  (7) <i>Elaeis guineensis</i></p>	<p><b>Asian and Pacific Region</b>  (1) Philippine  (2) Solomon Islands</p>	<p><i>Coconut cadang-cadang viroid</i> (<i>Cocadviroid</i>)</p>

(8) <i>Livistona rotundifolia</i> (9) <i>Phoenix dactylifera</i>		
25. Entire or any part of living banana plant ( <i>Musa</i> spp.)	<b>Central and South America</b> (1) Costa Rica (2) Honduras	Roxana disease (virus)
26. Entire or any part of living banana plant ( <i>Musa</i> spp.) and Heliconia plant ( <i>Heliconia</i> spp.)	<b>Asian and Pacific Region</b> (1) Negara Brunei Darussalam (2) India (3) Indonesia (4) Malaysia (5) Philippines (6) Sri Lanka (7) Thailand (8) Vietnam  <b>Africa</b> (9) Ethiopia (10) Libya (11) Mauritius (12) Nigeria (13) Senegal (14) Sierra Leone (15) Somalia  <b>North America</b> (16) United States (Florida) <b>Central and South America</b> (17) Antigua and Barbuda (18) Argentina (19) Bahamas (20) Barbados (21) Belize (22) Brazil (23) Colombia (24) Costa Rica (25) Cuba (26) Dominica (27) Dominican Republic (28) El Salvador (29) Grenada (30) Guadeloupe (31) Guatemala (32) Guyana (33) Haiti (34) Honduras (35) Jamaica (36) Mexico (37) Nicaragua (38) Panama (39) Peru (40) Puerto Rico (41) Saint Christopher and Nevis (42) Saint Lucia	Moko disease ( <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> Race 2) (Formerly <i>Pseudomonas solanacearum</i> (Smith) Smith Race 2)

	(43) Saint Vincent and the Grenadines (44) Suriname (45) Trinidad and Tobago (46) Venezuela	
27. Entire or any part of the following plants(excluding dried fruit): (1) <i>Heliconia</i> spp. (2) <i>Musa</i> spp.	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Australia (2) Banda Islands (3) Negara Brunei Darussalam (4) Myanmar (5) Fiji (6) India (7) Indonesia (8) Israel (9) Malaysia (10) Pakistan (11) Papua New Guinea (12) Philippines (13) Sri Lanka (14) Thailand (15) Vietnam <p style="text-align: center;"><b>Africa</b></p> (16) Cameroon (17) Canary Islands (18) Congo (19) Ghana (20) Kenya (21) Madagascar (22) Mauritius (23) Mozambique (24) Nigeria (25) South Africa (26) Sierra Leone (27) Tanzania (28) Uganda <p style="text-align: center;"><b>North America</b></p> (29) Hawaii <p style="text-align: center;"><b>Central America</b></p> (30) Barbados (31) Belize (32) Brazil (33) Colombia (34) Costa Rica (35) Cuba (36) Dominican Republic (37) Ecuador (38) El Salvador (39) Cayman Islands (40) Guadeloupe (41) Grenada (42) Guatemala	Panama disease, Banana fusarial wilt ( <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> (E.F. Smith) Snyd. & Hans. Race 2 & Race 3)

	(43) Guyana (44) Haiti (45) Honduras (46) Jamaica (47) Martinique (48) Mexico (49) Nicaragua (50) Panama (51) Peru (52) Puerto Rico (53) Saint Lucia (54) Saint Vincent and the Grenadines (55) Suriname (56) Trinidad and Tobago (57) Venezuela (58) Virgin Islands (United States)	
28. Fresh fruits, but excluding fruits of following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Ananas comosus</i> (3) <i>Cocos nucifera</i> (4) <i>Hypericum</i> spp. (5) <i>Leucadendron</i> spp. (6) <i>Lycesteria</i> spp. (7) <i>Musa</i> spp. (excluding green-ripened bananas) (8) <i>Symphoricarpus</i> spp. (9) <i>Viburnum</i> spp.	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Armenia (2) Australia (excluding Tasmania, Riverland and Sunraysia) (3) Azerbaijan (4) Belarus (5) Cyprus (6) Georgia (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) Russian Federation (14) Saudi Arabia (15) Syria (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan <p style="text-align: center;"><b>Africa</b></p> (21) All countries and districts in Africa <p style="text-align: center;"><b>Europe</b></p> (22) Albania (23) Austria (24) Belgium (25) Bosnia and Herzegovina (26) United Kingdom (27) Croatia (28) Estonia (29) France	Mediterranean fruit fly ( <i>Ceratitis capitata</i> (Wiedemann))

- |  |   |  |
|--|---|--|
|  | <ul style="list-style-type: none"> <li>(30) Germany</li> <li>(31) Greece</li> <li>(32) Hungary</li> <li>(33) Ireland</li> <li>(34) Italy</li> <li>(35) Latvia</li> <li>(36) Lithuania</li> <li>(37) Malta</li> <li>(38) Netherlands</li> <li>(39) Portugal</li> <li>(40) Spain</li> <li>(41) Switzerland</li> <li>(42) Yugoslavia</li> <li>(43) Slovenia</li> </ul> <p style="text-align: center;"><b>North America</b></p> <ul style="list-style-type: none"> <li>(44) Bermuda</li> <li>(45) Hawaii</li> </ul> <p style="text-align: center;"><b>Central and South America</b></p> <ul style="list-style-type: none"> <li>(46) Antigua and Barbuda</li> <li>(47) Argentina</li> <li>(48) Bahamas</li> <li>(49) Barbados</li> <li>(50) Bolivia</li> <li>(51) Brazil</li> <li>(52) Chile (excluding Region III to<br/>Region X, XIV and<br/>Metropolitan Region)</li> <li>(53) Colombia</li> <li>(54) Costa Rica</li> <li>(55) Cuba</li> <li>(56) Dominica</li> <li>(57) Dominican Republic</li> <li>(58) Ecuador</li> <li>(59) El Salvador</li> <li>(60) Grenada</li> <li>(61) Guatemala</li> <li>(62) Haiti</li> <li>(63) Honduras</li> <li>(64) Jamaica</li> <li>(65) Mexico</li> <li>(66) Nicaragua</li> <li>(67) Panama</li> <li>(68) Paraguay</li> <li>(69) Peru</li> <li>(70) Puerto Rico</li> <li>(71) Saint Christopher and Nevis</li> <li>(72) Saint Lucia</li> <li>(73) Saint Vincent and the<br/>Grenadines</li> <li>(74) Trinidad and Tobago</li> <li>(75) Uruguay</li> </ul> |  |
|--|---|--|

	(76) Venezuela	
29. Fresh fruits of the following plants: (1) <i>Actinidia deliciosa</i> (2) <i>Aegle marmelos</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona</i> spp. (5) <i>Averrhoa</i> spp. (6) <i>Blighia sapida</i> (7) <i>Calophyllum inophyllum</i> (8) <i>Cananga odorata</i> (9) <i>Capsicum</i> spp. (10) <i>Carica papaya</i> (11) <i>Casimiroa edulis</i> (12) <i>Chrysophyllum cainito</i> (13) <i>Citrus</i> spp. (14) <i>Clausena lansium</i> (15) <i>Coffea</i> spp. (16) <i>Cucurbita moschata</i> (17) <i>Cydonia oblonga</i> (18) <i>Cyphomandra betacea</i> (19) <i>Dimocarpus longan</i> (20) <i>Diospyros</i> spp. (21) <i>Dovyalis caffra</i> (22) <i>Eremocitrus glauca</i> (23) <i>Eriobotrya japonica</i> (24) <i>Eugenia</i> spp. = <i>Syzygium</i> spp. (25) <i>Feijoa sellowiana</i> (26) <i>Ficus</i> spp. (27) <i>Flacourtia</i> spp. (28) <i>Fortunella</i> spp. (29) <i>Grewia asiatica</i> (30) <i>Juglans regia</i> (31) <i>Litchi chinensis</i> (32) <i>Lycopersicon esculentum</i> (33) <i>Malpighia emarginata</i> (34) <i>Malus</i> spp. (35) <i>Mangifera</i> spp. (36) <i>Manilkara zapota</i> (37) <i>Mimusops elengi</i> (38) <i>Momordica charantia</i> (39) <i>Morus</i> spp. (40) <i>Musa</i> spp. (41) <i>Myrciaria cauliflora</i> (42) <i>Nephelium lappaceum</i> (43) <i>Nerium oleander</i> (44) <i>Olea europaea</i> (45) <i>Opuntia ficusindica</i> (46) <i>Passiflora</i> spp. (47) <i>Persea americana</i>	<b>Asia and Pacific Region</b> (1) Australia (excluding Riverland and Tasmania) (2) Easter Island (3) New Caledonia (4) Papua New Guinea (5) Society Island (6) Tubuai Island (7) French Polynesia	Queensland fruit fly ( <i>Bactrocera tryoni</i> (Froggatt))

<p>(48) <i>Phoenix dactylifera</i>  (49) <i>Phyllanthus acidus</i>  (50) <i>Physalis peruviana</i>  (51) <i>Pometia pinnata</i>  (52) <i>Poncirus</i> spp.  (53) <i>Pouteria</i> spp.  (54) <i>Prunus</i> spp.  (55) <i>Psidium</i> spp.  (56) <i>Punica granatum</i>  (57) <i>Pyrus communis</i>  (58) <i>Rollinia</i> spp.  (59) <i>Rubus</i> spp.  (60) <i>Solanum</i> spp.  (61) <i>Spondias</i> spp.  (63) <i>Synsepalum dulcificum</i>  (64) <i>Terminalia</i> spp.  (65) <i>Thevetia peruviana</i>  (66) <i>Trichosanthes cucumerina</i>  var. <i>anguinea</i>  (67) <i>Vitis</i> spp.  (68) <i>Ziziphus</i> spp.</p>		
<p>30. Entire or any part of the following living plants (excluding flowers, fruits, and seeds):</p> <p>(1) Red pepper, Sweet pepper (<i>Capsicum annuum</i>)  (2) Tomato (<i>Lycopersicon esculentum</i>)  (3) Bitter-sweet (<i>Solanum lyratum</i>)  (4) Eggplant (<i>Solanum melongena</i>)  (5) Black nightshade (<i>Solanum nigrum</i>)  (6) Potato (<i>Solanum tuberosum</i>)</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Armenia  (2) Azerbaijan  (3) Belarus  (4) Bhutan  (5) Georgia  (6) Kazakhstan  (7) India  (8) Kyrgyz  (9) Mainland  (10) Moldova  (11) Nepal  (12) Russian Federation  (13) Tajikistan  (14) Turkmenistan  (15) Ukraine  (16) Uzbekistan</p> <p style="text-align: center;"><b>Africa</b></p> <p>(17) Lesotho  (18) South Africa  (19) Swaziland</p> <p style="text-align: center;"><b>Europe</b></p> <p>(20) All countries and districts in Europe (excluding Albania and Greece)</p> <p style="text-align: center;"><b>North America</b></p> <p>(21) Canada (excluding New Brunswick and Quebec Provinces; seed potatoes are prohibited)</p>	<p>Potato wart (<i>Synchytrium endobioticum</i> (Schilf) Per.)</p>

	<b>Central and South America</b>	
	(22) Bolivia (23) Chile (24) Ecuador (25) Falkland Islands (26) Peru (27) Uruguay	
31. Entire or any part of the following living plants (excluding leaf, flowers, fruits, seeds and tissue culture plantlets): (1) <i>Chenopodium</i> spp. (2) Salpiglossidaceae (3) Solanaceae	<b>Asia and Pacific Region</b> (1) Armenia (2) Australia (Victoria & Western Australia) (3) Azerbaijan (4) Belarus (5) Georgia (6) India (7) Indonesia (8) Japan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Malaysia (13) Moldova (14) New Zealand (15) Norfolk Island (16) Oman (17) Pakistan (18) Philippines (19) Russian Federation (20) Sri Lanka (21) Tajikistan (22) Turkmenistan (23) Turkey (24) Ukraine (25) Uzbekistan  <b>Africa</b> (26) Algeria (27) Egypt (28) Canary Islands (29) Lesotho (30) Libya (31) Morocco (32) Sierra Leone (33) South Africa (34) Swaziland (35) Tunisia (36) Zimbabwe  <b>Europe</b> (37) Albania (38) Austria (39) Balearic Islands (40) Belgium	Golden nematode ( <i>Globodera rostochiensis</i> Wr.)

	<p>(41) Bosnia and Herzegovina  (42) Bulgaria  (43) Croatia  (44) Channel Islands  (45) Cyprus  (46) Clyde Island  (47) Czech  (48) Denmark  (49) Estonia  (50) Faroe Islands  (51) Finland  (52) France  (53) Germany  (54) Greece  (55) Hungary  (56) Iceland  (57) Ireland  (58) Italy  (59) Liechtenstein  (60) Latvia  (61) Lithuania  (62) Luxembourg  (63) Malta  (64) Montenegro  (65) Netherlands  (66) Norway  (67) Poland  (68) Portugal  (69) Rumania  (70) Serbia  (71) Slovakia  (72) Slovenia  (73) Spain  (74) Sweden  (75) Switzerland  (76) Yugoslavia  (77) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(78) Canada (excluding New Brunswick and Edward Island; seed potatoes are prohibited)  (79) Mexico  (80) United States (excluding Alaska, California, Colorado, Idaho, Montana, Oregon, Washington States; seed potatoes are allowed to be imported from Alaska and Montana State only)</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(81) Argentina</p>	
--	--	--

	(82) Bolivia (83) Brazil (84) Chile (85) Colombia (86) Costa Rica (87) Ecuador (88) Panama (89) Peru (90) Venezuela	
32. Entire or any part of the following living plants (excluding seeds): (1) Eggplant ( <i>Capsicum annuum</i> ) (2) Red pepper, Sweet pepper ( <i>Capsicum annuum</i> ) (3) Tobacco ( <i>Solanum melongena</i> )	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Armenia (2) Australia (3) Azerbaijan (4) Belarus (5) Georgia (6) Iran (7) Iraq (8) Israel (9) Jordan (10) Kazakhstan (11) Kyrgyz (12) Lebanon (13) Moldova (14) Myanmar (15) Pakistan (16) Russian Federation (17) Syria (18) Tajikistan (19) Turkey (20) Turkmenistan (21) Ukraine (22) Uzbekistan (23) Yemen <p style="text-align: center;"><b>Africa</b></p> (24) Algeria (25) Egypt (26) Libyan (27) Morocco (28) Reunion (29) Tunisia <p style="text-align: center;"><b>Europe</b></p> (30) All countries and districts in Europe(excluding Netherlands) <p style="text-align: center;"><b>North America</b></p> (31) Canada (excluding British Columbia) (32) United States <p style="text-align: center;"><b>Central and South America</b></p> (33) Antigua and Barbuda (34) Argentina (35) Bahamas	Tobacco blue mold ( <i>Peronospora tabacina</i> Adam.)

	(36) Barbados (37) Belize (38) Brazil (39) Chile (40) Colombia (41) Costa Rica (42) Cuba (43) Dominica (44) Dominican Republic (45) El Salvador (46) Grenada (47) Guatemala (48) Haiti (49) Honduras (50) Jamaica (51) Mexico (52) Nicaragua (53) Panama (54) Puerto Rico (55) Saint Christopher and Nevis (56) Saint Lucia (57) Saint Vincent and the Grenadines (58) Trinidad and Tobago (59) Uruguay (60) Venezuela	
33. Fresh fruits and seeds of mango plants ( <i>Mangifera</i> spp.)	<b>Asia and Pacific Region</b> (1) Australia (2) Bangladesh (3) Bhutan (4) Chagos Islands (5) Fiji (6) French Polynesia (7) Guam (8) India (9) Indonesia (10) Malaysia (11) Marianas Islands (12) Myanmar (13) Nepal (14) New Caledonia (15) Papua New Guinea (16) Northern Mariana Islands (17) Oman (18) Pakistan (19) Philippines (20) Sri Lanka (21) Thailand (22) Tonga (23) United Arab Emirates (24) Vietnam	Mango seed weevil ( <i>Sternochetus mangiferae</i> (Fabricius))

	(25) Wallis Island (26) Wallis and Futuna <b>Africa</b> (27) British Indian Ocean Territory (28) Central African Republic (29) Gabon (30) Ghana (31) Guinea (32) Kenya (33) Lesotho (34) Liberia (35) Madagascar (36) Malawi (37) Mauritius (38) Mozambique (39) Nigeria (40) Reunion (41) Seychelles (42) South Africa (43) Swaziland (44) Tanzania (45) Uganda (46) Zambia <b>Europe</b> (47) France <b>North America</b> (48) United States <b>Central and South America</b> (49) Barbados (50) Virgin Islands (British) (51) Dominican Republic (52) Guadeloupe (53) Grenada (54) Guiana (55) Guadeloupe (56) Martinique (57) Montserrat (58) Saint Lucia (59) Saint Vincent and the Grenadines (60) Trinidad and Tobago (61) Virgin Islands (United States)	
34. Fresh fruits of citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.)	<b>Asia and Pacific Region</b> (1) Bhutan (2) India (3) Mainland (4) Nepal	Chinese citrus fly ( <i>Bactrocera minax</i> (Enderlein))
35. Fresh fruits of the following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i>	<b>Asia and Pacific Region</b> (1) Bangladesh (2) Cambodia (3) India	Peach fruit fly ( <i>Bactrocera zonata</i> (Saunders))

<p>(2) <i>Aegle marmelos</i>  (3) <i>Azadirachta indica</i>  (4) <i>Annona squamosa</i>  (5) <i>Careya arborea</i>  (6) <i>Carica papaya</i>  (7) Citrus plants (<i>Citrus</i> spp.,  <i>Fortunella</i> spp., and <i>Poncirus</i>  spp.)  (8) <i>Cucurbitaceae</i>  (9) <i>Cydonia oblonga</i>  (10) <i>Ficus carica</i>  (11) <i>Grewia asiatica</i>  (12) <i>Lycopersicon esculentum</i>  (13) <i>Malpighia emarginata</i> = <i>M.</i>  <i>glabra</i>  (14) <i>Malus</i> spp.  (15) <i>Mangifera indica</i>  (16) <i>Manilkara zapota</i>  (17) <i>Morus alba</i>  (18) <i>Phoenix dactylifera</i>  (19) <i>Prunus avium</i>  (20) <i>Prunus persica</i>  (21) <i>Psidium guajava</i>  (22) <i>Punica granatum</i>  (23) <i>Solanum melongena</i>  (24) <i>Syzygium jambos</i>  (25) <i>Terminalia catappa</i>  (26) <i>Ziziphus jujuba</i></p>	<p>(4) Indonesia  (5) Iran  (6) Israel  (7) Lao  (8) Myanmar  (9) Oman  (10) Pakistan  (11) Saudi Arabia  (12) Sri Lanka  (13) Thailand  (14) United Arab Emirates  (15) Vietnam  <b>Africa</b>  (16) Egypt  (17) Mauritius  (18) Reunion</p>	
<p>36. Fresh fruits of the following plants:  (1) <i>Abelmoschus esculentus</i>  = <i>Hibiscus esculentus</i>  (2) <i>Capsicum annuum</i>  (3) <i>Cucurbitaceae</i>  (4) <i>Gossypium</i> spp.  (5) <i>Lycopersicon esculentum</i>  (6) <i>Phaseolus</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Bangladesh  (2) India  (3) Iran  (4) Israel  (5) Myanmar  (6) Pakistan  (7) Saudi Arabia  (8) Sri Lanka  (9) Yemen  <b>Africa</b>  (10) Angola  (11) Benin  (12) Botswana  (13) Cameroon  (14) Cape Verde  (15) Chad  (16) Congo  (17) Egypt  (18) Eritrea  (19) Ethiopia  (20) Ghana  (21) Guinea</p>	<p>Cucurbit fly  (<i>Dacus ciliatus</i> Loew)</p>

	(22) Kenya (23) Lesotho (24) Madagascar (25) Malawi (26) Mauritius (27) Mozambique (28) Namibia (29) Nigeria (30) Rwanda (31) Reunion (32) Saint Helena (33) Senegal (34) Sierra Leone (35) Somalia (36) South Africa (37) Sudan (38) Swaziland (39) Tanzania (40) Togo (41) Uganda (42) Zambia (43) Zimbabwe	
37. Fresh fruits of the following plants : (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Aegle marmelos</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona</i> spp. (5) <i>Areca catechu</i> (6) <i>Artocarpus integer</i> (7) <i>Averrhoa carambola</i> (8) <i>Baccaurea racemosa</i> (9) <i>Bouea macrophylla</i> (10) <i>Bouea oppositifolia</i> (11) <i>Cananga odorata</i> (12) <i>Capparis</i> spp. (13) <i>Careya</i> spp. (14) <i>Carica papaya</i> (15) <i>Carissa carandas</i> (16) <i>Casimiroa edulis</i> (17) <i>Chrysophyllum</i> spp. (18) <i>Citrus</i> spp. (19) <i>Coccinia grandis</i> (20) <i>Coffea</i> spp. (21) <i>Cucumis melo</i> (22) <i>Cydonia oblonga</i> (23) <i>Dimocarpus longan</i> = <i>Euphoria longana</i> (24) <i>Diospyros</i> spp. (25) <i>Dipterocarpus obtusifolius</i>	<b>Asia and Pacific Region</b> (1) Myanmar (2) India (3) Mainland ( excluding Shantung ) (4) Nepal (5) Pakistan (6) Philippines (7) Sri Lanka (8) Thailand (9) Vietnam	Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi))

<p>(26) <i>Elaeocarpus madopetalus</i>  (27) <i>Ficus carica</i>  (28) <i>Flacourtia indica</i>  (29) <i>Flacourtia jangomas</i>  (30) <i>Fortunella</i> spp.  (31) <i>Garcinia xanthochymus</i>  (32) <i>Hylocereus</i> spp.  (33) <i>Irvingia malayana</i>  (34) <i>Jubaea spectabilis</i>  (35) <i>Knema angustifolia</i>  (36) <i>Lepisanthes fruticosa</i>  (37) <i>Lycopersicon esculentum</i>  (38) <i>Madhuca longifolia</i>  (39) <i>Maerua siamensis</i>  (40) <i>Malpighia emarginata</i>=<i>M. glabra</i>  (41) <i>Malus sylvestris</i>  (42) <i>Mangifera indica</i>  (43) <i>Manilkara zapota</i>=<i>Achras sapota</i>  (44) <i>Mimusops elengi</i>  (45) <i>Muntingia calabura</i>  (46) <i>Musa paradisiaca</i>  (47) <i>Olax scandens</i>  (48) <i>Opuntia vulgaris</i>  (49) <i>Phoenix dactylifera</i>  (50) <i>Phyllanthus acidus</i>  (51) <i>Polyalthia longifolia</i>  (52) <i>Poncirus</i> spp.  (53) <i>Prunus armeniaca</i>  (54) <i>Prunus avium</i>  (55) <i>Prunus cerasus</i>  (56) <i>Prunus persica</i>  (57) <i>Psidium guajava</i>  (58) <i>Punica granatum</i>  (59) <i>Pyrus communis</i>  (60) <i>Ricinus communis</i>  (61) <i>Sandoricum koetjape</i>  (62) <i>Santalum album</i>  (63) <i>Schoepfia fragrans</i>  (64) <i>Securinega virosa</i>  (65) <i>Spondias</i> spp.  (66) <i>Strychnos potatorum</i>  (67) <i>Syzygium</i> spp.=<i>Eugenia</i> spp.  (68) <i>Terminalia catappa</i>  (69) <i>Walsura intermedia</i>  (70) <i>Ziziphus</i> spp.</p>		
<p>38. Fresh fruits of the following plants:  (1) <i>Aglaia dookoo</i></p>	<p><b>Asia and Pacific Region</b>  (1) Andaman Islands  (2) Negara Brunei Darussalam</p>	<p>Carambola fruit fly  (<i>Bactrocera carambolae</i>  Drew &amp; Hancock)</p>

<p>(2) <i>Alangium griffithii</i>  (3) <i>Anacardium occidentale</i>  (4) <i>Annona muricata</i>  (5) <i>Arenga pinnata</i>  (6) <i>Artocarpus</i> spp.  (7) <i>Averrhoa bilimbi</i>  (8) <i>Averrhoa carambola</i>  (9) <i>Baccaurea motleyana</i>  (10) <i>Bouea oppositifolia</i>  (11) <i>Capsicum annuum</i>  (12) <i>Carica papaya</i>  (13) <i>Chrysophyllum cainito</i>  (14) <i>Citrus</i> spp.  (15) <i>Drypetes longifolia</i>  (16) <i>Eugenia</i> spp.  (17) <i>Fagraea ceilanica</i>  (18) <i>Ficus</i> spp.  (19) <i>Fortunella margarita</i>  (20) <i>Garcinia mangostana</i>  (21) <i>Garcinia</i> spp.  (22) <i>Knema angustifolia</i>  (23) <i>Lansium domesticum</i>  (24) <i>Lycopersicon esculentum</i>  (25) <i>Malpighia</i> spp.  (26) <i>Mangifera indica</i>  (27) <i>Manilkara zapota</i>  (28) <i>Mimusops elengi</i>  (29) <i>Persea americana</i>  (30) <i>Planchonella longipetiolatum</i>  (31) <i>Pouteria campechiana</i>  (32) <i>Psidium cattleianum</i>  (33) <i>Psidium guajava</i>  (34) <i>Punica granatum</i>  (35) <i>Rhizophora</i> spp.  (36) <i>Rhodomyrtus tomentosa</i>  (37) <i>Rollinia pulchrinervis</i>  (38) <i>Sandoricum koetjape</i>  (39) <i>Syzygium aqueum</i>  (40) <i>Syzygium</i> spp.  (41) <i>Terminalia</i> spp.  (42) <i>Thevetia peruviana</i>  (43) <i>Triphasia trifolia</i>  (44) <i>Uvaria grandiflora</i>  (45) <i>Xanthophyllum amoenum</i>  (46) <i>Ziziphus jujuba</i></p>	<p>(3) Indonesia  (4) Malaysia  (5) Singapore  (6) Thailand  (7) Vietnam  <b>South America</b>  (8) Brazil  (9) Guiana  (10) Guyana  (11) Surinam</p>	
<p>39. Fresh fruits of the following plants:  (1) <i>Adenathera pavonina</i>  (2) <i>Aglaia</i> spp.  (3) <i>Alpinia mutica</i></p>	<p><b>Asia and Pacific Region</b>  (1) Negara Brunei Darussalam  (2) Christmas Island  (3) Indonesia  (4) Malaysia</p>	<p>Papaya fruit fly  (<i>Bactrocera papayae</i>  Drew &amp; Hancock)</p>

<p>(4) <i>Anacardium occidentale</i>  (5) <i>Annona</i> spp.  (6) <i>Antidesma ghaesembilla</i>  (7) <i>Ardisia crenata</i>  (8) <i>Areca catechu</i>  (9) <i>Arenga pinnata</i>  (10) <i>Arenga westerhoutii</i>  (11) <i>Artocarpus</i> spp.  (12) <i>Averrhoa bilimbi</i>  (13) <i>Averrhoa carambola</i>  (14) <i>Azadirachta excelsa</i>  (15) <i>Baccaurea motleyana</i>  (16) <i>Borassus flabellifer</i>  (17) <i>Bouea macrophylla</i>  (18) <i>Bouea oppositifolia</i>  (19) <i>Breynia reclinata</i>  (20) <i>Callicarpa longifolia</i>  (21) <i>Careya sphaerica</i>  (22) <i>Carica papaya</i>  (23) <i>Carissa carandas</i>  (24) <i>Caryota mitis</i>  (25) <i>Celtis tetranda</i>  (26) <i>Chrysophyllum cainito</i>  (27) <i>Cissus repens</i>  (28) Citrus plant ( <i>Citrus</i> spp.,  <i>Fortunella</i> spp., and <i>Poncirus</i>  spp. )  (29) <i>Clausena lansium</i>  (30) <i>Coccinia grandis</i>  (31) <i>Coffea arabica</i>  (32) <i>Coffea canephora</i>  (33) <i>Cordia dentata</i>  (34) <i>Crinum asiaticum</i>  (35) <i>Cucumis sativus</i>  (36) <i>Desmos chinensis</i>  (37) <i>Dillenia obovata</i>  (38) <i>Diospyros</i> spp.  (39) <i>Dovyalis hebecarpa</i>  (40) <i>Ehretia microphylla</i>  (41) <i>Eriobotrya japonica</i>  (42) <i>Eugenia</i> spp.  (43) <i>Excoecaria agallocha</i>  (44) <i>Fagraea ceilanica</i>  (45) <i>Fibraurea tinctoria</i>  (46) <i>Ficus</i> spp.  (47) <i>Flacourtia rukam</i>  (48) <i>Garcinia</i> spp.  (49) <i>Gmelina</i> spp.  (50) <i>Grewia paniculata</i>  (51) <i>Gymnopetalum integrifolium</i></p>	<p>(5) Papua New Guinea  (6) Singapore  (7) Thailand  (8) Vietnam</p>	
--	---	--

<p>(52) <i>Holigarna kurzii</i>  (53) <i>Horsfieldia subglobosa</i>  (54) <i>Ixora javanica</i>  (55) <i>Knema</i> spp.  (56) <i>Lansium domesticum</i>  (57) <i>Lepisanthes</i> spp.  (58) <i>Litsea glutinosa</i>  (59) <i>Lycopersicon esculentum</i>  (60) <i>Malpighia emarginata</i> = <i>M. glabra</i>  (61) <i>Mangifera</i> spp.  (62) <i>Manilkara zapota</i>  (63) <i>Mimusops elengi</i>  (64) <i>Momordica charantia</i>  (65) <i>Morinda</i> spp.  (66) <i>Morus alba</i>  (67) <i>Muntingia calabura</i>  (68) <i>Musa</i> spp.  (69) <i>Nauclea orientalis</i>  (70) <i>Nephelium lappaceum</i>  (71) <i>Parkia speciosa</i>  (72) <i>Passiflora</i> spp.  (73) <i>Pereskia grandiflora</i>  (74) <i>Persea americana</i>  (75) <i>Phaseolus vulgaris</i>  (76) <i>Polyalthia longifolia</i>  (77) <i>Pouteria</i> spp.  (78) <i>Premna serratifolia</i>  (79) <i>Prunus persica</i>  (80) <i>Psidium cattleianum</i>  (81) <i>Punica granatum</i>  (82) <i>Rollinia pulchrinervis</i>  (83) <i>Terminalia</i> spp.  (84) <i>Theobroma cacao</i>  (85) <i>Thevetia peruviana</i>  (86) <i>Sandoricum koetjape</i>  (87) <i>Sapium</i> spp.  (88) <i>Solanum</i> spp.  (89) <i>Spondias</i> spp.  (90) <i>Syzygium aqueum</i>  (91) <i>Syzygium</i> spp.  (92) <i>Uvaria grandiflora</i>  (93) <i>Veitchia merrillii</i>  (94) <i>Ziziphus</i> spp.</p>		
<p>40. Fresh fruits of the following plants:  (1) <i>Artocarpus</i> spp.  (2) <i>Averrhoa carambola</i>  (3) <i>Carica papaya</i>  (4) <i>Citrus reticulata</i>  (5) <i>Mangifera indica</i></p>	<p><b>Asia and Pacific Region</b>  (1) Philippines</p>	<p><i>Bactrocera philippinensis</i>  Drew &amp; Hancock</p>

(6) <i>Manilkara zapota</i> (7) <i>Pouteria duklitan</i> (8) <i>Psidium guajava</i> (9) <i>Spondias</i> spp. (10) <i>Syzygium malaccensis</i>		
41. Fresh fruits of the following plants: (1) <i>Artocarpus</i> spp. (2) Citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (3) Coffee ( <i>Coffea</i> spp. ) (4) <i>Ficus</i> spp. (5) Mango ( <i>Mangifera indica</i> ) (6) Guava ( <i>Psidium guajava</i> )	<b>Asia and Pacific Region</b> (1) India (2) Oman (3) Sri Lanka	<i>Bactrocera caryeae</i> (Kapoor)
42. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona glabra</i> (3) <i>Areca catechu</i> (4) <i>Artocarpus</i> spp. (5) <i>Averrhoa carambola</i> (6) <i>Carica papaya</i> (7) <i>Citrus maxima</i> (8) <i>Garcinia</i> spp. (9) <i>Mangifera indica</i> (10) <i>Persea americana</i> (11) <i>Psidium guajava</i> (12) <i>Punica granatum</i> (13) <i>Spondias</i> spp. (14) <i>Syzygium aromaticum</i> (15) <i>Syzygium jambos</i>	<b>Asia and Pacific Region</b> (1) Sri Lanka	<i>Bactrocera kandiensis</i> Drew & Hancock
43. Fresh fruits of the following plants: (1) <i>Baccaurea ramiflor</i> (2) Peach ( <i>Prunus persica</i> ) (3) Guava ( <i>Psidium guajava</i> ) (4) Pear ( <i>Pyrus</i> spp. )	<b>Asia and Pacific Region</b> (1) Thailand	<i>Bactrocera pyrifoliae</i> Drew & Hancock
44. Entire or any part of banana plants ( <i>Musa</i> spp.) (excluding dried fruit)	<b>Asia and Pacific Region</b> (1) India (2) Philippines (3) Samoa (4) Sri Lanka (5) Thailand (6) Vietnam	<i>Banana bract mosaic virus</i> ( <i>Potyvirus</i> )
45. Entire or any part of banana plants ( <i>Musa</i> spp.)(excluding dried fruit)	<b>Asia and Pacific Region</b> (1) Australia (2) India (3) Indonesia (4) Mainland	<i>Banana streak virus</i> ( <i>Badnavirus</i> )

	<p>(5) Malaysia  (6) New Caledonia  (7) Papua New Guinea  (8) Philippines  (9) Sri Lanka  (10) Thailand  (11) Tonga  (12) Vietnam  (13) Western Samoa</p> <p style="text-align: center;"><b>Africa</b></p> <p>(14) Benin  (15) Cameroon  (16) Cape Verde  (17) Canary Islands  (18) Cote d'Ivoire  (19) Ghana  (20) Guinea  (21) Kenya  (22) Madagascar  (23) Malawi  (24) Mauritius  (25) Morocco  (26) Nigeria  (27) Rwanda  (28) South Africa  (29) Tanzania  (30) Uganda</p> <p style="text-align: center;"><b>Europe</b></p> <p>(31) Madeira island (Portugal)</p> <p style="text-align: center;"><b>North America</b></p> <p>(32) United States (Florida and Virgin Islands)</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(33) Belize  (34) Colombia  (35) Costa Rica  (36) Cuba  (37) Ecuador  (38) Grenada  (39) Guadeloupe  (40) Honduras  (41) Jamaica  (42) Trinidad  (43) Venezuela</p>	
<p>46. Entire or any part of the following plants(excluding flowers, fruits, seeds, shoots no more than 3 cm in diameter and seedlings with the largest trunk which no more than 3 cm in diameter):</p>	<p style="text-align: center;"><b>Asia</b></p> <p>(1) Mainland  (2) Korea, Democratic People's Republic of  (3) Korea, Republic of</p> <p style="text-align: center;"><b>Europe</b></p> <p>(4) Austria ( Braunau )</p>	<p>Asian longhorned beetle  (<i>Anoplophora glabripennis</i>  (Motschulsky))</p>

<ul style="list-style-type: none"> <li>(1) <i>Acer</i> spp.</li> <li>(2) <i>Aesculus</i> spp.</li> <li>(3) <i>Alnus</i> spp.</li> <li>(4) <i>Betula</i> spp.</li> <li>(5) <i>Citrus</i> spp.</li> <li>(6) <i>Elaeagnus angustifolia</i></li> <li>(7) <i>Fraxinus</i> spp.</li> <li>(8) <i>Hibiscus</i> spp.</li> <li>(9) <i>Liriodendron tulipifera</i></li> <li>(10) <i>Malus</i> spp.</li> <li>(11) <i>Melia</i> spp.</li> <li>(12) <i>Morus</i> spp.</li> <li>(13) <i>Paulownia fortunei</i></li> <li>(14) <i>Platanus</i> spp.</li> <li>(15) <i>Populus</i> spp.</li> <li>(16) <i>Prunus</i> spp.</li> <li>(17) <i>Pyrus</i> spp.</li> <li>(18) <i>Robinia</i> spp.</li> <li>(19) <i>Rosa</i> spp.</li> <li>(20) <i>Salix</i> spp.</li> <li>(21) <i>Sophora</i> spp.</li> <li>(22) <i>Ulmus</i> spp.</li> </ul>	<p><b>North America</b></p> <ul style="list-style-type: none"> <li>(5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont))</li> <li>(6) Canada (Ontario (Toronto and Vaughan))</li> </ul>	
<p>47. Fresh fruits of mango plants</p>	<p><b>Asia and Pacific Region</b></p> <ul style="list-style-type: none"> <li>(1) Bangladesh</li> <li>(2) Brunei</li> <li>(3) Chagos Islands</li> <li>(4) India</li> <li>(5) Indonesia</li> <li>(6) Malaysia</li> <li>(7) Marianas Islands</li> <li>(8) Myanmar</li> <li>(9) Papua New Guinea</li> <li>(10) Pakistan</li> <li>(11) Philippines</li> <li>(12) Thailand</li> </ul>	<p>Mango weevil ( <i>Sternochetus frigidus</i> ( Fabricius ) = <i>Cryptorrhynchus gravis</i> ( Fabricius ) )</p>
<p>48. Fresh fruits of the following plants:</p> <ul style="list-style-type: none"> <li>(1) <i>Aronia arbutifolia</i></li> <li>(2) <i>Chaenomeles japonica</i></li> <li>(3) <i>Chaenomeles speciosa</i></li> <li>(4) <i>Cornus mas</i></li> <li>(5) <i>Crataegus</i> spp.</li> <li>(6) <i>Cydonia oblonga</i></li> <li>(7) <i>Malus</i> spp.</li> <li>(8) <i>Phoenix dactylifera</i></li> <li>(9) <i>Prunus americana</i></li> <li>(10) <i>Prunus armeniaca</i></li> <li>(11) <i>Prunus domestica</i></li> <li>(12) <i>Prunus dulcis</i> = <i>P. amygdalus</i></li> <li>(13) <i>Prunus mume</i></li> </ul>	<p><b>Asia and Pacific Region</b></p> <ul style="list-style-type: none"> <li>(1) Mainland</li> <li>(2) Japan</li> <li>(3) Korea, Democratic People's Republic of</li> <li>(4) Korea, Republic of</li> <li>(5) Russian Federation</li> </ul>	<p>Peach fruit moth ( <i>Carposina sasakii</i> Matsumura = <i>Carposina niponensis</i> Walsingham)</p>

<p>(14) <i>Prunus persica</i>  (15) <i>Prunus salicina</i>  (16) <i>Pyrus</i> spp.  (17) <i>Rosa</i> spp.  (18) <i>Sorbus aucuparia</i>  (19) <i>Sorbus commixta</i>  (20) <i>Ziziphus jujuba</i></p>		
<p>49. Entire or any part of the following living plants (excluding flowers, fruits and seeds) :</p> <p>(1) <i>Abies</i> spp.  (2) <i>Acer</i> spp.  (3) <i>Adiantum aleuticum</i>  (4) <i>Adiantum jordanii</i>  (5) <i>Aesculus californica</i>  (6) <i>Aesculus hippocastanum</i>  (7) <i>Arbutus menziesii</i>  (8) <i>Arbutus unedo</i>  (9) <i>Arctostaphylos</i> spp.  (10) <i>Ardisia japonica</i>  (11) <i>Berberis iversifolia</i> = <i>Mahonia aquifolium</i>  (12) <i>Calluna vulgaris</i> = <i>Erica vulgaris</i>  (13) <i>Calycanthus occidentalis</i>  (14) <i>Camellia</i> spp.  (15) <i>Castanea sativa</i>  (16) <i>Castanopsis orthacantha</i>  (17) <i>Ceanothus thyrsiflorus</i>  (18) <i>Cercis chinensis</i>  (19) <i>Cinnamomum camphora</i>  (20) <i>Clintonia andrewsiana</i>  (21) <i>Cornus kousa</i> x <i>C. capitata</i>  (22) <i>Corylopsis spicata</i>  (23) <i>Corylus cornuta</i>  (24) <i>Distylium myricoides</i>  (25) <i>Drimys winteri</i>  (26) <i>Dryopteris arguta</i>  (27) <i>Eucalyptus haemastoma</i>  (28) <i>Euonymus kiautschovicus</i>  (29) <i>Fagus sylvatica</i>  (30) <i>Frangula californica</i> = <i>Rhamnus californica</i>  (31) <i>Frangula purshiana</i> = <i>Rhamnus purshiana</i>  (32) <i>Fraxinus excelsior</i>  (33) <i>Fraxinus latifolia</i>  (34) <i>Garrya elliptica</i>  (35) <i>Gaultheria shallon</i></p>	<p style="text-align: center;"><b>Europe</b></p> <p>(1) Belgium  (2) Channel Island(British)  (3) Denmark  (4) France  (5) Germany  (6) Ireland  (7) Italy  (8) Netherlands  (9) Norway  (10) Poland  (11) Slovenia  (12) Spain  (13) Sweden  (14) Switzerland  (15) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(16) Canada(British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge))  (17) United States (California, Florida, Georgia, Oregon and Washington)</p>	<p><i>Phytophthora ramorum</i>  Werres, De Cock &amp; Man in't Veld</p>

<p>(36) <i>Griselinia littoralis</i>  (37) <i>Hamamelis</i> spp.  (38) <i>Heteromeles arbutifolia</i>  (39) <i>Ilex purpurea</i>  (40) <i>Kalmia</i> spp.  (41) <i>Laurus nobilis</i>  (42) <i>Leucothoe axillaris</i>  (43) <i>Leucothoe fontanesiana</i>  (44) <i>Lithocarpus densiflorus</i>  (45) <i>Lonicera hispidula</i>  (46) <i>Loropetalum chinense</i>  (47) <i>Magnolia</i> spp.  (48) <i>Maianthemum racemosum</i> =  <i>Smilacina racemosa</i>  (49) <i>Manglietia insignis</i>  (50) <i>Michelia</i> spp.  (51) <i>Nerium oleander</i>  (52) <i>Nothofagus obliqua</i>  (53) <i>Osmanthus</i> spp.  (54) <i>Osmorhiza berteroi</i>  (55) <i>Parakmeria lotungensis</i>  (56) <i>Parrotia persica</i>  (57) <i>Photinia fraseri</i>  (58) <i>Physocarpus opulifolius</i>  (59) <i>Pieris</i> spp.  (60) <i>Pittosporum undulatum</i>  (61) <i>Prunus laurocerasus</i>  (62) <i>Prunus lusitanica</i>  (63) <i>Pseudotsuga menziesii</i>  (64) <i>Pyracantha koidzumii</i>  (65) <i>Quercus</i> spp.  (66) <i>Rhododendron</i> spp.  (67) <i>Rosa gymnocarpa</i>  (68) <i>Rosa rugosa</i>  (69) <i>Rubus spectabilis</i>  (70) <i>Salix caprea</i>  (71) <i>Schima wallichii</i>  (72) <i>Sequoia sempervirens</i>  (73) <i>Syringa vulgaris</i>  (74) <i>Taxus</i> spp.  (75) <i>Torreya californica</i>  (76) <i>Toxicodendron diversilobum</i>  (77) <i>Trientalis latifolia</i>  (78) <i>Umbellularia californica</i>  (79) <i>Vaccinium ovatum</i>  (80) <i>Vancouveria planipetala</i>  (81) <i>Viburnum</i> spp.</p>		
<p>50. Entire or any part of the following plants (excluding fruits and seeds) :</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Armenia  (2) Azerbaijan  (3) Belarus</p>	<p>Fire blight  ( <i>Erwinia amylovora</i>  (Burrill) Winslow <i>et al.</i> )</p>

(1) <i>Amelanchier</i> spp. (2) <i>Aronia</i> spp. (3) <i>Chaenomeles</i> spp. (4) <i>Cotoneaster</i> spp. (5) <i>Crataegomespilus</i> spp. (6) <i>Crataegus</i> spp. (7) <i>Cydonia</i> spp. (8) <i>Dichotomanthes</i> spp. (9) <i>Docynia</i> spp. (10) <i>Eriobotrya japonica</i> (11) <i>Malus</i> spp. (12) <i>Mespilus</i> spp. (13) <i>Osteomeles</i> spp. (14) <i>Peraphyllum</i> spp. (15) <i>Photinia</i> spp. ( <i>Heteromeles</i> spp.) (16) <i>Prunus</i> spp. (17) <i>Pyracantha</i> spp. (18) <i>Pyrus</i> spp. (19) <i>Raphiolepis</i> spp. (20) <i>Rubus</i> spp. (21) <i>Sorbus</i> spp. (22) <i>Spiraea</i> spp. (23) <i>Stranvaesia</i> spp.	(4) Mainland (excluding Shantung) (5) Georgia (6) India (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) New Zealand (14) Russian Federation (15) Saudi Arabia (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan (21) Vietnam  <b>Africa</b> (22) Egypt  <b>Europe</b> (23) Albania (24) Austria (25) Belgium (26) Bosnia and Herzegovina (27) Bulgaria (28) Croatia (29) Czech (30) Cyprus (31) Denmark (32) Estonia (33) France (34) Germany (35) Greece (36) Hungary (37) Ireland (38) Italy (39) Latvia (40) Lithuania (41) Luxembourg (42) Macedonia (43) Netherlands (44) Norway (45) Poland (46) Romania (47) Serbia and Montenegro (48) Slovakia (49) Spain (50) Sweden (51) Switzerland (52) United Kingdom	
--	--	--

	<p style="text-align: center;"><b>North America</b></p> (53) Canada (54) Mexico (55) United States <p style="text-align: center;"><b>Central and South America</b></p> (56) Bermuda (57) Brazil (58) Guatemala (59) Venezuela	
51. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona</i> spp. (3) <i>Capsicum</i> spp. (4) <i>Carica papaya</i> (5) <i>Casimiroa</i> spp. (6) <i>Citrus</i> spp. (7) <i>Coffea arabica</i> (8) <i>Cydonia oblonga</i> (9) <i>Diospyros kaki</i> (10) <i>Eriobotrya japonica</i> (11) <i>Feijoa sellowiana</i> (12) <i>Ficus</i> spp. (13) <i>Fortunella</i> spp. (14) <i>Inga</i> spp. (15) <i>Lycopersicum esculentum</i> (16) <i>Malus</i> spp. (17) <i>Mammea</i> spp. (18) <i>Mangifera indica</i> (19) <i>Manilkara zapota</i> = <i>Achras sapota</i> (20) <i>Mastichodendron capiri</i> (21) <i>Passiflora edulis</i> (22) <i>Persea americana</i> (23) <i>Poncirus</i> spp. (24) <i>Pouteria</i> spp. (25) <i>Prunus</i> spp. (26) <i>Psidium</i> spp. (27) <i>Punica granatum</i> (28) <i>Pyrus</i> spp. (29) <i>Sargentia greggii</i> (30) <i>Spondias</i> spp. (31) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.	<p style="text-align: center;"><b>North America</b></p> (1) Mexico (2) United States(Texas) <p style="text-align: center;"><b>Central and South America</b></p> (3) Belize (4) Costa Rica (5) El Salvador (6) Guatemala (7) Honduras (8) Nicaragua	Mexican fruit fly ( <i>Anastrepha ludens</i> (Loew))
52. Fresh fruits of the following plants: (1) <i>Ampelocera hottlei</i> (2) <i>Anacardium occidentale</i> (3) <i>Annona glabra</i> (4) <i>Annona hayesii</i> (5) <i>Averrhoa carambola</i>	<p style="text-align: center;"><b>North America</b></p> (1) Mexico <p style="text-align: center;"><b>Central and South America</b></p> (2) Antigua and Barbuda (3) Argentina (4) Bahamas (5) Barbados	West Indian fruit fly ( <i>Anastrepha obliqua</i> Macquart = <i>A. mombinpraeoptans</i> Sein)

<ul style="list-style-type: none"> <li>(6) <i>Brosimum alicastrum</i></li> <li>(7) <i>Capsicum annum</i></li> <li>(8) <i>Citrus</i> spp.</li> <li>(9) <i>Chrysobalanus icaco</i></li> <li>(10) <i>Coffea arabica</i></li> <li>(11) <i>Couma guianensis</i></li> <li>(12) <i>Diospyros</i> spp.</li> <li>(13) <i>Dovyalis hebecarpa</i></li> <li>(14) <i>Eriobotrya japonica</i></li> <li>(15) <i>Fortunella</i> spp.</li> <li>(16) <i>Malpighia glabra</i></li> <li>(17) <i>Mangifera indica</i></li> <li>(18) <i>Manilkara zapota</i> = <i>Achras sapota</i></li> <li>(19) <i>Myrcia eximia</i></li> <li>(20) <i>Myrciaria cauliflora</i></li> <li>(21) <i>Myrciaria dubia</i></li> <li>(22) <i>Passiflora edulis</i></li> <li>(23) <i>Passiflora quadrangulari</i></li> <li>(24) <i>Poncirus</i> spp.</li> <li>(25) <i>Pouteria</i> spp.</li> <li>(26) <i>Prunus</i> spp.</li> <li>(27) <i>Psidium</i> spp.</li> <li>(28) <i>Pyrus communis</i></li> <li>(29) <i>Spondias</i> spp.</li> <li>(30) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.</li> <li>(31) <i>Terminalia catappa</i></li> <li>(32) <i>Vitis vinifera</i></li> </ul>	<ul style="list-style-type: none"> <li>(6) Belize</li> <li>(7) Brazil</li> <li>(8) Virgin Islands (British)</li> <li>(9) Costa Rica</li> <li>(10) Colombia</li> <li>(11) Cuba</li> <li>(12) Dominica</li> <li>(13) Dominican Republic</li> <li>(14) Ecuador</li> <li>(15) Grenada</li> <li>(16) Guadeloupe</li> <li>(17) Guatemala</li> <li>(18) Guyana</li> <li>(19) Haiti</li> <li>(20) Honduras</li> <li>(21) Jamaica</li> <li>(22) Martinique</li> <li>(23) Montserrat</li> <li>(24) Nicaragua</li> <li>(25) Panama</li> <li>(26) Paraguay</li> <li>(27) Peru</li> <li>(28) Puerto Rico</li> <li>(29) Saint Christopher &amp; Nevis</li> <li>(30) Saint Lucia</li> <li>(31) Saint Vincent and the Grenadines</li> <li>(32) Suriname</li> <li>(33) Trinidad and Tobago</li> <li>(34) Virgin Islands (United States)</li> <li>(35) Venezuela</li> </ul>	
<p>53. Fresh fruits of the following plants :</p> <ul style="list-style-type: none"> <li>(1) <i>Actinidia chinensis</i></li> <li>(2) <i>Ampelocera hottlei</i></li> <li>(3) <i>Annona</i> spp.</li> <li>(4) <i>Averrhoa carambola</i></li> <li>(5) <i>Citrus</i> spp.</li> <li>(6) <i>Chrysophyllum gonocarpum</i></li> <li>(7) <i>Coffea arabica</i></li> <li>(8) <i>Coffea liberica</i></li> <li>(9) <i>Cydonia oblonga</i></li> <li>(10) <i>Diospyros</i> spp.</li> <li>(11) <i>Dovyalis hebecarpa</i></li> <li>(12) <i>Eriobotrya japonica</i></li> <li>(13) <i>Feijoa sellowiana</i></li> <li>(14) <i>Ficus carica</i></li> <li>(15) <i>Fortunella</i> spp.</li> <li>(16) <i>Fragaria vesca</i></li> <li>(17) <i>Inga</i> spp.</li> <li>(18) <i>Juglans</i> spp.</li> </ul>	<p style="text-align: center;"><b>North America</b></p> <ul style="list-style-type: none"> <li>(1) Mexico</li> </ul> <p style="text-align: center;"><b>Central and South America</b></p> <ul style="list-style-type: none"> <li>(2) Antigua and Barbuda</li> <li>(3) Argentina</li> <li>(4) Bahamas</li> <li>(5) Barbados</li> <li>(6) Bolivia</li> <li>(7) Brazil</li> <li>(8) Colombia</li> <li>(9) Costa Rica</li> <li>(10) Cuba</li> <li>(11) Dominica</li> <li>(12) Dominican Republic</li> <li>(13) Ecuador</li> <li>(14) Grenada</li> <li>(15) Guatemala</li> <li>(16) Guyana</li> <li>(17) Haiti</li> <li>(18) Jamaica</li> </ul>	<p>South American fruit fly (<i>Anastrepha fraterculus</i>(Wiedemann))</p>

<p>(19) <i>Malus</i> spp.  (20) <i>Mangifera indica</i>  (21) <i>Manilkara zapota</i>=<i>Achras sapota</i>  (22) <i>Myrcianthes pungens</i>  (23) <i>Olea europaea</i>  (24) <i>Passiflora caerulea</i>  (25) <i>Persea americana</i>  (26) <i>Phyllanthus acidus</i>  (27) <i>Poncirus</i> spp.  (28) <i>Pouteria obovata</i>  (29) <i>Prunus</i> spp.  (30) <i>Psidium</i> spp.  (31) <i>Punica granatum</i>  (32) <i>Pyrus</i> spp.  (33) <i>Solanum quitoense</i>  (34) <i>Spondias</i> spp.  (35) <i>Syzygium</i> spp.=<i>Eugenia</i> spp.  (36) <i>Terminalia catappa</i>  (37) <i>Theobroma cacao</i>  (38) <i>Turpinia paniculata</i>  (39) <i>Vitis vinifera</i>  (40) <i>Ximenia americana</i></p>	<p>(19) Nicaragua  (20) Panama  (21) Paraguay  (22) Peru  (23) Puerto Rico  (24) Saint Christopher &amp; Nevis  (25) Saint Lucia  (26) Saint Vincent and the Grenadines  (27) Suriname  (28) Trinidad and Tobago  (29) Uruguay  (30) Venezuela</p>	
<p>54. Fresh fruits of the following plants :</p> <p>(1) <i>Alchornea latifolia</i>  (2) <i>Annona</i> spp.  (3) <i>Byrsonima crassifolia</i>  (4) <i>Capsicum annuum</i>  (5) <i>Carica papaya</i>  (6) <i>Carissa macrocarpa</i>  (7) <i>Citrofortunella x mitis</i>  (8) <i>Citrus</i> spp.  (9) <i>Cydonia oblonga</i>  (10) <i>Diospyros digyna</i>  (11) <i>Dovyalis hebecarpa</i>  (12) <i>Eriobotrya japonica</i>  (13) <i>Eugenia uniflora</i>  (14) <i>Fortunella</i> spp.  (15) <i>Lacmellea panamensis</i>  (16) <i>Lycopersicon esculentum</i>  (17) <i>Malus</i> spp.  (18) <i>Mammea americana</i>  (19) <i>Mangifera indica</i>  (20) Moraceae  (21) <i>Persea americana</i>  (22) <i>Poncirus</i> spp.  (23) <i>Prunus avium</i>  (24) <i>Prunus persica</i>  (25) <i>Psidium guajava</i>  (26) <i>Pyrus</i> spp.</p>	<p style="text-align: center;"><b>North America</b></p> <p>(1) Mexico</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(2) Argentina  (3) Brazil  (4) Colombia  (5) Costa Rica  (6) Dominica  (7) Dominican Republic  (8) Ecuador  (9) French Guiana  (10) El Salvador  (11) Guatemala  (12) Guyana  (13) Honduras  (14) Netherlands Antilles  (15) Nicaragua  (16) Panama  (17) Peru  (18) Suriname  (19) Trinidad and Tobago  (20) Venezuela</p>	<p>Black fruit fly  (<i>Anastrepha serpentina</i> Wiede-mann)</p>

<p>(27) Sapotaceae  (28) <i>Spondias</i> spp.  (29) <i>Syzygium malaccense</i>  (30) <i>Terminalia catappa</i></p>		
<p>55. Living materials for propagative purpose of the following plants (excluding seeds) :</p> <p>(1) <i>Acacia longifolia</i>  (2) <i>Acer</i> spp.  (3) <i>Aesculus californica</i>  (4) <i>Alnus rhombifolia</i>  (5) <i>Ampelopsis arborea</i>  (6) <i>Artemisia douglasiana</i>  (7) <i>Avena fatua</i>  (8) <i>Baccharis pilularis</i>  (9) <i>Baccharis salicifolia</i>  (10) <i>Bromus</i> spp.  (11) <i>Callicarpa americana</i>  (12) <i>Callistephus chinensis</i>  (13) <i>Canna</i> spp.  (14) <i>Chenopodium ambrosioides</i>  (15) <i>Chenopodium quinoa</i>  (16) <i>Citrus</i> spp.  (17) <i>Claytonia perfoliata</i>  (18) <i>Coffea</i> spp.  (19) <i>Conium maculatum</i>  (20) <i>Coprosma baueri</i>  (21) <i>Cotoneaster rotundifolia</i>  (22) <i>Cynodon dactylon</i>  (23) <i>Cyperus eragrostis</i>  (24) <i>Cyperus esculentus</i>  (25) <i>Cytisus scoparius</i>  (26) <i>Daucus carota</i> var. <i>sativa</i>  (27) <i>Digitaria sanguinalis</i>  (28) <i>Duranta repens</i>  (29) <i>Echinochloa crusgalli</i>  (30) <i>Epilobium californicum</i>  (31) <i>Epilobium paniculatum</i>  (32) <i>Eragrostis diffusa</i>  (33) <i>Erodium cicutarium</i>  (34) <i>Escallonia montevidensis</i>  (35) <i>Eugenia myrtifolia</i>  (36) <i>Fortunella</i> spp.  (37) <i>Fragaria californica</i>  (38) <i>Franseria acanthicarpa</i>  (39) <i>Fraxinus dipetala</i>  (40) <i>Fraxinus latifolia</i>  (41) <i>Fuchsia magellanica</i>  (42) <i>Genista monspessulana</i>  (43) <i>Hedera helix</i>  (44) <i>Heteromeles arbutifolia</i></p>	<p style="text-align: center;"><b>North America</b></p> <p>(1) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(2) Argentina  (3) Brazil  (4) Costa Rica  (5) Paraguay  (6) Venezuela</p>	<p><i>Xylella fastidiosa</i></p>

<p>(45) <i>Hordeum murinum</i>  (46) <i>Hordeum vulgare</i>  (47) <i>Hydrangea paniculata</i>  (48) <i>Lactuca serriola</i>  (49) <i>Lathyrus</i> spp.  (50) <i>Liquidambar styraciflua</i>  (51) <i>Lolium multiflorum</i>  (52) <i>Lolium temulentum</i>  (53) <i>Lonicera japonica</i>  (54) <i>Majorana hortensis</i>  (55) <i>Medicago hispida</i>  (56) <i>Medicago sativa</i>  (57) <i>Melilotus</i> spp.  (58) <i>Melissa officinalis</i>  (59) <i>Mentha</i> spp.  (60) <i>Morus alba</i>  (61) <i>Nerium oleander</i>  (62) <i>Oenanthe sarmentosa</i>  (63) <i>Oenothera hookeri</i>  (64) <i>Parthenocissus</i>  <i>quinquefolia</i>  (65) <i>Parthenocissus tricuspidata</i>  (66) <i>Paspalum dilatatum</i>  (67) <i>Pelargonium hortorum</i>  (68) <i>Pennisetum clandestinum</i>  (69) <i>Phalaris minor</i>  (70) <i>Phalaris paradoxa</i>  (71) <i>Phleum pratense</i>  (72) <i>Pittosporum crassifolium</i>  (73) <i>Platanus occidentalis</i>  (74) <i>Poa annua</i>  (75) <i>Polygonum convolvulus</i>  (76) <i>Polygonum persicaria</i>  (77) <i>Poncirus</i> spp.  (78) <i>Populus fremontii</i>  (79) <i>Portulaca oleracea</i>  (80) <i>Prunus</i> spp.  (81) <i>Quercus agrifolia</i>  (82) <i>Quercus lobata</i>  (83) <i>Reseda odorata</i>  (84) <i>Rosa californica</i>  (85) <i>Rosmarinus officinalis</i>  (86) <i>Rubus</i> spp.  (87) <i>Rumex crispus</i>  (88) <i>Sambucus canadensis</i>  (89) <i>Sambucus mexicana</i>  (90) <i>Setaria lutescens</i>  (91) <i>Sonchus asper</i>  (92) <i>Sorghum halepense</i>  (93) <i>Sorghum vulgare</i>  (94) <i>Symphoricarpos albus</i></p>		
--	--	--

(95) <i>Syringa vulgaris</i> (96) <i>Toxicodendron diversilobum</i> (97) <i>Trifolium</i> spp. (98) <i>Ulmus</i> spp. (99) <i>Umbellularia californica</i> (100) <i>Urtica dioica</i> (101) <i>Veronica</i> spp. (102) <i>Vicia faba</i> (103) <i>Vicia monathus</i> (104) <i>Vinca major</i> (105) <i>Vitis</i> spp. (106) <i>Vulpia myuros</i> var. <i>hirsuta</i> (107) <i>Xanthium strumarium</i>		
---	--	--

2. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the country or district listed in the table, they will be treated as prohibited plants or plant products.
3. To apply for importation of plant or plant product for the first time from a country or district where is in the immediate vicinity of a quarantine pest area, and has similar climate and crops to those of the area, but has insufficient reports or no report at all about the pest status, the importer or the agent shall submit information as follows to obtain approval for the importation from the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, Executive Yuan.(BAPHIQ)
  - 3.1 The official survey data and the general surveillance record of the pests. The duration of survey shall be in compliance with the time period required in the “Procedures for Recognition of Pest Free Areas.”
  - 3.2 The information of cultivation management of the plant/plant product, including producing areas, yield, harvest season and the post-harvest process.
  - 3.3 The pest list of the plant/plant product, including the information of pest control and the list of chemical used.
  - 3.4 The export inspection procedure and the procedure of issuing the Phytosanitary Certificate. After the document review is cleared, if necessary, BAPHIQ will dispatch quarantine officers to conduct an on-site inspection of the exporting country. When the country or district is approved as pest free area and the pest risk assessment of the plant/plant product is also approved, BAPHIQ will then permit the importation of plant/plant product from the country or district, in accordance with import quarantine requirements.
4. Hong Kong, Singapore and Macau are free ports and therefore regarded as countries or districts where plants or plant products are prohibited to import.
5. Whoever intends to import designated fresh fruit for the first time from a country or district where the Mediterranean fruit fly is known to occur has to apply for approval of importation from BAPHIQ and submit information as follow.
  - 5.1 The information of cultivation management of the designated fresh fruit, including producing areas, yield, harvest season and the post-harvest process.
  - 5.2 The pest list of the designated fresh fruit, including the information of pest control and the list of chemical used.
  - 5.3 The last one year data of status of Mediterranean fruit fly including population density survey record of Mediterranean fruit fly, and the official control projects, regulation and control result of Mediterranean fruit fly.
  - 5.4 The export inspection procedure and the procedure of issuance the Phytosanitary Certificate. If the document review is cleared, BAPHIQ will then dispatch quarantine officers to

conduct an on-site inspection for verification and inspection of quarantine measures. If the measures are in compliance with the quarantine requirements, BAPHIQ will permit the importation of the fresh fruit from the country or district, in accordance with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where the Mediterranean Fruit Fly Is Known to Occur.”

## B. Quarantine Requirements for Enterable Plants or Plant Products under Precautionary Requirements

Pursuant to Subparagraph 2 of the first paragraph, Article 14, Plant Protection and Quarantine Act

1. Names of enterable plants or plant products, countries or districts of their origin, and entry requirements.

Plants or Plant Products	Countries or Districts of Origin	Diseases or Pests	Quarantine Requirements
<p>1. Fresh fruits of the following plants:</p> <p>(1) <i>Cydonia oblonga</i></p> <p>(2) <i>Juglans regia</i></p> <p>(3) <i>Malus spp.</i></p> <p>(4) <i>Prunus armeniaca</i></p> <p>(5) <i>Prunus avium</i></p> <p>(6) <i>Prunus domestica</i></p> <p>(7) <i>Prunus dulcis</i></p> <p>(8) <i>Prunus persica</i> var. <i>nucipersica</i></p> <p>(9) <i>Prunus persica</i> var. <i>persica</i></p> <p>(10) <i>Prunus salicina</i></p> <p>(11) <i>Punica granatum</i></p> <p>(12) <i>Pyrus spp.</i></p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Afghanistan</p> <p>(2) Armenia</p> <p>(3) Australia</p> <p>(4) Azerbaijan</p> <p>(5) Belarus</p> <p>(6) Cyprus</p> <p>(7) Georgia</p> <p>(8) India</p> <p>(9) Iran</p> <p>(10) Iraq</p> <p>(11) Israel</p> <p>(12) Jordan</p> <p>(13) Kazakhstan</p> <p>(14) Kyrgyz</p> <p>(15) Lebanon</p> <p>(16) Mainland</p> <p>(17) Moldova</p> <p>(18) Myanmar</p> <p>(19) New Zealand</p> <p>(20) Pakistan</p> <p>(21) Russian Federation</p> <p>(22) Saudi Arabia</p> <p>(23) Syrian Arab</p> <p>(24) Tajikistan</p> <p>(25) Turkey</p> <p>(26) Turkmenistan</p> <p>(27) Ukraine</p> <p>(28) Uzbekistan</p> <p><b>Africa</b></p> <p>(29) All countries and districts in Africa</p> <p><b>Europe</b></p> <p>(30) All countries and districts in Europe</p> <p><b>North America</b></p> <p>(31) Canada</p> <p>(32) United States (excluding Hawaii)</p> <p><b>Central and South America</b></p> <p>(33) Argentina</p>	<p>Codling moth (<i>Cydia pomonella</i> L.)</p>	<p>1. The importation of apples shall be in compliance with the following requirements:</p> <p>(1) Fresh apple from New Zealand should be in compliance with “Quarantine Requirements for The Importation of Apples from New Zealand”</p> <p>(2) Fresh apple from other countries should be in compliance with “Quarantine Requirements for The Importation of Apples from Countries or Districts Where The Codling Moth Is Known to Occur.”</p> <p>(3) Fresh apple from French should be in compliance with “Quarantine Requirements for The Importation of Apples from French”</p> <p>(4) Fresh apple from Australia should be in compliance with “Quarantine Requirements for The Importation of Apples from Australia”</p> <p>(5) Fresh apple from other countries should be in compliance with “Quarantine Requirements for The Importation of Apples from Countries or Districts Where The Codling Moth Is Known</p>

	(34) Bolivia (35) Brazil (36) Chile (37) Colombia (38) Peru (39)Uruguay		to Occur.” 2.Fresh fruits other than apple, when imported, shall be accompanied by phytosanitary certificates issued by the plant quarantine authority of exporting countries, stating that the fruits have been thoroughly inspected and found free from <i>Cydia pomonella</i> L., or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
2.Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Gaylussacia baccata</i> (3) <i>Malus pumila</i> (4) <i>Malus sylvestris</i> (5) <i>Prunus armeniaca</i> (6) <i>Prunus avium</i> (7) <i>Prunus cerasus</i> (8) <i>Prunus persica</i> (9) <i>Prunus salicina</i> (10) <i>Pyracantha coccinea</i> (11) <i>Pyrus communis</i> (12) <i>Rosa rugosa</i> (13) <i>Rosa virginiana</i> (14) <i>Vaccinium</i> spp.	<b>North America</b> (1) Canada (2) United States <b>Central and South America</b> (3) Mexico	Apple maggot ( <i>Rhagoletis pomonella</i> (Walsh))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Rhagoletis pomonella</i> (Walsh), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
3. ( deleted )			
4. ( deleted )			
5. ( moved to A. 29 )			
6. ( deleted )			
7. Stems, leaves, buds, tubers, and fresh fruits of the following living plants : (1) <i>Beta vulgaris</i> var. <i>saccharifera</i> (2) Solanaceae	<b>Asia and Pacific Region</b> (1) Australia (2) Bangladesh (3) Mainland (4) Fiji (5) French Polynesia (6) Guam (7) India (8) Indonesia	Potato tuber moth ( <i>Phthorimaea operculella</i> (Zeller))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting countries, stating that the plants or plant parts have been thoroughly inspected and found free

	<p>(9) Iraq  (10) Israel  (11) Japan  (12) Jordan  (13) Korea, Republic of  (14) Lebanon  (15) Marquesas Islands  (16) Myanmar  (17) Nepal  (18) New Caledonia  (19) New Zealand  (20) Pakistan  (21) Papua New Guinea  (22) Philippines  (23) Russian Federation  (24) Saudi Arabia  (25) Sri Lanka  (26) Syria  (27) Thailand  (28) Turkey  (29) Vietnam  (30) Yemen</p> <p style="text-align: center;"><b>Africa</b></p> <p>(31) Algeria  (32) Burundi  (33) Canary Islands  (34) Democratic  Republic of the  Congo  (35) Congo  (36) Egypt  (37) Ethiopia  (38) Kenya  (39) Lesotho  (40) Liberia  (41) Libya  (42) Madagascar  (43) Malawi  (44) Mauritius  (45) Morocco  (46) Rwanda  (47) Reunion  (48) Saint Helena  (49) Senegal  (50) Seychelles  (51) South Africa  (52) Sudan  (53) Swaziland  (54) Tanzania  (55) Tunisia  (56) Zambia</p>		<p>from <i>Phthorimaea operculella</i> (Zeller); or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	--	--	--

	<p>(57) Zimbabwe</p> <p style="text-align: center;"><b>Europe</b></p> <p>(58) Albania (59) Bulgaria (60) Croatia (61) Cyprus (62) France (63) Greece (64) Italy (65) Malta (66) Portugal (67) Romania (68) Serbia and Montenegro (69) Slovenia (70) Spain</p> <p style="text-align: center;"><b>North America</b></p> <p>(71) Canada (72) Mexico (73) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(74) Antigua and Barbuda (75) Argentina (76) Bermuda (77) Bolivia (78) Brazil (79) Chile (80) Colombia (81) Costa Rica (82) Cuba (83) Dominican Republic (84) Haiti (85) Jamaica (86) Netherlands Antilles (87) Paraguay (88) Peru (89) Puerto Rico (90) Saint Vincent and the Grenadines (91) Uruguay (92) Venezuela</p>		
8. Stems and leaves of living Solanaceae plants	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland</p>	Colorado beetle ( <i>Leptinotarsa decemlineata</i> Say)	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of

	<p>(5) Georgia  (6) Iran  (7) Iraq  (8) Kazakhstan  (9) Kyrgyz  (10) Moldova  (11) Russian Federation  (12) Tajikistan  (13) Turkey  (14) Turkmenistan  (15) Ukraine  (16) Uzbekistan</p> <p style="text-align: center;"><b>Europe</b></p> <p>(17) Albania  (18) Andorra  (19) Austria  (20) Belgium  (21) Bosnia and Herzegovina  (22) Bulgaria  (23) Croatia  (24) Czech  (25) Denmark  (26) Estonia  (27) France  (28) Germany  (29) Greece  (30) Hungary  (31) Italy  (32) Latvia  (33) Lithuania  (34) Luxembourg  (35) Macedonia  (36) Montenegro  (37) Netherlands  (38) Poland  (39) Portugal  (40) Romania  (41) Serbia  (42) Slovak  (43) Slovenia  (44) Spain  (45) Sweden  (46) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(47) Canada  (48) Mexico  (49) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(50) Cuba</p>		<p>exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Leptinotarsa decemlineata</i> Say; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	---	--	---

	(51) Guatemala		
9. Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Cydonia oblonga</i> (3) <i>Diospyros kaki</i> (4) <i>Fragaria ananassa</i> (5) <i>Gaylussacia baccata</i> (6) <i>Malus pumila</i> ( <i>M. domestica</i> ) (7) <i>Malus sylvestris</i> (8) <i>Prunus</i> spp. (9) <i>Pyrus</i> spp. (10) <i>Ribes</i> spp. (11) <i>Vaccinium</i> spp. (12) <i>Vitis vinifera</i>	<b>North America</b> (1) Canada (2) United States	Plum curculio ( <i>Conotrachelus nenuphar</i> (Herbst))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Conotrachelus nenuphar</i> (Herbst), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
10. Underground portion of the following living plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Allium cepa</i> (3) <i>Apium graveolens</i> (4) <i>Arachis hypogaea</i> (5) <i>Avena sativa</i> (6) <i>Beta vulgaris</i> (7) <i>Brassica</i> spp. (8) <i>Calendula officinalis</i> (9) <i>Capsicum annum</i> (10) <i>Chrysanthemum morifillum</i> (11) <i>Citrus</i> spp. (12) <i>Corylus</i> spp. (13) Cucurbitaceae (14) <i>Dahlia hybrida</i> (15) <i>Daucus carota</i> (16) <i>Diospyros kaki</i> (17) <i>Fragaria ananassa</i> (18) <i>Glycine max</i> (19) <i>Gossypium arboreum</i> (20) <i>Ipomoea batatas</i>	<b>Asia and Pacific Region</b> (1) Australia (2) New Zealand <b>Africa</b> (3) Lesotho (4) South Africa (5) Swaziland <b>North America</b> (6) United States <b>Central and South America</b> (7) Argentina (8) Brazil (9) Chile (10) Peru (11) Uruguay	White fringed beetle ( <i>Naupactus leucoloma</i> Boheman)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Naupactus leucoloma</i> (Boheman), or stating that the plants or plant parts have undergone an quarantine treatment prior to shipment.

<p>(21) <i>Iris</i> spp.  (22) <i>Lens culnaris</i>  (23) <i>Lolium perenne</i>  (24) <i>Lycopersicum esculentum</i>  (25) <i>Medicago sativa</i>  (26) <i>Mucuna pruriens</i>  (27) <i>Nicotiana tabacum</i>  (28) <i>Phaseolus vulgaris</i>  (29) <i>Raphanus sativus</i> L.  (30) <i>Rubus palmatus</i>  (31) <i>Solanum melongena</i>  (32) <i>Solanum tuberosum</i>  (33) <i>Trifolium</i> spp.  (34) <i>Triticum aestivum</i>  (35) <i>Vernicia fordii</i> = <i>Aleurites fordii</i>  (36) <i>Zea mays</i>  (37) <i>Zinnia elegans</i></p>			
<p>11. Entire or any part of the following living plants (excluding seeds):  (1) <i>Cydonia oblonga</i>  (2) <i>Malus</i> spp.  (3) <i>Prunus</i> spp.  (4) <i>Pyrus</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Armenia  (2) Azerbaijan  (3) Belarus  (4) Mainland  (5) Georgia  (6) India  (7) Iran  (8) Iraq  (9) Israel  (10) Kazakhstan  (11) Kyrgyz  (12) Lebanon  (13) Moldova  (14) Myanmar  (15) Pakistan  (16) Russian Federation  (17) Syria  (18) Tajikistan  (19) Turkey  (20) Turkmenistan  (21) Ukraine  (22) Uzbekistan  <b>Africa</b></p>	<p>Peach twig borer (<i>Anarsia lineatella</i> Zeller)</p>	<p>The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Anarsia lineatella</i> Zeller; or stating that the plants or plant parts have undergone an quarantine treatment prior to shipment.</p>

	(23) Algeria (24) Egypt (25) Libyan (26) Morocco (27) Tunisia <b>Europe</b> (28) All countries and districts in Europe  <b>North America</b> (29) Canada (30) United States		
12. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) Mainland (2) Japan (3) Fiji (4) Korea, Democratic People's Republic (5) Korea, Republic of <b>Europe</b> (6) France	Arrow head scale ( <i>Unaspis yanonensis</i> (Kuwana))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Unaspis yanonensis</i> (Kuwana) or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
13. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) India	<i>Throscoryssa citri</i> Maulik	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Throscoryssa citri</i> Maulik; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
14. Entire or any part of living plants (excluding seeds and underground portion) (1) <i>Aesculus</i> spp. (2) <i>Allium</i> spp.	<b>Asia and Pacific Region</b> (1) Australia (2) Mainland (3) Georgia (4) Indonesia (5) Israel	Western flower thrip ( <i>Frankliniella occidentalis</i> (Pergande))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating

<p>(3) <i>Alnus</i> spp.  (4) <i>Amaryllis</i> spp. =  <i>Hippeastrum</i> spp.  (5) <i>Alstroemeria</i> spp.  (6) <i>Althaea</i> spp.  (7) <i>Amaranthus</i> spp.  (8) <i>Anagallis arvensis</i>  (9) <i>Anthurium</i> spp.  (10) <i>Antirrhinum</i>  <i>majus</i>  (11) <i>Asclepias</i> spp.  (12) <i>Asparagus</i>  <i>officinalis</i>  (13) <i>Begonia</i> spp.  (14) <i>Berzelia</i> spp.  (15) <i>Bougainvillea</i>  <i>spectabilis</i>  (16) <i>Bouvardia</i> spp.  (17) Brassicaceae  (18) <i>Brunia laevis</i>  (19) <i>Calceolaria</i> spp.  (20) <i>Calluna vulgaris</i>  = <i>Erica vulgaris</i>  (21) <i>Calotropis</i>  <i>gigantica</i>  (22) <i>Carya illinoensis</i>  (23) <i>Celastrus</i> spp.  (24) <i>Celosia</i> spp.  (25) <i>Cerastium</i>  <i>glomeratum</i>  (26) <i>Chamelaucium</i>  spp.  (27) Chenopodiaceae  (28) <i>Citrus</i> spp.  (29) <i>lematis</i> spp.  (30) <i>Codiaeum</i> spp.  (31) Compositae  (32) Cucurbitaceae  (33) <i>Cyclamen</i> spp.  (34) <i>Dianthus</i> spp.  (35) <i>Digitaria ciliaris</i>  (36) <i>Diospyros kaki</i>  (37) <i>Echinochloa</i>  <i>crus-galli</i>  (38) <i>Echium</i>  <i>plantagineum</i>  (39) <i>Eremurus</i> spp.  (40) <i>Eschscholzia</i>  <i>californica</i>  (41) <i>Euphorbia</i> spp.  (42) <i>Eustoma</i> spp. =</p>	<p>(6) Japan  (7) Korea, Democratic  People's Republic  (8) Korea, Republic of  (9) Kuwait  (10) Malaysia  (11) New Zealand  (12) Russian Federation  (13) Lebanon  (14) Sri Lanka  (15) Thailand  (16) Turkey  <b>Africa</b>  (17) Canary Islands  (18) Kenya  (19) Lesotho  (20) Reunion  (21) South Africa  (22) Swaziland  (23) Zimbabwe  <b>Europe</b>  (24) All countries and  districts in Europe  <b>North America</b>  (25) Canada  (26) Mexico  (27) United States  <b>Central and South  America</b>  (28) Argentina  (29) Brazil  (30) Chile  (31) Dominican  Republic  (32) Ecuador  (33) Guatemala  (34) Colombia  (35) Costa Rica  (36) French Guiana  (37) Guyana  (38) Martinique  (39) Peru  (40) Puerto Rico  (41) Uruguay  (42) Venezuela</p>		<p>that the plants or plant parts  have been thoroughly  inspected and found free  from <i>Frankliniella</i>  <i>occidentalis</i>; or stating that  the plants or plant parts have  undergone an appropriate  quarantine treatment prior to  shipment.</p>
---	---	--	--

<p> <i>Lisianthus</i> spp.  (43) <i>Ficus</i> spp.  (44) <i>Freesia</i> spp.  (45) <i>Fuchsia</i> spp.  (46) <i>Gentiana</i> spp.  (47) <i>Geranium</i> spp.  (48) Gesneriaceae  (49) <i>Gladiolus</i> spp.  (50) <i>Gossypium</i> spp.  (51) <i>Gypsophila</i> spp.  (52) <i>Heliotropium</i>  <i>europaeum</i>  (53) <i>Hemerocallis</i> spp.  (54) <i>Hibiscus</i> spp.  (55) <i>Hordeum</i> spp.  (56) <i>Hydrangea</i> spp.  (57) <i>Hypericum</i> spp.  (58) <i>Impatiens</i> spp.  (59) <i>Ipomoea</i> spp.  (60) <i>Iris</i> spp.  (61) <i>Jasminum sambac</i>  (62) <i>Kalanchoe</i> spp.  (63) Labiatae  (64) <i>Lantana</i> spp.  (65) <i>Laurus</i> spp.  (66) Leguminosae  (67) <i>Leptospermum</i>  spp.  (68) <i>Leucospermum</i>  spp.  (69) <i>Lilium</i> spp.  (70) <i>Limonium</i> spp.  (71) <i>Linnaea borealis</i>  (72) <i>Malva</i> spp.  (73) <i>Mangifera indica</i>  (74) <i>Mollugo</i>  <i>verticillata</i>  (75) <i>Oenothera</i> spp.  (76) Orchidaceae  (77) <i>Ornithogalum</i>  spp.  (78) <i>Oxalis</i> spp.  (79) <i>Paeonia</i> spp.  (80) <i>Papaver rhoeas</i>  (81) <i>Pelargonium</i> spp.  (82) <i>Persea</i> spp.  (83) <i>Pistacia vera</i>  (84) <i>Polianthes</i> spp.  (85) <i>Portulaca</i>  <i>grandiflora</i> </p>			
--	--	--	--

(86) <i>Primula</i> spp. (87) <i>Protea</i> spp. (88) <i>Punica granatum</i> (89) <i>Quercus</i> spp. (90) <i>Radermachera</i> spp. (91) <i>Ranunculus</i> spp. (92) <i>Rhododendron</i> spp. (93) <i>Rhus</i> spp. (94) Rosaceae (95) <i>Ruscus</i> spp. (96) <i>Salix</i> spp. (97) <i>Sandersonia</i> <i>aurantiaca</i> (98) <i>Schlumbergera</i> spp. (99) <i>Secale cereale</i> (100) <i>Serissa foetida</i> (101) <i>Setaria viridis</i> (102) <i>Shepherdia</i> <i>canadensis</i> (103) Solanaceae (104) <i>Stellaria</i> spp. (105) <i>Syzygium jambos</i> = <i>Eugenia jambos</i> (106) <i>Thryptomene</i> spp. (107) <i>TibouMainland</i> spp. (108) <i>Trachelium</i> spp. (109) <i>Tribulus</i> <i>terrestris</i> (110) <i>Triticum</i> <i>aestivum</i> (111) <i>Tropaeolum</i> <i>majus</i> (112) Umbelliferae (113) <i>Vaccinium</i> spp. (114) <i>Verbena</i> spp. (115) <i>Veronica</i> spp. (116) <i>Viburnum</i> spp. (117) <i>Viola tricolor</i> (118) <i>Vitis</i> spp. (119) <i>Yucca</i> spp. (120) <i>Zantedeschia</i> spp. (121) <i>Zea mays</i>			
15. (deleted)			
16. (deleted)			
17. Entire or any part	<b>Asia and Pacific</b>	Root (Wilt) disease	The importation of plants or

of living coconut palm	<b>Region</b> (1) South India	( <i>Phytomonas staheli</i> McGhee & McGhee)	plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytomonas staheli</i> McGhee & McGhee and originate from areas free from <i>Phytomonas staheli</i> McGhee & McGhee; otherwise, the plants or plant parts will be destroyed or reshipped.
18. Entire or any part of living coconut palm	<b>Asia and Pacific Region</b> (1) Sri Lanka	Leaf scorch disease	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from leaf scorch disease and originate from areas free from leaf scorch disease; otherwise, the plants or plant parts will be destroyed or returned.
19. Plants or plant parts: A. The importation of roots, stems, leaves and flowers of all living plants and the fresh fruit of strawberry, excluding the plants listed below, shall meet the quarantine requirements as specified: (1) Aizoaceae (excluding <i>Mollugo</i> spp.) (2) Araceae (3) Balsaminaceae	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Australia (4) Belarus (5) Mainland (6) Georgia (7) India (8) Iran (9) Iraq (10) Israel (11) Japan (12) Jordan (13) Kazakhstan (14) Korea, Democratic People's Republic (15) Korea, Republic of	Stem nematode ( <i>Ditylenchus dipsaci</i> (Kuhn) Filipjev)	The importation of the plants or plant parts shall be accompanied by phytosanitary certificates, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus dipsaci</i> (Kuhn) Filipjev, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

(4) Bombacaceae	(16) Kyrgyz		
(5) Bryophyta	(17) Lebanon		
(6) Cactaceae	(18) Moldova		
(7) Cornaceae	(19) Mongolia		
(excluding <i>Aucuba</i> spp.)	(20) New Zealand		
(8) Crassulaceae	(21) Oman		
(9) Edible fungus	(22) Pakistan		
(Basidiomycota and Ascomycota)	(23) Russian Federation		
(10) Elaeocarpaceae	(24) Syria		
(11) Ericaceae	(25) Tajikistan		
(12) Euphorbiaceae	(26) Turkey		
(excluding <i>Manihot</i> spp.)	(27) Turkmenistan		
(13) Fagaceae	(28) Thailand		
(14) Gymnospermae	(29) Ukraine		
(15) Lauraceae	(30) Uzbekistan		
(16) Moraceae	(31) Yemen		
(17) Nymphaeaceae	<b>Africa</b>		
(18) Oleaceae	(32) Algeria		
(excluding <i>Syringa</i> spp.)	(33) Egypt		
(19) Orchidaceae	(34) Kenya		
(20) Palmaceae	(35) Lesotho		
(21) Pandanaceae	(36) Libya		
(22) Plantaginaceae	(37) Morocco		
(excluding <i>Plantago</i> spp.)	(38) Reunion		
(23) Potamogetonaceae (excluding <i>Potamogeton</i> spp.)	(39) South Africa		
(24) Pteridophyte	(40) Swaziland		
(excluding <i>Equisetum</i> spp.)	(41) Tunisia		
(25) <i>Pyrus</i> spp.	<b>Europe</b>		
(26) Rubiaceae	(42) All countries and districts in Europe		
(excluding <i>Galium</i> spp.)	<b>North America</b>		
(27) Saxifragaceae	(43) Canada		
(excluding <i>Hydrangea</i> spp.)	(44) Mexico		
(28) Scrophulariaceae (excluding <i>Veronica</i> spp.)	(45) United States		
(29) Sterculiaceae	<b>Central and South America</b>		
(30) Urticaceae	(46) All countries and districts in Central and South America		
(excluding <i>Urtica</i> spp.)			
(31) Violaceae			

<p>(excluding <i>Viola</i> spp.)  (32) Vitaceae(excluding <i>Vitis vinifera</i>)  B. The importation of seeds of the following plants(except used as foods and feeds)shall meet the quarantine requirements as specified:  (1) <i>Allium</i> spp.  (2) <i>Beta vulgaris</i>  (3) <i>Cucumis melo</i>  (4) <i>Daucus carota</i>  (5) <i>Dipsacus fullonum</i>  (6) <i>Medicago sativa</i>  (7) <i>Phaseolus coccineus</i>  (8) <i>Phaseolus vulgaris</i>  (9) <i>Phlox drummondii</i>  (10) <i>Pisum sativum</i>  (11) <i>Secale cereale</i>  (12) <i>Spinacea oleracea</i> = <i>Spinacia oleracea</i>  (13) <i>Trifolium hybridum</i>  (14) <i>Trifolium pratense</i>  (15) <i>Trifolium repens</i>  (16) <i>Vicia faba</i></p>			
<p>20. Underground portion and adventitious roots of the following living plants shall meet the quarantine requirements as specified:  (1) <i>Allium</i> spp.  (2) <i>Amaranthus caudatus</i></p>	<p><b>Asia and Pacific Region</b>  (1) Armenia  (2) Azerbaijan  (3) Bangladesh  (4) Belarus  (5) Mainland  (6) Georgia  (7) Iran  (8) Iraq  (9) Israel</p>	<p>Potato rot nematode (<i>Ditylenchus destructor</i> Thorne)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus destructor</i></p>

(3) <i>Angelica sinensis</i>	(10) Japan		Thorne, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
(4) <i>Anthemis arvensis</i>	(11) Korea, Democratic People's Republic		
(5) <i>Apium graveolens</i>	(12) Korea, Republic of		
(6) <i>Arachis</i> spp. (including pods and seeds)	(13) Kazakhstan		
(7) <i>Artemisia vulgaris</i>	(14) Kyrgyz		
(8) <i>Barbarea vulgaris</i>	(15) Lebanon		
(9) <i>Begonia</i> spp.	(16) Malaysia	(72)	
(10) <i>Bellis perennis</i>	(17) Moldova		
(11) <i>Bertoroa incana</i>	(18) New Zealand		
(12) <i>Beta vulgaris</i>	(19) Pakistan		
(13) <i>Brassica oleracea</i>	(20) Saudi Arabia		
(14) <i>Brassica rapa</i> subsp. <i>chinensis</i>	(21) Russian Federation		
= <i>Brassica chinensis</i>	(22) Syria		
(15) <i>Camassia</i> spp.	(23) Tajikistan		
(16) <i>Camellia sinensis</i>	(24) Thailand		
(17) <i>Canna</i> spp.	(25) Turkey		
(18) <i>Capsella bursa-pastoris</i>	(26) Turkmenistan		
(19) <i>Capsicum annuum</i>	(27) Ukraine		
(20) <i>Chenopodium album</i>	(28) Uzbekistan		
(21) <i>Chionodoxa</i> spp.	<b>Africa</b>		
(22) <i>Chloris virgata</i>	(29) Algeria		
(23) <i>Chrysanthemum leucanthemum</i>	(30) Egypt		
(24) <i>Chrysanthemum morifolium</i>	(31) Lesotho		
(25) <i>Cicer arietinum</i>	(32) Libya		
(26) <i>Cimicifuga racemosa</i>	(33) Morocco		
(27) <i>Cirsium arvense</i>	(34) South Africa		
(28) <i>Citrullus lanatus</i>	(35) Swaziland		
(29) <i>Citrus sinensis</i>	(36) Tunisia		
(30) <i>Colchicum</i> spp.	<b>Europe</b>		
(31) <i>Crocus vernus</i>	(37) All countries and districts in Europe		
(32) <i>Cucumis sativus</i>	<b>North America</b>		
	(38) Canada		
	(39) Mexico		
	(40) United States		
	<b>Central and South America</b>		
	(41) Ecuador		
	(42) Peru		

(33) <i>Cucurbita moschata</i>			
(34) <i>Cucurbita pepo</i>			
(35) <i>Cyperus rotundus</i>			
(36) <i>Dahlia</i> spp.			
(37) <i>Datura stramonium</i>			
(38) <i>Daucus carota</i>			
(39) <i>Dianthus</i> spp.			
(40) <i>Eleusine indica</i>			
(41) <i>Elymus repens</i> = <i>Agropyron repens</i>			
(42) <i>Erythronium denscanis</i>			
(43) <i>Festuca pratensis</i>			
(44) <i>Fragaria</i> spp.			
(45) <i>Fumaria officinalis</i>			
(46) <i>Gladiolus</i> spp.			
(47) <i>Glycine max</i>			
(48) <i>Helianthus annuus</i>			
(49) <i>Hordeum vulgare</i>			
(50) <i>Humulus lupulus</i>			
(51) <i>Hyacinthus</i> spp.			
(52) <i>Ipomoea batatas</i>			
(53) <i>Iris</i> spp.			
(54) <i>Lathyrus hirsutus</i>			
(55) <i>Lathyrus latifolius</i>			
(56) <i>Liatris spicata</i>			
(57) <i>Linaria vulgaris</i>			
(58) <i>Lycopersicon esculentum</i>			
(59) <i>Lycopsis arvensis</i>			
(60) <i>Matricaria inodora</i> = <i>M. perforata</i>			
(61) <i>Medicago sativa</i>			
(62) <i>Melilotus officinalis</i>			
(63) <i>Mentha</i>			

<p><i>arvensis</i></p> <p>(64) <i>Narcissus</i> spp.</p> <p>(65) <i>Nectaroscordum</i> spp.</p> <p>(66) <i>Nicotiana tabacum</i></p> <p>(67) <i>Panax ginseng</i></p> <p>(68) <i>Pastinaca sativa</i></p> <p>(69) <i>Phaseolus vulgaris</i></p> <p>(70) <i>Plantago major</i></p> <p>(71) <i>Portulaca</i> spp.</p> <p>(72) <i>Potentilla anserina</i></p> <p>(73) <i>Raphanus sativus</i></p> <p>(74) <i>Rheum rhaponticum</i></p> <p>(75) <i>Rumex</i> spp.</p> <p>(76) <i>Saccharum officinarum</i></p> <p>(77) <i>Sisyrinchium angustifolium</i></p> <p>(78) <i>Solanum</i> spp.</p> <p>(79) <i>Solidago graminifolia</i> = <i>S. anceolata</i> = <i>Euthamia graminifolia</i></p> <p>(80) <i>Sonchus</i> spp.</p> <p>(81) <i>Stachys palustris</i></p> <p>(82) <i>Stenotaphrum secundatum</i></p> <p>(83) <i>Syringa vulgaris</i></p> <p>(84) <i>Tagetes minuta</i></p> <p>(85) <i>Taraxacum officinale</i> = <i>Leontodon taraxacum</i></p> <p>(86) <i>Tigridia</i> spp.</p> <p>(87) <i>Trifolium</i> spp.</p> <p>(88) <i>Tripleurospermum maritimum</i></p> <p>(89) <i>Triticum aestivum</i></p> <p>(90) <i>Tropaeolum polyphyllum</i></p> <p>(91) <i>Tulipa</i> spp.</p>			
--	--	--	--

<p>(92) <i>Tussilago farfara</i>  (93) <i>Vicia sativa</i>  (94) <i>Vigna unguiculata</i> =  <i>V. sinensis</i>  (95) <i>Xanthium strumarium</i>  (96) <i>Zea mays</i></p>			
<p>21. Stem, leaves, buds, tubers, and fruits of the following living plants :</p> <p>(1) <i>Lycopersicon esculentum</i>  (2) <i>Solanum</i> spp.</p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Armenia  (2) Azerbaijan  (3) Belarus  (4) Mainland  (5) Georgia  (6) India  (7) Indonesia  (8) Israel  (9) Japan  (10) Kazakhstan  (11) Korea, Republic of  (12) Kyrgyz  (13) Moldova  (14) Nepal  (15) Pakistan  (16) Russian Federation  (17) Tajikistan  (18) Thailand  (19) Turkmenistan  (20) Ukraine  (21) Uzbekistan</p> <p><b>Africa</b></p> <p>(22) Egypt  (23) Morocco  (24) Rwanda</p> <p><b>Europe</b></p> <p>(25) Austria  (26) Belgium  (27) Czech Republic  (28) Denmark  (29) Finland  (30) France  (31) Germany  (32) Estonia  (33) Hungary  (34) Ireland  (35) Italy  (36) Latvia  (37) Lithuania  (38) Netherlands</p>	<p>Potato late blight A<sup>2</sup> mating type (<i>Phytophthora infestans</i> A<sup>2</sup> Mating Type)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytophthora infestans</i> A<sup>2</sup> Mating Type and originate from areas free from <i>Phytophthora infestans</i> A<sup>2</sup> Mating Type; otherwise, the plants or plant parts will be destroyed or reshipped.</p>

	(39) Norway (40) Poland (41) Sweden (42) Switzerland (43) United Kingdom <b>North America</b> (44) Canada (45) Mexico (46) United States <b>Central and South America</b> (47) Argentina (48) Bolivia (49) Brazil (50) Colombia (51) Ecuador (52) Paraguay (53) Uruguay		
22. Fresh fruits of the following plants: (1) <i>Amelanchier</i> spp. (2) <i>Aronia</i> spp. (3) <i>Chaenomeles</i> spp. (4) <i>Cotoneaster</i> spp. (5) <i>Crataegomespilus</i> spp.. (6) <i>Crataegus</i> spp (7) <i>Cydonia</i> spp. (8) <i>Dichotomanthes</i> spp. (9) <i>Docynia</i> spp. (10) <i>Eriobotrya japonica</i> (11) <i>Malus</i> spp. (12) <i>Mespilus</i> spp. (13) <i>Osteomeles</i> spp. (14) <i>Peraphyllum</i> spp. (15) <i>Photinia</i> spp. ( <i>Heteromeles</i> spp. ) (16) <i>Prunus</i> spp. (17) <i>Pyracantha</i> spp. (18) <i>Pyrus</i> spp. (19) <i>Raphiolepis</i> spp. (20) <i>Rubus</i> spp. (21) <i>Sorbus</i> spp. (22) <i>Spiraea</i> spp. (23) <i>Stranvaesia</i> spp.	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (excluding Shantung ) (5) Georgia (6) India (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) New Zealand (14) Russian Federation (15) Saudi Arabia (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan (21) Vietnam <b>Africa</b> (22) Egypt <b>Europe</b> (23) Albania (24) Austria (25) Belgium (26) Bosnia and Herzegovina (27) Bulgaria	Fire blight ( <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> )	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al</i> ; otherwise, the fruits will be destroyed or reshipped.

	(28) Croatia (29) Cyprus (30) Czech (31) Denmark (32) Estonia (33) France (34) Germany (35) Greece (36) Hungary (37) Ireland (38) Italy (39) Latvia (40) Lithuania (41) Luxembourg (42) Macedonia (43) Netherlands (44) Norway (45) Poland (46) Romania (47) Serbia and Montenegro (48) Slovakia (49) Spain (50) Sweden (51) Switzerland (52) United Kingdom <b>North America</b> (53) Canada (54) Mexico (55) United States <b>Central and South  America</b> (56) Bermuda (57) Brazil (58) Guatemala (59) Venezuela		
23. Entire or part of the following living plants: (1) <i>Benincasa hispida</i> (2) <i>Citrullus lanatus</i> (3) <i>Cucumis melo</i> (4) <i>Cucumis sativus</i> (5) <i>Cucurbita moschata</i> (6) <i>Cucurbita pepo</i>	<b>Asia and Pacific Region</b> (1) Australia (Queensland) (2) Mainland (3) Guam (4) Israel (5) Japan (6) Korea (7) Northern Mariana Islands (8) Thailand (9) Turkey <b>North America</b> (10) United States	Fruit blotch ( <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i> ) Willem <i>et al.</i> (Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i> ))	1. The importation of the non-propagative plant parts, fruits and seeds for human consumption shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plant parts have been thoroughly inspected and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i> ) Willem <i>et al.</i> (Formerly

	(Alabama, Arkansas, California, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Maryland, Mississippi, Missouri, North Carolina, Oklahoma, Oregon, South Carolina and Texas) <b>Central and South America</b> (11) Brazil		<i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i> ); otherwise, the plant parts will be destroyed or reshipped. 2. The importation of the plants or seeds for propagation shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or seeds have been thoroughly inspected during growing season and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i> ) Willem <i>et al.</i> ( Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i> ); or stating that the plants or seeds have undergone an appropriate quarantine treatment prior to shipment.
24. Cassava( <i>Manihot esculenta</i> or <i>M. utilissima</i> ) (excluding seeds)	<b>Asia and Pacific Region</b> (1) India <b>Africa</b> (2) All countries and districts in Africa	<i>Cassava mosaic virus</i> ( <i>Begomovirus</i> )	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Cassava mosaic virus</i> ( <i>Begomovirus</i> ); otherwise, the plants or plant parts will be destroyed or returned.
25. (deleted)			
26. Entire or any part of the following living plants (excluding seeds) : (1) <i>Allium</i> spp. (2) <i>Arctium lappa</i>	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Belarus (4) Mainland (5) Georgia	Bulb mite <input type="checkbox"/> ( <i>Rhizoglyphus echinopus</i> Fumouze and Robin)	The importation of plants or plant parts shall be accompanied by phytosanitary certificates, issued by the plant quarantine authority of exporting countries, stating

<p>(3) <i>Brassica oleracea</i> var. <i>capitata</i></p> <p>(4) <i>Buxus microphylla</i> var. <i>intermedia</i></p> <p>(5) <i>Capsicum</i> spp.</p> <p>(6) <i>Curcuma longa</i> = <i>C. domestica</i></p> <p>(7) <i>Dahlia</i> spp.</p> <p>(8) <i>Daucus carota</i> var. <i>sativa</i></p> <p>(9) <i>Eucharis grandiflora</i></p> <p>(10) <i>Freesia</i> spp.</p> <p>(11) <i>Gentiana scabra</i> Bunge var. <i>buergeri</i></p> <p>(12) <i>Gladiolus</i> spp.</p> <p>(13) <i>Gloriosa</i> spp.</p> <p>(14) <i>Glycine max</i></p> <p>(15) <i>Hemerocallis hybrida</i></p> <p>(16) <i>Hippeastrum</i> spp.</p> <p>(17) <i>Hyacinthus</i> spp.</p> <p>(18) <i>Ipomoea batatas</i></p> <p>(19) <i>Iris</i> spp.</p> <p>(20) <i>Lachenalia pendula</i></p> <p>(21) <i>Lilium</i> spp.</p> <p>(22) <i>Narcissus</i> spp.</p> <p>(23) <i>Paeonia suffruticosa</i></p> <p>(24) <i>Panax</i> spp.</p> <p>(25) <i>Pinellia ternate</i></p> <p>(26) <i>Pleurotus sajor-caju</i> and <i>P. ostreatus</i></p> <p>(27) <i>Raphanus sativus</i></p> <p>(28) <i>Secale cereale</i></p> <p>(29) <i>Sinningia</i> spp.</p> <p>(30) <i>Solanum</i> spp. (excluding tomato (<i>Solanum lycopersicum</i>=<i>Lycopersicum esculentum</i>))</p> <p>(31) <i>Tulipa</i> spp.</p>	<p>(6) Kazakhstan</p> <p>(7) India</p> <p>(8) Iran</p> <p>(9) Israel</p> <p>(10) Japan</p> <p>(11) Korea, Democratic People's Republic</p> <p>(12) Korea, Republic of</p> <p>(13) Kyrgyz</p> <p>(14) New Zealand</p> <p>(15) Moldova</p> <p>(16) Russian Federation</p> <p>(17) Tajikistan</p> <p>(18) Thailand</p> <p>(19) Turkmenistan</p> <p>(20) Ukraine</p> <p>(21) Uzbekistan</p> <p>(22) Vietnam</p> <p style="text-align: center;"><b>Africa</b></p> <p>(23) Algeria</p> <p>(24) Egypt</p> <p>(25) Libya</p> <p style="text-align: center;"><b>Europe</b></p> <p>(26) Belgium</p> <p>(27) Denmark</p> <p>(28) Estonia</p> <p>(29) France</p> <p>(30) Germany</p> <p>(31) Netherlands</p> <p>(32) Hungary</p> <p>(33) Italy</p> <p>(34) Latvia</p> <p>(35) Lithuania</p> <p>(36) Poland</p> <p>(37) Romania</p> <p>(38) Spain</p> <p>(39) Switzerland</p> <p>(40) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(41) Canada</p> <p>(42) United States(California and Texas)</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(43) Argentina</p> <p>(44) Chile</p>		<p>that the plants or plant parts inspected and found free from <i>Rhizoglyphus echinopus</i> Fumouze and Robin; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
--	--	--	--

(32) <i>Verbena officinalis</i> (33) <i>Vicia faba</i>			
27. Entire or any part of the living plants of Umbelliferae (excluding seeds)	<b>Asia and Pacific Region</b> (1) Belarus (2) Georgia (3) Japan (4) Mongolia (5) New Zealand (6) Russian Federation (7) Turkey <b>Europe</b> (8) Austria (9) Belgium (10) Czech (11) Denmark (12) Finland (13) France (14) Germany (15) Hungary (16) Ireland (17) Italy (18) Latvia (19) Netherlands (20) Norway (21) Poland (22) Slovakia (23) Spain (24) Sweden (25) Swiss (26) Ukraine (27) United Kingdom <b>North America</b> (28) Canada (29) United States	Carrot rust fly ( <i>Psila rosae</i> Fabricius)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Psila rosae</i> Fabricius, or stating that the plants or plant parts has undergone an appropriate quarantine treatment prior to shipment.
28. Entire or any part of the following living plants (excluding seeds) : (1) <i>Cichorium</i> spp. (2) <i>Crepis</i> spp. (3) <i>Hieracium</i> spp. (4) <i>Lactuca</i> spp. (5) <i>Lampsana</i> spp. (6) <i>Nicotiana</i> spp. (7) <i>Petunia</i> spp. (8) <i>Ribes</i> spp. (9) <i>Scrophularia</i> spp. (10) <i>Veronica</i> spp.	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Georgia (4) Kazakhstan (5) Lebanon (6) New Zealand (7) Turkey <b>Europe</b> (8) All countries and districts in Europe <b>North America</b> (9) Canada (10) United states	<i>Nasonovia ribisnigri</i> Mosley	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Nasonovia ribisnigri</i> Mosley, or stating that the plant part has undergone an appropriate quarantine treatment prior to shipment.

	<p style="text-align: center;"><b>South America</b></p> <p>(11)Argentina (12)Brazil (13)Chile (14)Peru</p>		
<p>29. Entire or any part of the following living plants (excluding fruits and seeds) :</p> <p>(1) <i>Malus domestica</i> var. <i>idared</i> (2) <i>Pyrus</i> spp.</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Korea, Republic of</p>	<i>Erwinia pyrifoliae</i>	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Erwinia pyrifoliae</i> ; otherwise, the plants or plant parts will be destroyed or returned.
<p>30. Entire or any part of the following living plants (excluding seeds and underground portion) :</p> <p>(1) <i>Acacia</i> spp. (2) <i>Asclepias fascicularis</i> (3) <i>Bambusa</i> spp. (4) <i>Bixa orellana</i> (5) <i>Ceratonia siliqua</i> (6) <i>Chenopodium album</i> (7) <i>Cinnamomum camphora</i> (8) <i>Diospyrus</i> spp. (9) <i>Eucalyptus</i> spp. (10) <i>Malva</i> spp. (11) <i>Persea americana</i> (12) <i>Rhus</i> spp. (13) <i>Rosa</i> spp. (14) <i>Salix</i> spp. (15) <i>Sonchus</i> spp. (16) <i>Vitis</i> spp.</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Israel</p> <p style="text-align: center;"><b>Europe</b></p> <p>(2) Spain ( Andaluca )</p> <p style="text-align: center;"><b>North America</b></p> <p>(3) Mexico (4) United States ( California )</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(5) Costa Rica</p>	<i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
<p>31. Entire or any part of the following living plants (excluding seeds and underground</p>	<p style="text-align: center;"><b>Central and South America</b></p> <p>(1) Argentina ( Mendoza ) (2) Chile</p>	<i>Brevipalpus chilensis</i> Baker	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant

<p>portion) :</p> <p>(1) <i>Actinidia chinensis</i>  (2) <i>Actinidia deliciosa</i>  (3) <i>Ampelopsis</i> spp.  (4) <i>Annona cherimola</i>  (5) <i>Antirrhinum</i> spp.  (6) <i>Apium graveolens</i>  (7) <i>Catalpa speciosa</i>  (8) <i>Cestrum parqui</i>  (9) <i>Chrysanthemum</i> spp.  (10) <i>Citrus</i> spp.  (11) <i>Convolvulus arvensis</i>  (12) <i>Cydonia oblonga</i>  (13) <i>Diospyros kaki</i>  (14) <i>Ficus carica</i>  (15) <i>Ficus benghalensis</i>  (16) <i>Geranium</i> spp.  (17) <i>Ligustrum sinensis</i>  (18) <i>Malus pumila</i> = <i>M. domestica</i>  (19) <i>Chenopodium ambrosioides</i>  (20) <i>Pelargonium</i> spp.  (21) <i>Prunus dulcis</i> = <i>P. amygdalus</i>  (22) <i>Ribes georgianus</i>  (23) <i>Vinca</i> spp.  (24) <i>Vitis vinifera</i></p>			<p>quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Brevipalpus chilensis</i> Baker, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
<p>32. Entire or any part of the following living plants (excluding flowers, fruits and seeds)</p> <p>(1) <i>Acer</i> spp.  (2) <i>Alnus incana</i>  (3) <i>Betula</i> spp.  (4) <i>Castanea crenata</i>  (5) <i>Castanea pumila</i>  (6) <i>Celastrus</i> spp.  (7) <i>Celtis</i> spp.  (8) <i>Fagus</i> spp.  (9) <i>Juglans regia</i>  (10) <i>Magnolia</i> spp.</p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Australia  (2) Mainland  (3) Japan</p> <p><b>Europe</b></p> <p>(4) Austria  (5) Germany  (6) Italy  (7) Norway  (8) Poland  (9) Sweden  (10) Switzerland  (11) United Kingdom</p> <p><b>North America</b></p>	<p><i>Valsa ambiens</i> Pers. ex Fr.</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Valsa ambiens</i> Pers. ex Fr.; otherwise, the plants or plant parts will be destroyed or returned.</p>

<p>(11) <i>Malus</i> spp.  (12) <i>Morus</i> spp.  (13) <i>Prunus</i> spp.  (14) <i>Populus tremula</i>  (15) <i>Pyrus</i> spp.  (16) <i>Quercus</i> spp.  (17) <i>Salix</i> spp.  (18) <i>Sambucus canadensis</i>  (19) <i>Sambucus</i> spp.  (20) <i>Tilia</i> spp.  (21) <i>Ulmus</i> spp.</p>	<p>(12) Canada  (13) United States</p>		
<p>33. Seeds of the following plants :  (1) <i>Cosmos bipinnatus</i></p>	<p><b>Asia and Pacific Region</b>  (1) Japan  <b>Europe</b>  (2) All countries and districts in Europe</p>	<p>White smut disease of <i>Cosmos</i> (<i>Entyloma cosmi</i> Vanky Horita &amp; Jape)</p>	<p>The importation of seeds shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds are found free from <i>Entyloma cosmi</i> Vanky Horita &amp; Jape; otherwise, the seeds will be destroyed or returned.</p>
<p>34. Bark and wood with bark of following plants:  (1) <i>Acer</i> spp.  (2) <i>Aesculus californica</i>  (3) <i>Aesculus hippocastanum</i>  (4) <i>Fagus sylvatica</i>  (5) <i>Lithocarpus densiflorus</i>  (6) <i>Quercus</i> spp.</p>	<p><b>Europe</b>  (1) Belgium  (2) Channel Island (British)  (3) Denmark  (4) France  (5) Germany  (6) Ireland  (7) Italy  (8) Netherlands  (9) Norway  (10) Poland  (11) Republic of Slovenia  (12) Spain  (13) Sweden  (14) Switzerland  (15) United Kingdom  <b>North America</b>  (16) Canada (British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge))</p>	<p><i>Phytophthora ramorum</i></p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been heated in accordance with a specific time-temperature schedule that achieves a minimum wood core temperature of 56 °C for at least 30 minutes.</p>

	(17) United States (California, Florida, Georgia, Oregon and Washington)		
35. Entire or any part of the following living plants (excluding seeds): (1) <i>Capsicum annuum</i> (2) <i>Daucus carota</i> (3) <i>Physalis peruviana</i> (4) <i>Solanum betaceum</i> = <i>Cyphomandra betacea</i> (5) <i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i> ) (6) <i>Solanum melongena</i> (7) <i>Solanum tuberosum</i>	<b>Asia and Pacific Region</b> (1) New Zealand <b>Europe</b> (2) Finland (3) Norway (4) Sweden <b>North America</b> (5) United States (6) Mexico <b>Central and South America</b> (7) Guatemala (8) Honduras	Zebra chip ( <i>Candidatus Liberibacter psyllauros</i> = <i>Candidatus Liberibacter solanacearum</i> )	1. The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i> ); otherwise, the plants or plant parts will be destroyed or returned. 2. The importation of the seed potatoes for propagative use shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seed potatoes have been thoroughly inspected and found free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i> ) and originated from areas free from <i>Candidatus Liberibacter psyllauros</i> (= <i>Candidatus Liberibacter solanacearum</i> ); otherwise, the seed potatoes will be destroyed or returned.
36. Following living plants for propagative use (excluding seeds) : (1) <i>Lilium</i> spp., including bulbs (2) <i>Nandina domestica</i> (3) <i>Plantago asiatica</i>	<b>Asia and Pacific Region</b> (1) Japan (2) Korea (3) Russia (4) New Zealand <b>Europe</b> (5) France (6) Netherlands	<i>Plantago asiatica mosaic virus</i> ( <i>Potexvirus</i> )	1. The importing of the plants and plant parts shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been

<p>(4) <i>Primula acaulis</i>  (5) <i>Primula sieboldii</i></p>	<p><b>North America</b>  (7) United States  <b>Central and South America</b>  (8) Chile</p>		<p>thoroughly inspected during growing season or laboratory tested before export and found free from <i>Plantago asiatica mosaic virus (Potexvirus)</i>, otherwise, the plants or plant parts will be destroyed or reshipped.</p> <p>2. The importation of <i>Lilium</i> spp. bulbs originated from the Netherlands should follow the “Quarantine requirements for the importation of Lily flower bulbs from The Netherlands”.</p> <p>3. The importation of <i>Lilium</i> spp. bulbs originated from Chile should follow the “Quarantine requirements for the importation of Lily flower bulbs from Chile”.</p>
---	---	--	---

2. Quarantine requirements for the importation of “Prohibited Plants or Plant Products” verified and approved by the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, the Executive Yuan.

Plants or Plant Products	Countries or Districts of Origin	Injurious pests and Disease	Quarantine Requirements
<p>1. Fresh fruits (including fresh fruits of fruit trees and vegetables and green ripeness bananas, excluding the fresh fruits of the following plants):</p> <p>(1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i></p> <p>(2) <i>Ananas comosus</i></p> <p>(3) <i>Cocos nucifera</i></p> <p>(4) <i>Hypericum</i> spp.</p> <p>(5) <i>Leycesteria</i> spp.</p> <p>(6) <i>Leucadendron</i> spp.</p> <p>(7) <i>Musa</i> spp. (Green Ripeness Bananas)</p> <p>(8) <i>Symphoricarpus</i> spp.</p> <p>(9) <i>Viburnum</i> spp.</p>	<p><b>Africa</b></p> <p>(1) South Africa</p> <p>(2) Swaziland</p> <p><b>Europe</b></p> <p>(3) France</p> <p>(4) Italy</p> <p>(5) Netherlands</p> <p>(6) Spain</p> <p><b>Central and South America</b></p> <p>(7) Argentina</p> <p>(8) Chile</p> <p>(9) Peru</p>	<p>Mediterranean fruit fly (<i>Ceratitis capitata</i> Wiedemann)</p>	<p>1. The importation of the fresh fruit from countries or districts where the Mediterranean fruit fly is known to Occur shall comply with the following requirements:</p> <p>(1) The importation of fresh fruits from Netherlands shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from The Netherlands.”</p> <p>(2) The importation of fresh fruits from the Region III to Region X , Region XIV and Metropolitan Region of Chile shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Chile.”</p> <p>(3) The importation of fresh grapes fruits from Peru shall comply with the "Quarantine Requirements for The Importation of Fresh Fruits from Peru."</p> <p>(4) The importation of fresh citrus fruits from Spain shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.” The fruit should be treated by one of the following cold treatment: core temperature at 34 °F core temperature at 35 °F days, or core temperature at 36 °F for 18 days.</p> <p>(5) The importation of the fresh fruit from other countries or districts shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.”</p> <p>2. The importation of fresh fruits shall</p>

			be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruit has been thoroughly inspected and found free from Mediterranean fruit fly.
<p>2. Corn ears without husks and seeds of the following plants:</p> <p>(1) <i>Areca catechu</i> <i>Saccharum</i> spp.</p> <p>(2) Bamboo (<i>Bambusa vulgaris</i>)</p> <p>(3) <i>Brachiaria mutica</i></p> <p>(4) Coconut (<i>Cocos nucifera</i>)</p> <p>(5) Job's tears (<i>Coix lachryma-jobi</i>)</p> <p>(6) <i>Dictyosperma album</i></p> <p>(7) Guinea grass (<i>Panicum maximum</i>)</p> <p>(8) Millet (<i>Panicum miliaceum</i>)</p> <p>(9) Elephant grass (<i>Pennisetum purpureum</i>)</p> <p>(10) <i>Roystonea regia</i></p> <p>(11) <i>Saccharum</i> spp.</p> <p>(12) Sorghum (<i>Sorghum bicolor</i>)</p> <p>(13) Johnson grass (<i>Sorghum halepense</i>)</p> <p>(14) Sudan grass (<i>Sorghum sudanense</i>)</p> <p>(15) <i>Sorghum verticilliform</i>(excluding leaves)</p> <p>(16) <i>Thysanolaena</i></p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Fiji</p> <p>(2) India</p> <p><b>Africa</b></p> <p>(3) Ghana</p> <p>(4) Lesotho</p> <p>(5) Madagascar</p> <p>(6) Madeira</p> <p>(7) Malawi</p> <p>(8) Mauritius</p> <p>(9) Mozambique</p> <p>(10) Reunion</p> <p>(11) South Africa</p> <p>(12) Swaziland</p> <p>(13) Zimbabwe</p> <p><b>Central and South America</b></p> <p>(14) Antigua Island</p> <p>(15) Antigua and Barbuda</p> <p>(16) Argentina</p> <p>(17) Barbados</p> <p>(18) Belize</p> <p>(19) Brazil</p> <p>(20) Colombia</p> <p>(21) Cuba</p> <p>(22) Dominican Republic</p> <p>(23) Guadeloupe</p> <p>(24) Martinique</p> <p>(25) Puerto Rico</p> <p>(26) Saint Kitts and Nevis</p> <p>(27) Saint Lucia</p> <p>(28) Saint Vincent and the Grenadines</p>	<p>Sugarcan Gumming disease (<i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i>)</p>	<p>The importation of corns ears without husks and seeds shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds or ears without husks of the corn have been thoroughly inspected and found free from the Gumming disease; otherwise the shipment has to be undergone an appropriate quarantine treatment prior to importation.</p>

<p><i>maxima</i></p> <p>(17) <i>Tripsacum fasciculatum</i></p> <p>(18) <i>Zea mays</i> (excluding ears without husks)</p>			
3. (deleted)			
4. Table potato ( <i>Solanum tuberosum</i> )	<p><b>Asia and Pacific Region</b></p> <p>(1) New Zealand</p>	Golden nematode ( <i>Globodera rostochiensis</i> Wr.)	The importation of table potato from New Zealand shall comply with the “Quarantine Requirements for The Importation of Table Potato from New Zealand.”
5. Round wood, fuel wood, wood root, bark, unprocessed wood and processed wood materials of the following plants: (1) <i>Acer</i> spp. (2) <i>Aesculus</i> spp. (3) <i>Alnus</i> spp. (4) <i>Betula</i> spp. (5) <i>Citrus</i> spp. (6) <i>Elaeagnus angustifolia</i> (7) <i>Fraxinus</i> spp. (8) <i>Hibiscus</i> spp. (9) <i>Liriodendron tulipifera</i> (10) <i>Malus</i> spp. (11) <i>Melia</i> spp. (12) <i>Morus</i> spp. (13) <i>Paulownia fortunei</i> (14) <i>Platanus</i> spp. (15) <i>Populus</i> spp. (16) <i>Prunus</i> spp. (17) <i>Pyrus</i> spp. (18) <i>Robinia</i> spp. (19) <i>Rosa</i> spp. (20) <i>Salix</i> spp. (21) <i>Sophora</i> spp. (22) <i>Ulmus</i> spp.	<p><b>Asia</b></p> <p>(1) Mainland (2) Korea, Democratic People’s Republic of (3) Korea, Republic of <b>Europe</b></p> <p>(4) Austria (Braunau) <b>North America</b></p> <p>(5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont)) (6) Canada (Ontario (Toronto and Vaughan))</p>	Asian longhorned beetle ( <i>Anoplophora glabripennis</i> )	The importation of mentioned plant products shall comply with the “Quarantine Requirements for the Importation of Wood.” (5) United States (Massachusetts (Worcester) , New York (City of New York, and Nassau) , New Jersey (Middlesex and Union) and Ohio (Bethel and Clermont))
6. Fresh fruits of the following plants: (1) <i>Malus</i> spp. (2) <i>Prunus americana</i> (3) <i>Prunus</i>	<p><b>Asia and Pacific Region</b></p> <p>(1) Japan</p>	Peach fruit moth ( <i>Carposina sasakii</i> = <i>Carposina niponensis</i> )	The importation of the fruit from Japan shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from Japan for the host plants of Peach Fruit Moth ( <i>Carposina sasakii</i> ) .”

<p><i>domestica</i></p> <p>(4) <i>Prunus persica</i></p> <p>(5) <i>Prunus salicina</i></p> <p>(6) <i>Pyrus spp.</i></p>			
<p>7. Fresh fruits of the following plants :</p> <p>(1) <i>Malus</i> spp.</p> <p>(2) <i>Prunus persica</i></p> <p>(3) <i>Pyrus</i> spp.</p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Korea, Republic of</p>	<p>Peach fruit moth ( <i>Carposina sasakii</i> = <i>Carposina niponensis</i> )</p>	<p>The importation of the fruit from South Korea shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from South Korea for the host plants of Peach Fruit Moth ( <i>Carposina sasakii</i> ) .”</p>
<p>8. Fresh fruits of the following plants:</p> <p>(1) <i>Actinidia deliciosa</i></p> <p>(2) <i>Citrus limonia</i></p> <p>(3) <i>Citrus paradisi</i></p> <p>(4) <i>Citrus reticulata</i></p> <p>(5) <i>Citrus reticulata</i> × <i>C. paradisi</i></p> <p>(6) <i>Citrus reticulata</i> × <i>C. sinensis</i></p> <p>(7) <i>Citrus sinensis</i></p> <p>(8) <i>Diospyros kaki</i></p> <p>(9) <i>Malus pumila</i></p> <p>(10) <i>Prunus avium</i></p> <p>(11) <i>Prunus domestica</i></p> <p>(12) <i>Prunus persica</i> var. <i>nucipersica</i></p> <p>(13) <i>Prunus persica</i> var. <i>persica</i></p> <p>(14) <i>Prunus salicina</i></p> <p>(15) <i>Pyrus</i> spp.</p> <p>(16) <i>Vitis vinifera</i></p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Australia (State of Tasmania and Riverland is pest-free area of Mediterranean fruit fly and Queensland fruit fly; Sunraysia is pest-free area of Mediterranean fruit fly)</p>	<p>(1) Mediterranean fruit fly ( <i>Ceratitis capitata</i> Wiedemann)</p> <p>(2) Queensland fruit fly ( <i>Bactrocera tryoni</i> (Froggatt))</p>	<p>The importation of the fruit from Australia shall comply with the “Quarantine Requirements for Import Inspection of Fresh Fruit from Australia That Hosts Mediterranean or Queensland Fruit flies.”</p>
<p>9. Fresh fruits of the following plants :</p> <p>(1) <i>Areca catechu</i></p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Thailand</p>	<p>(1) Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi))</p> <p>(2) Papaya fruit fly ( <i>Bactrocera papayae</i> Drew</p>	<p>The importation of the fruit of <i>Areca catechu</i> from Thailand shall comply with the “Quarantine Requirements for Import Quarantine of Fresh Betel Nuts from Thailand.”</p>

		& Hancock)	
10. ( deleted )			
11. Nursery stocks with roots of the following plants: (1) <i>Aechmea</i> spp. (2) <i>Anthurium</i> spp. (3) <i>Bromelia</i> spp. (4) <i>Cryptanthus</i> spp. (5) <i>Guzmania</i> spp. (6) <i>Neoregelia</i> spp. (7) <i>Nidularium</i> spp. (8) <i>Tillandsia</i> spp. (9) <i>Vriesea</i> spp.	<b>Europe</b> (1) Netherlands	Burrowing nematode ( <i>Radopholus similis</i> (Cobb) Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan )	The importation of the nursery stocks from the Netherlands shall comply with the “Quarantine Requirements for the Importation of Propagation Materials which are Hosts of <i>Radopholus similis</i> from the Netherlands.”
12. Fresh fruits of grape ( <i>Vitis vinifera</i> )	<b>Central and South America</b> (1) Peru	(1) Mediterranean fruit fly, <i>Ceratitidis capitata</i> (Wiedemann) (2) <i>Anastrepha fraterculus</i> (Wiedemann) (3) <i>Anastrepha obliqua</i> Macquart = <i>Anastrepha mombinpraeoptans</i> Sein	The importation of fresh grapes fruits of Peru shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Peru.”
13. Fresh carrots ( <i>Daucus carota</i> L. )	<b>Asia and Pacific Region</b> Australia (Northern Territory, New South Wales, Queensland, South Australia, Western Australia)	Burrowing nematode ( <i>Radopholus similis</i> (Cobb) Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan)	The importation of fresh carrot shall comply with the “Quarantine requirements for the importation of fresh carrots from areas where burrowing nematode ( <i>Radopholus similis</i> ) is known to occur in Australia.”
14. Fresh fruits of the following plants : (1) Cherry ( <i>Prunus avium</i> )	<b>Asia and Pacific Region</b> Mainland	Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi))	The importation of fresh cherry fruits from Shantung of Mainland shall comply with the “Quarantine Requirements for The importation of fresh cherry fruits from Mainland.”
15. Entire or any part of the following plants (excluding fruits and seeds) : (1) <i>Pyrus</i> spp.	<b>Asia and Pacific Region</b> Mainland	Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi))	The importation of Pear Scions from Shantung of Mainland shall comply with the “Quarantine Requirements for The importation of f Pear Scions from Mainland.”

3. Hong Kong, Singapore, and Macau are free ports and therefore regarded as areas of all pests listed in enterable plants or plant products under precautionary requirements.
4. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the countries or districts listed in the table, they will be treated as the plants or plant products which shall comply with the precautionary requirements.
5. To apply for importation of plant or plant product for the first time from a country or district (excluding vegetables without fruits and underground portion, and fruiting body of edible fungi), the importer or the agent shall submit the following information to Bureau of Animal and Plant Health Inspection and Quarantine, Council of Agriculture, Executive Yuan (BAPHIQ) to conduct pest risk assessment (PRA). Only after the PRA was finished and concluded that the importation is acceptable, such plant or plant product is allowed to be imported into Taiwan under quarantine requirements specified by BAPHIQ. During the assessment, BAPHIQ may request the importer or the agent to contact the National Plant Protection Organization (NPPO) of the exporting country to provide supplementary documents, or dispatch BAPHIQ inspector(s) to the exporting country for confirmation. All expenses associated with the visit will be borne by the NPPO of the exporting country.
  - 5.1 The information of cultivation management of the plant or plant product, including producing areas, yield, harvest season and the post-harvest process.
  - 5.2 The pest list of the plant or plant product, including the information of pest control and the list of chemical used.
  - 5.3 If the exporting country or district where is in the immediate vicinity of a quarantine pest area, but has insufficient reports or no report at all about the pest status, the official survey data and the general surveillance record of the pest shall be provided.
  - 5.4 Other information requested by BAPHIQ.

If the aforementioned plant or plant product is used for the purpose of experimental, research, education or exhibition by governmental agencies (institutions), public enterprises, schools, corporations or organizations registered under relevant laws, the information as follows should be provided for specific application.

- (1) Relevant experimental, research, educational or exhibition projects including duration for the intended use.
- (2) Containment program (including the address and safeguard features of the isolation site)
- (3) Packing methods and the domestic and international transportation routes and means.
- (4) Other related documents and information requested by BAPHIQ.

Before the end of the duration of use, if the pest risk assessment (PRA) of the aforementioned plant or plant product is finalized and concluded that the importation is acceptable, the post-entry quarantine control measures could be lifted under application; otherwise the aforementioned plant or plant product should be re-exported or destroyed.

Besides the application for first-time importation as aforementioned, BAPHIQ will initiate pest risk assessment (PRA) under the circumstance described as followed in accordance with the risk presents.

- (1) Detection of any pest from importing plant, plant product or packing material that does not occur in Taiwan and present a possible threat to the agricultural production safety or ecological environment.
  - (2) Detection of regulated quarantine pests from importing plant, plant product or packing material.
  - (3) A new transmitting pathway of plant pests that present phytosanitary risk was found.
  - (4) Plant pests that present phytosanitary risk already caused economical or environmental impact, while BAPHIQ has not yet taken any relevant regulation measures.
  - (5) The plants or plant products have not been imported in recent 5 years.
6. Importation of lilies, gladiolus, and dahlia bulbs shall comply with the “Quarantine

Requirements for The Importation of Lilies, Gladiolus, and Dahlia Bulbs.”

7. Quarantine requirements for importation of timber will be published by the Council of Agriculture in later time.
8. Plants listed below are subjected to post-entry quarantine:
  - (1) Importation of the following living plants or propagates (excluding seeds and fruits) shall be subject to post- entry quarantine at nurseries designated by the BAPHIQ.
    - A. Plants subject to a quarantine period of at least two years:
      - a. *Saccharum sinense*, *Saccharum officinarum*
      - b. *Camellia sinensis*
      - c. *Ananas* spp.
      - d. *Citrus* spp., *Fortunella* spp., and *Poncirus* spp.
      - e. *Musa* spp.
    - B. Plants subject to a quarantine period of at least one year:
      - a. *Carica* spp.
      - b. *Euphoria longana*
      - c. *Fragaria* spp.
      - d. *Litchi chinensis*
      - e. *Malus* spp.
      - f. *Mangifera indica*
      - g. *Morus* spp.
      - h. *Passiflora* spp.
      - i. *Prunus* spp.
      - j. *Psidium guajava*
      - k. *Pyrus* spp. (excluding Pear Scions)
      - l. *Rosa* spp. (excluding cut flowers)
      - m. *Vitis* spp.
  - (2) After the Inspection by BAPHIQ, the plants or plant products imported from foreign country, including suspected to be infected with pests, **could not be identified, propagates (excluding seeds and fruits)**, shall be subjected to post-entry quarantine.
9. Importers of fresh plants or plant products, peat mosses and peat are required to present phytosanitary certificates issued by the plant quarantine authority of the exporting country. Importation of the plants or plant products, which are listed in “Part A. Prohibited plants or plant Products” of the “Quarantine Requirements for the Importation of Plants or Plants Products into the Republic of Mainland”, regulated by other importation authorities or designated plants or plant products by the BAPHIQ, did not accompany with phytosanitary certificates, shall resubmit the phytosanitary certificates; otherwise, the plants or plant products will be destroyed or reshipped.
10. Importation of plants or plant products shall be subjected to appropriate quarantine treatment for mitigating following pests if they are intercepted. If there is no appropriate quarantine treatment for the pest, the importing plants or plant products shall be destroyed or re-shipped. BAPHIQ may implement quarantine treatment to the higher taxa of the listed pests if necessary.

#### Insect ( 310 )

*Acalolepta cervina*

*Acanthoscelides obtectus*

*Acanthoscelides pallidipennis*

*Acleris gloverana*

*Acleris variana*

*Acrogonia terminalis*

*Acrolepiopsis assectella*

*Acropolitis rudisana*

*Adelges tsugae*

*Adoxophyes orana*

Aeolesthes sarta  
Aethina tumida  
Affirmaspis socotrana  
Agrilus mali  
Amorbia emigratella  
Anastrepha grandis  
Anastrepha striata  
Anastrepha suspensa  
Anchastus swezeyi  
Anomala sulcatula  
Anthonomus bisignifer  
Anthonomus eugenii  
Anthonomus grandis  
Aonidiella lauretorum  
Aonidiella tinerfinensis  
Apis mellifera capensis  
Apis mellifera scutellata  
Archips micaceanus  
Argyrotaenia ljungiana  
Artitropa comus  
Aspidiotus spinosus  
Asterolecanium spp.  
Bactrocera albistrigata  
Bactrocera aquilonis  
Bactrocera cucumis  
Bactrocera decipiens  
Bactrocera diversa  
Bactrocera fascialis  
Bactrocera frauenfeldi  
Bactrocera jarvisi  
Bactrocera kirki  
Bactrocera latifons  
Bactrocera melanota  
Bactrocera musae  
Bactrocera neohumeralis  
Bactrocera occipitalis  
Bactrocera oleae  
Bactrocera passiflorae  
Bactrocera psidii  
Bactrocera trivialis  
Bactrocera tuberculata  
Bactrocera umbrosa  
Bagrada hilaris  
Bactrocera xanthodes  
Bemisia cordylinidis  
Blitopertha orientalis  
Brachycerus spp.  
Brachydactyla discoidea  
Bruchophagus roddi  
Bruchus pisorum  
Bruchus rufimanus  
Bulbifer homeorhynchus  
Cacoecimorpha pronubana

Cacopsylla chinensis  
Cacyreus marshalli  
Callipogon relictus  
Callosobruchus analis  
Callosobruchus phaseoli  
Camponotus floridanus  
Camponotus pennsylvanicus  
Capua tortrix  
Cataenococcus hispidus  
Catamacta lotinana  
Ceratitis spp.  
Chaetanaphothrips signipennis  
Choristoneura conflictana  
Choristoneura fumiferana  
Choristoneura occidentalis  
Choristoneura rosaceana  
Chrysomphalus diversicolor  
Chrysomphalus pinnulifera  
Cilaeopeplus swezeyi  
Coccus spp.  
Conoderus eveillardi  
Conoderus rufangulus  
Conopia hector  
Conotrachelus aguacatae  
Contarinia nasturtii  
Contarinia sorghicola  
Coptotermes curvignathus  
Copturus aguacatae  
Cryptophlebia leucotreta  
Cryptorhynchus lapathi  
Curculio davidi  
Curculio elephas  
Curculio nucum  
Cydia latiferreana  
Cydia splendana  
Dacus bivittatus  
Dacus vertebratus  
Dasineura mali  
Dendroctonus adjunctus  
Dendroctonus ponderosae  
Dendroctonus rufipennis  
Dendrolimus sibiricus  
Delia antique  
Delia platura  
Diabrotica barberi  
Diabrotica speciosa  
Diabrotica undecimpunctata  
Diabrotica virgifera virgifera  
Diaprepes abbreviatus  
Diaspidiotus gigas  
Diaspidiotus ostreaeformis  
Diaspidiotus pyri  
Diatraea saccharalis

Dilobopterus costalimai  
 Draeculacephala minerva  
 Dreyfusia piceae  
 Drosophila suzukii  
 Dryocoetes confusus  
 Dryocosmus kuriphilus  
 Dysmicoccus nesophilus  
 Dyspessa ulula  
 Earias vittella  
 Echinothrips americanus  
 Elytroteinus subtruncatus  
 Epiphyas postvittana  
 Epitrix cucumeris  
 Epitrix tuberis  
 Eriosoma lanigerum  
 Eublemma rufimixta  
 Eucalymnatus tessellatus  
 Euproctis chrysorrhoea  
 Eurytoma laricis  
 Exosoma lusitanica  
*Frankliniella spp.*  
 Furcaspis oceanica  
 Gnathotrichus sulcatus  
 Gonipterus gibberus  
 Graphocephala atropunctata  
 Grapholita funebrana  
 Grapholita inopinata  
 Grapholita molesta  
 Grapholita packardi  
 Grapholita prunivora  
 Heilipus lauri  
 Helicoverpa zea  
 Hemiberlesia cyanophylli  
 Hemiberlesia palmae  
 Hemimene juliana  
 Hesperophanes campestris  
 Heterobostrychus aequalis  
 Heteronychus arator  
 Holotrichia mindanaona  
 Homalodisca coagulata  
 Howardia biclavis  
 Hylastes ater  
 Hylurgopinus rufipes  
 Hyphantria cunea  
 Hypothenemus hampei  
 Insulaspis orsoni  
 Ips calligraphus  
 Ips confusus  
 Ips grandicollis  
 Ips lecontei  
 Ips pini  
 Ips plastographus  
 Ips typographus  
 Ischnaspis longirostris  
 Kandyosilis cochleata  
 Kytorthinus immixtus  
 Laspeyresia spp.  
 Lepidosaphes salicina  
 Lepidosaphes tokionis  
 Leptocybe invasa  
 Leucoptera malifoliella  
 Limonius californicus  
 Listroderes subcinctus  
 Listrionotus bonariensis  
 Lobesia botrana  
 Lopholeucaspis cockerelli  
 Linepithema humile  
 Lymantria dispar  
 Lymantria monacha  
 Malacosoma americanum  
 Malacosoma disstria  
 Margarodes prieskaensis  
 Margarodes vredendalensis  
 Matsucoccus matsumurae  
 Mayetiola destructor  
 Megalometis chilensis  
 Melanaspis corticosa  
 Melanaspis elaeagni  
 Melanaspis nigropunctata  
 Melanotus communis  
 Metamasius spp.  
 Monochamus spp.  
 Mudaria luteileprosa  
 Mycetaspis personata  
 Mycetaspis sphaerioides  
 Myzus ornatus  
 Nasutitermes corniger  
 Naupactus xanthographus  
 Nemorimyza maculosa  
 Neomaskellia bergii  
 Neoselenaspidus silvaticus  
 Nipaecoccus nipae  
 Nysius vinitor  
 Oncometopia fascialis  
 Operophtera brumata  
 Opogona sacchari  
 Opuntiaspis carinata  
 Orgyia antiqua  
 Orgyia pseudotsugata  
 Orthezia insignis  
 Oryctes monoceros  
 Ostrinia nubilalis  
 Otiorhynchus ligustici  
 Oulema melanopus  
 Oviticoccus agavium  
 Pammene fasciana

*Paranthrene tabaniformis*  
*Parthenolecanium corni*  
*Paraputo hispidus*  
*Pectinophora scutigera*  
*Perileucoptera coffeella*  
*Phalaenoides glycinae*  
*Phenacaspis tangana*  
*Phenacoccus manihoti*  
*Phyllophaga* spp.  
*Pinnaspis dracaenae*  
*Pinnaspis strachani*  
*Pissodes nemorensis*  
*Pissodes strobi*  
*Pissodes terminalis*  
*Pogonomyrmex occidentalis*  
*Prays endocarpa*  
*Premnotrypes latithorax*  
*Premnotrypes suturicallus*  
*Premnotrypes vorax*  
*Proeulia* spp.  
*Promecotheca cumingii*  
*Prostephanus truncatus*  
*Proterhinus vestitus*  
*Pseudischnaspis bowreyi*  
*Pseudococcus* spp.  
*Pterandrus* spp.  
*Ptilodactyla exotica*  
*Pulvinaria urbicola*  
*Pulvinaria vitis*  
*Rhagoletis cerasi*  
*Rhagoletis cingulata*  
*Rhagoletis fausta*  
*Rhagoletis indifferens*  
*Rhagoletis mendax*  
*Rhizoecus amorphophalli*  
*Rhizoecus floridanus*  
*Rhizoecus simplex*  
*Rhodogastria carneola*  
*Rhynchophorus palmarum*  
*Rondotia menciaana*  
*Sahlbergella singularis*  
*Sardia pluto*  
*Scirtothrips aurantii*  
*Scirtothrips citri*

Mites ( 32 )  
*Acarapis woodi*  
*Aculops fuchsiae*  
*Aculus schlechtendali*  
*Brevipalpus chilensis*  
*Bryobia eharai*  
*Bryobia rubrioculus*

*Scolytus morawitzi*  
*Scolytus multistriatus*  
*Scolytus scolytus*  
*Scyphophorus acupunctatus*  
*Selenaspidus antsingyi*  
*Selenaspidus littoralis*  
*Sesamia cretica*  
*Sirex noctilio*  
*Sitophilus granarius*  
*Sminthurus viridis*  
*Solenopsis invicta*  
*Solenopsis richteri*  
*Solenopsis richteri* × *Solenopsis*  
*Solenopsis xyloni*  
*Sphaeraspis vitis*  
*Spilonota lechriaspis*  
*Spilonota pyrusicola*  
*Spodoptera eridania*  
*Spodoptera frugiperda*  
*Spodoptera littoralis*  
*Stenoma catenifer*  
*Taeniothrips samdensis*  
*Tecia solanivora*  
*Tessarotoma papillosa*  
*Tetropium castaneum*  
*Tetropium fuscum*  
*Tetropium gracilicorne*  
*Thrips* spp.  
*Tomicus piniperda*  
*Toxotrypana curvicauda*  
*Trioza erytrae*  
*Trogoderma granarium*  
*Unaspis citri*  
*Viteus vitifoliae*  
*Voraspis tangana*  
*Wasmannia auropunctata*  
*Xyleborus affinis*  
*Xyleborus ferrugineus*  
*Xyleborus rugatus*  
*Xylopsocus capucinus*  
*Xylotrechus altaicus*  
*Xyphon* (formerly *Carneocephala*) *fulgida*  
*Yponomeuta malinellus*  
*Zabrotes subfasciatus*

*Cochlodisopus operosus*  
*Eotetranychus carpini*  
*Eotetranychus pruni*  
*Epitrimerus pyri*  
*Eriophyes gossypii*  
*Mononychellus tanajoa*

Oligonychus gossypii  
Oligonychus grypus  
Oligonychus indicus  
Oligonychus peruvianus  
Oligonychus punicae  
Oligonychus sacchari  
Oligonychus yotrheri  
Panonychus ulmi  
Petrobia lateens  
Phyllocoptes aphrastus

#### Bacterium ( 56 )

Acidovorax avenae subsp. avenae  
Agrobacterium larrymoorei  
Agrobacterium tumefaciens  
Agrobacterium vitis  
Burkholderia andropogonis  
Burkholderia caryophylli  
Burkholderia gladioli pv. gladioli  
Clavibacter michiganensis subsp. Indidiosus  
Clavibacter michiganensis subsp. michiganensis  
Clavibacter michiganensis subsp. sepedonicus  
Clavibacter michiganensis subsp. nebraskensis  
Curtobacterium flaccumfaciens subsp.  
flaccumfaciens  
Curtobacterium flaccumfaciens subsp.  
poinsettiae  
Erwinia carotovora subsp. atroseptica  
Erwinia chrysanthemi  
Erwinia herbicola pv. gypsophilae  
Erwinia pyrifoliae  
Erwinia rhapontici  
Erwinia salicis  
Leifsonia xyli subsp. xyli ( original Clavibacter  
xyli subsp. xyli )  
Liberobacter asiaticum  
Pantoea stewartii  
Potato leaflet stunt bacterium  
Pseudomonas corrugata  
Pseudomonas syringae pv. actinidae  
Pseudomonas lignicola

#### Fungus ( 78 )

Alternaria gaisen  
Anisogramma anomala  
Apiosporina morbosa  
Atropellis piniphila  
Botryosphaeria larinica  
Calonectria ilicicola  
Ceratocystis fagacearum  
Ceratocystis fimbriata  
Chrysomyxa abietis

Phytoseius hongkongensis  
Schizotetranychus andreopogoni  
Schizotetranychus asparagi  
Tetranychus canadensis  
Tetranychus marianae  
Tetranychus mcdanieli  
Tetranychus mexicanus  
Tetranychus turkestanii  
Tropilaelaps clareae  
Varroa sinhai

Pseudomonas savastanoi pv. phaseolicola  
Pseudomonas syringae pv. eriobotryae  
Pseudomonas syringae pv. maculicola  
Pseudomonas syringae pv. morsprunorum  
Pseudomonas syringae pv. papulans  
Pseudomonas syringae pv. pisi  
Pseudomonas syringae pv. syringae  
Pseudomonas syringae pv. tabaci  
Pseudomonas viridiflava  
Ralstonia solanacearum Race3  
Xanthomonas acernea  
Xanthomonas arboricola pv. corylina  
Xanthomonas axonopodis pv. begoniae  
Xanthomonas axonopodis pv. dieffenbachiae  
Xanthomonas axonopodis pv. glycines  
Xanthomonas axonopodis pv. phaseoli  
Xanthomonas axonopodis pv. poinsetticola  
Xanthomonas axonopodis pv. vignicola  
Xanthomonas axonopodis pv. vitians  
Xanthomonas cucurbitae  
Xanthomonas campestris pv. armoraciae  
Xanthomonas campestris pv. Musacearum  
Xanthomonas fragariae  
Xanthomonas hortorum pv. carotae  
Xanthomonas hortorum pv. perlargonii  
Xanthomonas hyacinthi  
Xanthomonas oryzae pv. oryzicola  
Xanthomonas translucens pv. translucens  
Xanthomonas theicola  
Xanthomonas populi

Chrysomyxa ledi  
Ciborinia camelliae  
Cronartium coleosporioides  
Cronartium flaccidum  
Cronartium quercuum f. sp. fusiforme  
Cronartium himalayense  
Cronartium kamtschaticum  
Cronartium quercuum  
Cryphonectria parasitica

Cytospora sp.	Ophiostoma ulmi
Diaporthe mali	Ophiostoma wagneri
Diaporthe phaseolorum	Peronosclerospora maydis
Diaporthe tanakae	Peronosclerospora sacchari
Diaporthe vaccinii	Phoma andigena
Didymella ligulicola	Phoma exigua var. foveata
Elsinoe australis	Phoma tracheiphila
Endocronartium harknessii	Phomopsis viticola
Entyloma holwayi H. & P. Sydow	Phomopsis vitimegaspora
Eutypa lata	Phomopsis vitimegasora
Fusarium subglutinans	Phymatotrichopsis omnivora
Fusarium oxysporum f. sp.	Phytophthora fragariae
Gaeumannomyces graminis	Puccinia gladioli
Gibberella circinata	Puccinia mccleanii
Gremmeniella abietina	Puccinia pittieriana
Gymnosporangium asiaticum	Rigidoporus lignosus
Gymnosporangium clavipes	Sclerotium cepivorum
Gymnosporangium fuscum	Septoria lycopersici
Gymnosporangium globosum	Stenocarpella maydis
Gymnosporangium yamadae	Thecaphora solani
Lachnellula willkommii	Tilletia barclayana
Leptosphaeria maculans	Tilletia indica
Leptosphaeria nodorum	Trachysphaera fructigena
Macrophomina phaseolina	Uredo dioscoreae-alatae
Melampsora farlowii	Uredo gladioli-buettneri
Monilinia fructigena	Urocystis agropyri
Nectria galligena	Urocystis tritici
Nectria mauritiicola	Ustilago scitaminea
Nectriella pironii	Verticillium alboatrum
Ophiostoma novo-ulmi	Verticillium dahliae

#### Virus ( 468 )

*Abutilon mosaic virus* (AbMV) (*Geminiviridae*, *Begomovirus*)  
*Ageratum yellow vein virus* (AYVV) (*Geminiviridae*, *Begomovirus*)  
*African cassava mosaic virus* (ACMV) (*Geminiviridae*, *Begomovirus*)  
*Agropyron mosaic virus* (AgMV) (*Potyviridae*, *Bymovirus*)  
*Alfalfa cryptic virus 1* (ACV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (*Bromoviridae*, *alfamovirus*)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (*Potyviridae*, *potyvirus*)  
*Amaranthus leaf mottle virus* (AmLMV) (*Potyviridae*, *potyvirus*)  
*American plum line pattern virus* (APLPV) (*Bromoviridae*, *Ilarvirus*)  
*Andean potato latent virus* (APLV) (*Tymovirus*)  
*Andean potato mottle virus* (APMoV) (*Comoviridae*, *Comovirus*)  
*Anthoxanthum latent blanching virus* (ALBV) (*Hordeivirus*)  
*Anthriscus yellows virus* (AYV) (*Sequiviridae*, *waikavirus*)  
*Apple chat fruit disease*

*Apple chlorotic leaf spot virus (ACLSV) (Trichovirus, Flexiviridae)*  
*Apple dimple fruit viroid (ADFVd) (Apscaviroid, Pospiviroidae)*  
*Apple mosaic virus (ApMV) (Bromoviridae, Iilarvirus)*  
*Apple scar skin viroid (ASSVd) (Pospiviroidae, Apscaviroid)*  
*Apple stem grooving virus (ASGV) (Capillovirus, Flexiviridae)*  
*Apple stem pitting virus (ASPV) (Foveavirus, Flexiviridae)*  
*Arabidopsis mosaic virus (ArMV) (Comoviridae, Nepovirus)*  
*Araujia mosaic virus (ArjMV) (Potyviridae, potyvirus)*  
*Arracacha Virus A (AVA) (Comoviridae, Nepovirus)*  
*Arracacha Virus B (AVB) (Comoviridae, Nepovirus)*  
*Arracacha Virus Y (AVY) (Potyviridae, potyvirus)*  
*Artichoke Italian latent virus (AILV) (Comoviridae, nepovirus)*  
*Artichoke latent virus (ArLV) (Potyviridae, potyvirus)*  
*Artichoke mottled crinkle virus (AMCV) (Tombusviridae, Tombusvirus)*  
*Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)*  
*Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)*  
*Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)*  
*Asparagus virus 3 (AV-3) (Potexvirus)*  
*Banana bunchy top virus (BBTV) (Nanovirus)*  
*Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)*  
*Barley mosaic virus (BBV)*  
*Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)*  
*Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)*  
*Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)*  
*Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)*  
*Bean common mosaic virus (Potyviridae, potyvirus)*  
*Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)*  
*Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)*  
*Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)*  
*Bean pod mottle virus (BPMV) (Comoviridae, comovirus)*  
*Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)*  
*Bean southern mosaic virus (SBMV) (sobemovirus)*  
*Bean yellow vein banding virus (BYV) (Umbravirus)*  
*Beet distortion mosaic virus*  
*Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)*  
*Beet mosaic virus (BtMV) (Potyviridae, potyvirus)*  
*Beet soil-borne virus (BSBV) (Pomovirus)*  
*Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)*  
*Beet yellows virus (BYV) (Closteroviridae, closterovirus)*  
*Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)*  
*Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)*  
*Beet leaf curl virus (BLCV) (Rhabdoviridae)*  
*Beet necrotic yellow vein virus (BNYVV) (Benyvirus)*  
*Belladonna mottle virus (BeMV) (Tymovirus)*

*Bermuda grass etched-line virus (BELV) (Marafivirus)*  
*Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)*  
*Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)*  
*Bidens mottle virus (BiMoV)(Potyviridae, potyvirus)*  
*Black raspberry latent ilarvirus*  
*Black raspberry necrosis virus (BRNV)*  
*Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)*  
*Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)*  
*Blueberry necrotic shock virus (BlShV) (ilarvirus)*  
*Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)*  
*Blueberry scorch virus (BBScV) (carlavirus)*  
*Blueberry shoestring virus (BSSV) (sobemovirus)*  
*Broad bean B virus*  
*Broad bean necrosis virus (BBNV) (Pomovirus)*  
*Broad bean severe chlorosis virus (Closteroviridae, closterovirus)*  
*Broad bean stain virus(BBSV) (Comoviridae, comovirus)*  
*Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)*  
*Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)*  
*Broad bean yellow ringspot virus*  
*Broad bean yellow vein virus (Rhabdoviridae,cytorhabdovirus)*  
*Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Brome mosaic virus (BMV) (Bromoviridae, bromovirus)*  
*Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)*  
*Burdock mosaic virus*  
*Burdock mottle virus*  
*Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)*  
*Cacao necrosis virus (CNV) (Comoviridae, nepovirus)*  
*Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)*  
*Cacao yellow mosaic virus (CYMV) (Tymovirus)*  
*Cactus virus (CV-2) (Carlavirus)*  
*Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)*  
*Caper latent virus (CapLV) (Carlavirus)*  
*Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)*  
*Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)*  
*Carnation cryptic virus I(CCV-1) (Partitiviridae, alphacryptovirus)*  
*Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)*  
*Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)*  
*Carnation latent virus (CLV) (Carlavirus)*  
*Carnation mottle virus (CarMV) (Carmovirus)*  
*Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)*  
*Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)*  
*Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)*  
*Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)*  
*Carrot mottle mimic virus (CmoMV) (Umbravirus)*

*Carrot mottle virus (CMoV) (Umbravirus)*  
*Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)*  
*Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)*  
*Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)*  
*Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)*  
*Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)*  
*Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)*  
*Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)*  
*Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)*  
*Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)*  
*Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)*  
*Cowpea stunt virus (Luteovirus)*  
*Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)*  
*Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)*  
*Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)*  
*Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)*  
*Cassava virus X (CsVX) (Potexvirus)*  
*Cassia mosaic virus*  
*Cassia ringspot virus*  
*Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)*  
*Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)*  
*Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)*  
*Celery mosaic virus (CeMV) (Potyviridae, potyvirus)*  
*Cereal northern mosaic virus (NCMV) (cytorhabdovirus)*  
*Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)*  
*Cassava common mosaic virus (CsCMV) (Potexvirus)*  
*Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)*  
*Cherry green ring mottle virus (CGRMV) (Foveavirus)*  
*Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)*  
*Cherry mottle leaf virus (CMLV) (Trichovirus)*  
*Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)*  
*Cherry virus A (CVA) (Capillovirus)*  
*Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)*  
*Chickpea distortion mosaic virus (Potyviridae, potyvirus)*  
*Chicory virus (ChVX) (potexvirus)*  
*Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)*  
*Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)*  
*Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)*  
*Chrysanthemum virus B (CVB) (Carlavirus)*  
*Citrus blight disease*  
*Citrus leprosis virus (CiLV) (Rhabdoviridae)*  
*Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)*

*Citrus leaf rugose virus* (CiLRV) (*Rhabdoviridae, ilarvirus*)  
*Citrus ringspot virus*  
*Citrus sudden death-associated virus* (CSD- associated virus) (*Marafivirus, Tymoviridae*)  
*Citrus variegation virus* (CVV) (*Bromoviridae, ilarvirus*)  
*Clitoria yellow vein virus* (CYVV) (*Tymovirus*)  
*Clover mild mosaic virus*  
*Clover wound tumor virus* (WTV) (*Phytoreovirus*)  
*Clover yellow mosaic virus* (CIYMV) (*potexvirus*)  
*Clover yellows virus* (CYV) (*Closteroviridae, closterovirus*)  
*Clover yellow vein virus* (CIYVV) (*Potyviridae, potyvirus*)  
*Cocksfoot mottle virus* (CoMV) (*Sobemovirus*)  
*Coconut foliar decay virus* (CFDV) (*Nanavirus*)  
*Commelina diffusa virus* (*Potyviridae, potyvirus*)  
*Commelina mosaic virus* (ComMV) (*Potyviridae, potyvirus*)  
*Commelina virus X* (ComVX) (*potexvirus*)  
*Commelina yellow mottle virus* (ComYMV) (*Caulimoviridae, badnavirus*)  
*Cocksfoot mild mosaic virus* (CoMV) (*Sobemovirus*)  
*Cocoa mottle leaf virus*  
*Cocoa necrosis virus* (CoNV) (*Comoviridae, Nepovirus*)  
*Cocoa swollen shoot virus* (CSSV) (*Caulimoviridae, Badnavirus*)  
*Cocoa yellow mosaic virus*  
*Colombian datura virus* (CDV) (*Potyviridae, Potyvirus*)  
*Coriander feathery red vein virus* (CFRVV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Cotton leaf curl virus* (CLCuV) (*Geminiviridae, Begomovirus*)  
*Cotton leaf crumple virus* (CLCrV) (*Geminiviridae, bigeminivirus*)  
*Cowpea mild mottle virus* (CPMMV) (*Carlavirus*)  
*Crimson clover latent virus* (CCLV) (*Comoviridae, nepovirus*)  
*Crinum mosaic virus* (CriMV) (*Potyviridae, potyvirus*)  
*Croton yellow vein mosaic virus* (CYVMV) (*Geminiviridae, bigeminivirus*)  
*Cucumber green mottle mosaic virus* (CGMMV) (*Tobamovirus*)  
*Cucumber leaf spot virus* (CLSV) (*Tombusviridae, carmovirus*)  
*Cucumber necrosis virus* (CuNV) (*Tombusviridae, tombusvirus*)  
*Cucumber soil-borne virus* (CuSBV) (*Tombusviridae, carmovirus*)  
*Cucumber vein yellowing virus* (CVYV)  
*Cucurbit chlorotic yellows virus* (CCYC) (*Closteroviridae, Crinivirus*)  
*Cycas necrotic stunt virus* (CNSV) (*Comoviridae, nepovirus*)  
*Cymbidium ringspot virus* (CymRSV) (*Tombusviridae, tombusvirus*)  
*Cynodon chlorotic streak virus*  
*Cynosurus mottle virus* (CnMoV) (*Sobemovirus*)  
*Dahlia mosaic virus* (DMV) (*Caulimoviridae, caulimovirus*)  
*Dandelion latent virus* (DaLV) (*Carlavirus*)  
*Dandelion yellow mosaic virus* (DaYMV) (*Sequiviridae, sequivirus*)  
*Daphne virus X* (DVX) (*Potexvirus*)  
*Daphne virus Y* (DVY) (*Potyviridae, potyvirus*)

*Datura Colombian virus* (CDV) (*Potyviridae*, *potyvirus*)  
*Datura distortion mosaic virus* (DDMV) (*Potyviridae*, *potyvirus*)  
*Datura necrosis virus* ( DNV) (*Potyviridae*, *potyvirus*)  
*Datura shoestring virus* (DSTV) (*Potyviridae*, *potyvirus*)  
*Datura yellow vein virus* (DYVV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Datura distortion virus*  
*Datura enation mosaic virus*  
*Dendrobium mosaic virus* (DeMV) (*Potyviridae*, *potyvirus*)  
*Desmodium mosaic virus* (DesMV) (*Potyviridae*, *potyvirus*)  
*Desmodium yellow mottle virus* (DYMV) (*Tymovirus*)  
*Digitaria streak virus* (DSV) (*Geminiviridae*, *monogeminivirus*)  
*Digitaria striate mosaic* (DiSMV) (*Geminiviridae*, *monogeminivirus*)  
*Dioscorea alata virus* (*Potyviridae*, *potyvirus*)  
*Dioscorea bacilliform virus* (DBV) (*Caulimoviridae*, *badnavirus*)  
*Dioscorea green banding mosaic virus* (*Potyviridae*, *potyvirus*)  
*Dodonaea yellows-associated virus*  
*Dolichos yellow mosaic virus* (DoMYV) (*Geminiviridae*, *bigeminivirus*)  
*Dulcamara mottle virus* (DuMV) (*Tymovirus*)  
*Eggplant green mosaic virus* (EGMV) (*Potyviridae*, *potyvirus*)  
*Eggplant mottled dwarf virus* (EMDV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Elderberry virus* (EV) (*Carlavirus 1*)  
*Epirus cherry virus* (EpCV) (*Ourmiavirus*)  
*Erysimum latent virus* (ErLV) (*Tymovirus*)  
*Echinochloa ragged stunt virus* (ERSV) (*Reoviridae*, *Oryzavirus*)  
*Elm mottle virus* (EMoV) (*Bromoviridae*, *Ilarvirus*)  
*European wheat striate mosaic virus* (EWSMV) (*Tenuivirus*)  
*Euphorbia mosaic virus* (EuMV) (*Geminiviridae*, *bigeminivirus*)  
*Euphorbia ringspot virus* (EuRV) (*Potyviridae*, *potyvirus*)  
*Faba bean necrotic yellows virus* (FBNYV) (*Nanovirus*)  
*Festuca leaf streak virus* (FLSV) (*Rhabdoviridae*, *cytorhabdovirus*)  
*Fig virus S* (FVS) (*Carlavirus*)  
*Figwort mosaic virus* (FMV) (*Caulimoviridae*, *caulimovirus*)  
*Foxtail mosaic virus* (FoMV) (*Potexvirus*)  
*Frangipani mosaic virus* (FrMV) (*Tobamovirus*)  
*French bean mosaic virus*  
*Freesia leaf necrosis virus* (FLNV) (*Varicosavirus*)  
*Freesia mosaic virus* (FreMV) (*Potyviridae*, *Potyvirus*)  
*Galinsoga mosaic virus* (GaMV) (*Tombusviridae*, *carmovirus*)  
*Glycine mosaic virus* (GMV) (*Comoviridae*, *Comovirus*)  
*Grapevine Algerian latent virus* (GALV) (*Tombusviridae*, *Tombusvirus*)  
*Grapevine asteroid mosaic virus*  
*Grapevine berry inner necrosis virus* (GINV) (*Trichovirus*)  
*Grapevine Bulgarian latent virus* (GBLV) (*Comoviridae*, *Nepovirus*)  
*Grapevine chrome mosaic virus* (GCMV) (*Comoviridae*, *Nepovirus*)

*Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)*  
*Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)*  
*Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)*  
*Grapevine fleck virus (GFkV)*  
*Grapevine stunt virus*  
*Grapevine vein necrosis virus*  
*Grapevine virus B (GVB) (Vitivirus, Flexiviridae)*  
*Groundnut chlorotic leaf streak virus*  
*Groundnut chlorotic spotting virus*  
*Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)*  
*Groundnut rosette virus (GRV) (Umbravirus)*  
*Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)*  
*Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)*  
*Guar top necrosis virus*  
*Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)*  
*Helenium virus S (HVS) (Carlavirus)*  
*Helenium virus Y (HVY) (Potyviridae, Potyvirus)*  
*Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)*  
*Heracleum latent virus (HLV) (Vitivirus)*  
*Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus)*  
*Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)*  
*Hippeastrum mosaic virus*  
*Honeysuckle latent virus (LnLV) (Carlavirus)*  
*Hop American latent (AHLV) (Carlavirus)*  
*Hop latent virus (HpLV) (Carlavirus)*  
*Hop mosaic virus (HpMV) (Carlavirus)*  
*Hop trefoil cryptic virus 1 (HTCV-1)(Partitiviridae, alphacryptovirus)*  
*Hop trefoil cryptic virus 2 (HTCV-2)(Partitiviridae, betacryptovirus)*  
*Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)*  
*Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)*  
*Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)*  
*Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)*  
*Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)*  
*Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)*  
*Hydrangea ringspot virus (HRSV) (Potexvirus)*  
*Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)*  
*Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)*  
*Iris Japanese necrotic ring virus*  
*Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)*  
*Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)*  
*Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)*  
*Indian peanut clump virus (IPCV) (Pecluvirus)*  
*Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)*  
*Iranian maize mosaic virus*

*Jatropha mosaic virus* (JMV) (*Geminiviridae, bigeminivirus*)  
*Johnsongrass mosaic* (JGMV) (*Potyviridae, Potyvirus*)  
*Kalanchoe isometric virus*  
*Kalanchoe latent virus* (KLV) (*Carlavirus*)  
*Kalanchoe top-spotting virus* (KTSV) (*Caulimoviridae, badnavirus*)  
*Kennedya yellow mosaic virus* (KYMV) (*Tymovirus*)  
*Kennedya virus Y* (KVY) (*Potyviridae, Potyvirus*)  
*Kyuri green mottle mosaic virus* (KGMMV) (*Tobamovirus*)  
*Konjac mosaic virus* (KoMV) (*Potyviridae, Potyvirus*)  
*Kober stem grooving*  
*Lamium mild mottle virus* (LMMV) (*Comoviridae, fabavirus*)  
*Lato River virus* (LRV) (*Tombusviridae, tombusvirus*)  
*Leek yellow stripe virus* (LYSV) (*Potyviridae, potyvirus*)  
*Lettuce big-vein virus* (LBVV) (*Varicosavirus*)  
*Lettuce mosaic virus* (LMV) (*Potyviridae, potyvirus*)  
*Lettuce necrotic yellows virus* (LNYV) (*Rhabdoviridae, cytorhabdovirus*)  
*Lettuce speckles mottle virus* (LSMV) (*Umbravirus*)  
*Lilac chlorotic leafspot virus* (LCLV) (*Capillovirus*)  
*Lilac mottle virus* (LiMV) (*Carlavirus*)  
*Lilac ring mottle virus* (LRMV) (*Bromoviridae, ilarvirus*)  
*Lily mottle virus* (LMoV) (*Potyviridae, potyvirus*)  
*Lily virus X* (LVX) (*Potexvirus*)  
*Lettuce infectious yellows virus* (LIYV) (*Closteroviridae, Crinivirus*)  
*Limabean golden mosaic virus* (LGMV) (*Geminiviridae, Begomovirus*)  
*Little cherry virus* (LChV) (*Closteroviridae, Closterovirus*)  
*LN33 stem grooving*  
*Lucerne Australian symptomless virus* (LASV) (*Comoviridae, Nepovirus*)  
*Lucerne vein yellowing virus*  
*Lucerne transient streak virus* (LTSV) (*Sobemovirus*)  
*Lychnis ringspot virus* (LRSV) (*Hordeivirus*)  
*Maclura mosaic virus* (MacMV) (*Potyviridae, macluravirus*)  
*Maize chlorotic dwarf virus* (MCDV) (*Sequiviridae, waikavirus*)  
*Maize chlorotic mottle virus* (MCMV) (*Tombusviridae, machlomovirus*)  
*Maize dwarf mosaic virus* (MDMV) (*Potyviridae, potyvirus*)  
*Maize line virus*  
*Maize mosaic virus* (MMV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Maize rayado fino virus* (MRFV) (*Marafivirus*)  
*Maize white line mosaic virus* (MWLMV)  
*Maize mottle/chlorotic stunt virus*  
*Maize rough dwarf virus* (MRDV) (*Reoviridae, Fijivirus*)  
*Maize streak virus* (MSV) (*Geminiviridae, Mastrevirus*)  
*Malvastrum mottle virus*  
*Malva vein clearing virus* (MVCV) (*Potyviridae, potyvirus*)  
*Marigold mottle virus* (MaMoV) (*Potyviridae, potyvirus*)

*Melandrium yellow fleck virus* (MYFV) (*Bromoviridae*, *bromovirus*)  
*Melon leaf curl virus*(MLCV) (*Geminiviridae*, *bigeminivirus*)  
*Melon necrotic spot virus* (MNSV) (*Tombusviridae*, *carmovirus*)  
*Melon Ourmia virus* (OuMV) (*Ourmiavirus*)  
*Melon rugose mosaic virus* (MRMV) (*Tymovirus*)  
*Milk vetch dwarf virus* (MDV) (*Nanovirus*)  
*Mimosa mosaic virus*  
*Mirabilis mosaic virus* (MiMV) (*Caulimovirus*)  
*Miscanthus streak virus* (MiSV) (*Geminiviridae*, *monogeminivirus*)  
*Mulberry latent virus* (MLV) (*Carlavirus*)  
*Mulberry ringspot virus* (MRSV)( *Comoviridae*, *nepovirus*)  
*Mung bean yellow mosaic virus* (MYMV) (*Geminiviridae*, *bigeminivirus*)  
*Muskmelon vein necrosis virus* (MuVNV)(*Carlavirus*)  
*Myrobalan latent ringspot virus* (MLRSV) (*Comoviridae*, *nepovirus*)  
*Narcissus latent virus* (NLV)(*Potyviridae*, *macluravirus*)  
*Narcissus mosaic virus* (NMV) (*Potexvirus*)  
*Narcissus yellow stripe virus* (*Potyviridae*, *potyvirus*)  
*Natsudaikai dwarf virus* (NDV) (*Sadwavirus*)  
*Neckar River virus* (NRV) (*Tombusviridae*, *tombusvirus*)  
*Nerine latent virus* (NeLV) (*Carlavirus*)  
*Nerine virus* (NV) (*Potyviridae*, *potyvirus*)  
*Nerine virus X*(NVX) (*Potexvirus* )  
*Northern cereal mosaic virus* (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Oak ringspot virus*  
*Oat blue dwarf virus* (OBDV) (*Marafivirus*)  
*Oat golden stripe virus* (OGSV) (*Furovirus*)  
*Oat mosaic virus* (OMV)(*Potyviridae*, *bymovirus*)  
*Oat necrotic mottle virus* (ONMV) (*Potyviridae*, *rymovirus*)  
*Oat red streak mosaic virus*  
*Oat sterile dwarf virus* (OSDV) (*Reoviridae*, *Fijivirus*)  
*Okra leaf-curl virus*(OLCV) (*Geminivirus*, *bigeminivirus*)  
*Okra mosaic virus* (OkMV) (*Tymovirus*)  
*Olive latent ringspot virus* (OLRSV) (*Comoviridae*, *nepovirus*)  
*Ononis yellow mosaic virus* ( OYMV)(*Tymovirus*)  
*Opuntia Sammons' virus* (SOV) (*Tobamovirus*)  
*Ornithogalum mosaic virus*  
*Pangola stunt virus* (PaSV)(*Reoviridae*, *Fijivirus*)  
*Panicum streak virus* (PanSV) (*Geminiviridae*, *monogeminivirus*)  
*Papaya leaf curl virus* (PaLCuV) (*Begomovirus*, *Geminiviridae*)  
*Papaya meleira virus* (PMeV)  
*Papaya mosaic virus* (PapMV) (*Potexvirus*, *Flexiviridae*)  
*Paprika mild mottle virus* (PaMMV) (*Tobamovirus*)  
*Parietaria mottle virus* (PmoV)(*Bromoviridae*, *ilarvirus*)  
*Parsnip leafcurl virus*

*Parsnip mosaic virus* (ParMV)  
*Parsnip yellow fleck virus* (PYFV)(*Sequiviridae, sequivirus*)  
*Paspalum striate mosaic virus* (PSMV)(*Geminiviridae, monogeminivirus*)  
*Passiflora latent virus* (PLV)(*Carlavirus*)  
*Passiflora South African virus* (*Potyviridae, potyvirus*)  
*Passiflora ringspot virus* (PFRSV) (*Potyviridae, potyvirus*)  
*Passionfruit woodiness virus* (PWV) (*Potyviridae, potyvirus*)  
*Passionfruit yellow mosaic virus* (PaYMV)(*Tymovirus*)  
*Patchouli mosaic virus* (*Potyviridae, potyvirus*)  
*Pea early browning virus* (PEBV) (*Tobravirus*)  
*Pea enation mosaic virus-1* (PEMV-1) (*Luteovirus*)  
*Pea enation mosaic virus-2* (PEMV-2) (*Umbravirus*)  
*Pea mild mosaic virus* (PmiMV) (*Comoviridae, comovirus* )  
*Pea mosaic virus* (*Potyviridae, potyvirus*)  
*Peanut chlorotic streak virus* (PCSV) (*Caulimoviridae, caulimovirus*)  
*Peanut green mosaic virus* (*Potyviridae, potyvirus*)  
*Peanut stunt virus* (PSV) (*Bromoviridae, cucumovirus*)  
*Peanut yellow spot virus* (PeYMV) (*Tospovirus*)  
*Peach American mosaic virus*  
*Peach latent mosaic viroid*(PLMVd)  
*Peach mosaic virus* (PMV) (*Trichovirus*)  
*Peach rosette mosaic virus* (PRMV) (*Comoviridae, Nepovirus*)  
*Peanut clump virus* (PCV) (*Pecluvirus*)  
*Pear blister canker viroid* (PBCVd) (*Pospiviroidae, Apscavirioid*)  
*Pear necrotic spot virus*  
*Pepino mosaic virus* (PepMV) (*Flexiviridae, Potexvirus*)  
*Pineapple bacilliform virus* (PBV) (*Badnavirus, Caulimoviridae*)  
*Pineapple mealybug wilt-associated virus-1* (PMWaV-1) (*Ampelovirus, Closteroviridae*)  
*Pineapple mealybug wilt-associated virus-2* (PMWaV-2) (*Ampelovirus, Closteroviridae*)  
*Plantago asiatica mosaic virus*  
*Plum American line pattern virus* (APLPV) (*Ilarvirus, Bromoviridae*)  
*Plum bark split virus*  
*Plum pox virus* (PPV) (*Potyviridae, Potyvirus*)  
*Plum rusty blotch*  
*Potato black ringspot virus* (PBRSV) (*Comoviridae, Nepovirus*)  
*Potato deforming mosaic virus*  
*Potato mop-top virus* (PMTV) (*Pomovirus*)  
*Potato spindle tuber viroid* (PSTVd) (*Pospiviroidae, Pospiviroid*)  
*Potato virus T* (PVT) (*Trichovirus*)  
*Potato virus U* (PVU) (*Comoviridae, Nepovirus*)  
*Potato virus V* (PVV) (*Potyviridae, Potyvirus*)  
*Potato yellow dwarf virus* (PYDV) (*Rhabdoviridae, Nucleorhabdovirus*)  
*Potato yellow vein virus* (PYVV) (*Closteroviridae, Crinivirus*)  
*Potato yellowing virus*

*Prune dwarf virus* (PDV) (*Bromoviridae, Ilarvirus*)  
*Prunus necrotic ringspot virus* (PNRSV) (*Bromoviridae, Ilarvirus*)  
*Raspberry leaf curl virus*  
*Raspberry ringspot virus* (RpRSV) (*Comoviridae, Nepovirus*)  
*Red clover mottle virus* (RCMV) (*Comoviridae, Comovirus*)  
*Rice gall dwarf virus* (RGDV) (*Reoviridae, Phytoreovirus*)  
*Rice tungro bacilliform virus* (RTBV) (*Caulimoviridae, Rice tungro bacilliform-like virus*)  
*Rice tungro spherical virus* (RTSV) (*Sequiviridae, Waikavirus*)  
*Rice yellow mottle virus* (RYMV) (*Sobemovirus*)  
*Rupestris stem pitting-associated virus* (*Foveavirus, Flexiviridae*)  
*Squash leaf curl virus* (SLCV) (*Geminiviridae, Begomovirus*)  
*Squash mosaic virus* (SqMV) (*Comoviridae, Comovirus*)  
*Strawberry latent ringspot virus* (SLRSV) (*Sadwavirus*)  
*Strawberry veinbanding virus* (SVBV) (*Caulimoviridae, Caulimovirus*)  
*Sugarcane yellow leaf virus* (ScYLV) (*Polerovirus, Luteoviridae*)  
*Tomato black ring virus* (TBRV) (*Comoviridae, Nepovirus*)  
*Tobacco rattle virus* (TRV) (*Tobravirus*)  
*Tobacco ringspot virus* (TRSV) (*Comoviridae, Nepovirus*)  
*Tobacco mosaic virus* (TMV) (*Tobamovirus*)  
*Tobacco necrosis virus*  
*Tobacco streak virus* (TSV) (*Ilarvirus, Bromoviridae*)  
*Tomato bushy stunt virus* (TBSV) (*Tombusvirus, Tombusviridae*)  
*Tomato mottle virus* (ToMoV) (*Geminiviridae, Begomovirus*)  
*Tomato ringspot virus* (ToRSV) (*Comoviridae, Nepovirus*)  
*Tomato yellow leaf curl virus* (TYLCV) (*Geminiviridae, Begomovirus*)  
*Tulare apple mosaic virus* (TAMV) (*Ilarvirus, Bromoviridae*)  
*Tulip breaking virus*  
*Ullucus virus C* (UVC) (*Comoviridae, comovirus*)  
*Ullucus mild mottle virus* (UMMV) (*Tobamovirus*)  
*Ullucus mosaic virus* (UMV) (*Potyviridae, potyvirus*)  
*Urd bean leaf crinkle virus*  
*Vallota mosaic virus* (ValMV) (*Potyviridae, potyvirus*)  
*Vanilla mosaic virus* (VanMV) (*Potyviridae, potyvirus*)  
*Vanilla necrosis virus* (*Potyviridae, potyvirus*)  
*Velvet tobacco mottle virus* (VTMoV) (*Sobemovirus*)  
*Viola mottle virus* (VMV) (*Potexvirus*)  
*Voandzeia distortion mosaic virus* (*Potyviridae, potyvirus*)  
*Voandzeia necrotic mosaic virus* (VNMV) (*Tymovirus*)  
*Watercress yellow spot virus* (WYSV)  
*Watermelon chlorotic stunt virus* (WmCSV) (*Geminiviridae, bigeminivirus*)  
*Watermelon curly mottle virus* (WmCMV) (*Geminiviridae, bigeminivirus*)  
*Watermelon mosaic virus 2* (WMV-2) (*Potyviridae, potyvirus*)  
*Wheat American striate mosaic virus* (WASMV) (*Rhabdovirus, ucleorhabdovirus*)  
*Wheat yellow leaf virus* (WYLV) (*Closteroviridae, Closterovirus*)

*Wheat dwarf virus* (WDV) (*Geminiviridae, monogeminivirus*)  
*Wheat soil-borne mosaic virus* (SBWMV) (*Furovirus*)  
*Wheat streak mosaic virus* (WSMV) (*Potyviridae, rymovirus*)  
*Wheat spindle streak mosaic virus* (WSSMV) (*Potyviridae, bymovirus*)  
*Wheat yellow mosaic virus* (WYMV) (*Potyviridae, bymovirus*)  
*White clover mosaic virus* (WCIMV) (*Potexvirus*)  
*Wild cucumber mosaic virus* (WCMV) (*Tymovirus*)  
*Wild potato mosaic* (WPMV) (*Potyviridae, Potyvirus*)  
*Wineberry latent virus* (WLV)  
*Wisteria vein mosaic virus* (WVMV) (*Potyviridae, Potyvirus*)  
*Yam mosaic virus* (YMV) (*Potyviridae, Potyvirus*)  
*Zucchini yellow fleck virus* (ZYFV) (*Potyviridae, Potyvirus*) Remark: The vectors of above virus are also under restricted.

### Phytoplasma ( 93 )

Alder yellows AIY	Faba bean phyllody FBP
Almond witches' broom phytoplasma	Flavescence dorée
American aster yellows AAY	Garland chrysanthemum WB GCW
Annual blue grass white leaf ABGWL	Gentian witches'-broom GW
Apple proliferation AT, AP-A	Gladiolus yellows GLY
Apple proliferation phytoplasma AP	Goldenrod yellows GRY (GR1)
Ash yellows AshY	Grapevine yellows
Aster yellows AY	Grey dogwood witches'-broom GD1
Australian grapevine yellows AUSGY	Hydrangea phyllody HyPH1
Bermudagrass white leaf BGWL	Hydrangea virescence
Black alder witches'-broom BAWB	Ipomoea witches'-broom IOB
Blueberry stunt BBS1 BBS3	Jujube witches'-broom JWB
Bois noir BN	Leafhopper-borne BVK
Canadian peach X phytoplasma CX	Lilac witches'-broom LiWB
Candidatus <i>Liberibacter americanus</i> Lam	Loofah witches'-broom LfWB
Candidatus <i>Phytoplasma asteris</i>	Maize bushy stunt MBS
Candidatus <i>Phytoplasma australiense</i>	Marguerite yellows MY
Candidatus <i>Phytoplasma caricae</i>	Maryland aster yellows AY1
Celery yellows CelY	Mexican periwinkle virescence MPV
Cherry lethal yellows CLY	Michigan aster yellows MIAY
Chrysanthemum yellows CY	Milkweed yellows MWY (MW1)
Clover phyllody CPh	Mitsuba witches'-broom JHW
Clover proliferation CP	Mulberry dwarf MD
Clover yellow edge CYE	New Jersey aster yellows NJAY
Coconut lethal yellows LY, LY3	Oklahoma aster yellows OKAY1
Dwarf aster yellows DAY	Onion yellows OAY (OA)
Eastern aster yellows NAY	Passion fruit proliferation phytoplasma
Eggplant dwarf ED	Peach rosette phytoplasma
Elm witches'-broom ULW	Peach yellow leaf roll PYLR
Elm yellows	Peach yellows phytoplasma
Eucalyptus little leaf	Pear decline PD
European aster yellows EAY	Pecan bunch PB
European stone fruit yellows phytoplasma	Periwinkle little leaf CN1
European stone fruit yellows PPER	Periwinkle virescence VR, BLTVA

Phormium yellow leaf PYL  
Plum leptonecrosis PLN  
Potato yellows  
Primula yellows PY  
Ranunculus phyllody RPh  
Rice yellow dwarf RYD  
Rubus stunt RS  
Spiraea stunt SP1  
Stolbur STOL  
Strawberry green petal  
Sugarcane grassy shoot SCGS  
Sugarcane white leaf phytoplasma  
Sunhemp witches'-broom SUNHP

Sweet potato little leaf SPLL  
Sweet potato witches'-broom SPWB  
Tanzanian coconut lethal decline LDT  
Tomato big bud  
Tomato yellows TY  
Tsuwabuki witches'-broom TW  
Vaccinium witches'-broom VAC  
Walnut witches'-broom WWB  
Western aster yellows SAY, TLAY  
Witches'-broom of lime WBDL  
X-disease  
Yucatan coconut lethal decline LDY

#### Nematode ( 54 )

Anguina tritici  
Aphelenchoides aradhidis  
Aphelenchoides bicaudatus  
Aphelenchoides fragariae  
Aphelenchoides goodeyi  
Aphelenchoides *ritzemabosi*  
Aphelenchoides suipingensis  
Belonolaimus gracilis  
Belonolaimus longicaudatus  
Bursaphelenchus muconatus  
Bursaphelenchus xylophilus  
Ditylenchus triformis  
Dolichodorus heterocephalus  
Globodera pallida  
Globodera tabacum  
Hemicycliophora arenaria  
Hemicycliophora nudata  
Heterodera glycines  
Heterodera goettingiana  
Heterodera sacchari  
Heterodera schachtii  
Heterodera zeae  
Hirschmanniella gracilis  
Hirschmanniella imamuri  
Hirschmanniella magna  
Hirschmanniella miticausa

Hirschmanniella spinicaudata  
Hoploaimus spp.  
Longidorus elongatus  
Longidorus jiangsuensis  
Meloidogyne fugianensis  
Meloidogyne kongi  
Meloidogyne lini  
Nacobbus aberrans  
Paralongidorus spp.  
Paratrichodorus minor  
Paratrichodorus porosus  
Pratylenchus convallariae  
Pratylenchus goodeyi  
Pratylenchus indicus  
Pratylenchus laticauda  
Pratylenchus penetrans  
Pratylenchus pratensis  
Pratylenchus vulnus  
Pratylenchus zeae  
Radopholus citri  
Rhadinaphelenchus cocophilus  
Scutellonema bradys  
Trichodorus spp.  
Xiphinema bricolense  
Xiphinema californicum  
Xiphinema diversicaudatum  
Xiphinema hunaniense  
Xiphinema index

#### Weed ( 265 )

*Abelmoschus ficulneus* (L.) Wight & Arn.  
*Acacia podalyriifolia*  
*Acanthospermum hispidum* DC.  
*Achnatherum calamagrostis* P.Beauv.  
*Ageratum mexicanum* = *A. houstonianum*

*Agropyron repens* (L.) Beauv. (syn. *Triticum repens* L.)  
*Albizia julibrissin* Durazz.  
*Alopecurus aequalis* Sobol.  
*Alternanthera philoxeroides* (Mart) Griseb.  
*Amaranthus blitum* L.

*Amaranthus dubius* Mart.  
*Amaranthus gracilis* Desf.  
*Amaranthus graecizans* L.  
*Amaranthus hybridus* L.  
*Amaranthus patulus* Bertoloni  
*Amaranthus retroflexus* L.  
*Ambrosia artemisiifolia* L.  
*Ambrosia psilostachya* DC.  
*Ambrosia trifida* L.  
*Ammi majus* L.  
*Ammi visnaga*  
*Andropogon virginicus* L.  
*Anthemis cotula* L.  
*Anthocephalus chinensis* Walp.  
*Ardisia elliptica* Thunb.  
*Asphodelus tenuifolius* Cav.  
*Aster subulatus* Michx.  
*Atriplex hortensis*  
*Avena sterilis* L.  
*Bidens ferulifolia*= *B. aurea*  
*Bidens pilosa* L.  
*Bidens triplinervia*  
*Boerhavia erecta* L.  
*Bowiea volubilis* Harv. ex Hook.f.  
*Brachiaria eruciformis* (J. E. Sm.) Griseb.  
*Brachiaria mutica* (Forssk.) Stapf  
*Brachiaria plantaginea* (Link) Hitchc.  
*Brachypodium sylvaticum* (Huds.) Beauv.  
*Brassica kaber* (DC.) L.C.Wheeler var.  
*pinnatifida* (Stokes), L.C.Wheeler (syn. *Sinapis*  
*arvensis* L., *Brassica arvensis*, *Brassica kaber*)  
*Brassica nigra* (L.) Koch  
*Bromus secalinus* L.  
*Bromus tectorum* L.  
*Cabomba caroliniana* Gray  
*Calamagrostis epigejos* (L.) Roth  
*Camelina sativa*  
*Campanula cochleariifolia*  
*Cannabis sativa*  
*Cardaria draba* (L.)Desv. (*Lepidium draba* L.)  
*Cardiospermum grandiflorum* Sw.  
*Carduus nutans* L.  
*Carduus pycnocephalus* L.  
*Ceanothus americanus* L.  
*Cecropia obtusifolia* Bertol.  
*Cecropia peltata* L.  
*Centaurea repens* L.  
*Centaurea solstitialis* L.  
*Centrosema pubescens*  
*Cephalaria syriaca* (L.) Schrad.  
*Cerastium arvense* L.  
*Chasmanthium latifolium* (Michx.) Yates  
*Chasmanthium laxum* (L.) Yates  
*Chenopodium album*  
*Chenopodium murale* L.  
*Chenopodium opulifolium* Schrad.  
*Chondrilla juncea* L.  
*Chromolaena odorata* (L.) R. M. King & H. Rob.  
*Chrysophyllum oliviforme* L.  
*Chrysopogon gryllus* Trin.  
*Cirsium arvense* (L.) Scop.  
*Cirsium lanceolatum* Hill  
*Cirsium vulgare* (Savi) Tenore  
*Cleome monophylla* L.  
*Clidemia hirta* (L.) D. Don  
*Conium maculatum* L.  
*Convolvulus arvensis* L.  
*Cordia alliodora* (Ruiz & Pav.) Oken  
*Cordia macrostachya* Roem & Schlucht.  
*Cortaderia selloana* (J.A. & J.H. Schultes)  
 Aschers. & Graebn.  
*Crotalaria brevidens*  
*Crotalaria deserticola*  
*Crotalaria laburnifolia*  
*Crotalaria laburnoides*  
*Crotalaria lanceolata*  
*Crotalaria pallid*  
*Crotalaria piscarpa*  
*Cryptostegia grandiflora* R. Br.  
*Cuscuta campestris* Yuncker  
*Cuscuta monogyna* Vahl.  
*Cynodon plectostachyum* (Schum.) Pilger.  
*Cynoglossum amabile* Stapf & Drummond  
*Cyperus esculentus* L.  
*Datura stramonium* L. var. *chalybaea* Koch  
*Dichrostachys cinerea* (L.) Wight & Arn.  
*Digitaria velutina* (Forsk.) Beauv.  
*Digitaria scalarum* (Schweinf.) Chiov  
*Dipsacus sativus* (L.) Honckeney  
*Echinochloa pyramidalis* (Lam.) Hitchc. & A.  
 Chase  
*Echinochloa crus-pavonis* (H.B.K.) Schult  
*Echium plantagineum* L.  
*Eichhornia crassipes* (Mart.) Solms  
*Eleocharis palustris* (L.) R. Br. (syn. *E. filiculmis*  
 Schur.)  
*Elodea canadensis* Michx.  
*Emex spinosa* (L.) Campdera  
*Equisetum arvense* L.  
*Equisetum palustre* L.  
*Erigeron karvinskianus*= *E. mucronatus*  
*Eriocaulon cinereum*  
*Erodium cicutarium* (L.) L. ex W. Ait.  
*Eucalyptus globule* Labill.  
*Euonymus europaeus* L.  
*Euphorbia helioscopia* L.  
*Euphorbia myrsinites*

*Euphorbia prunifolia* Jacq.(syn. *E. geniculata* Orteg).  
*Furcraea foetida*  
*Gaillardia pulchella*  
*Galeopsis tetrahit* L.  
*Galium aparine* L.  
*Geranium molle* L.  
*Gladiolus segetum* Ker-Gawl.  
*Gynandropsis gynandra* (L.) Briq.  
*Hardenbergia comptoniana* (Andrews) Benth.  
*Heliotropium europaeum* L.  
*Heteropanax fragrans* (Roxb.) Seem.  
*Homeria collina*  
*Homeria flaccid*  
*Homeria miniata*  
*Homeria ochroleuca*  
*Hordeum murinum* L.  
*Hypochoeris radicata* L.  
*Indigofera amblyantha* Craib  
*Ipomoea oenothera*  
*Jatropha gossypifolia* L. var. *elegans* (Pohl) Muell.-Arg.  
*Juncus bufonius* L.  
*Jussiaea repens* L.  
*Jussiaea suffruticosa* L.  
*Kallstroemia maxima* Gray.  
*Laburnum anagyroides* Medik.  
*Lactuca serriola* L.  
*Lagarosiphon* spp.  
*Lagurus ovatus* L.  
*Lantana camara* L.  
*Lathyrus aphaca* L.  
*Lemna minor* L.  
*Leonotis nepetifolia* (L.) Ait. f.  
*Leontodon autumnalis* L.  
*Lepidium draba* L.  
*Leptospermum scoparium*  
*Leucaena leucocephala* (Lam.) de Wit  
*Lithospermum arvense* L.  
*Lolium temulentum* L.  
*Luzula sylvatica* (Huds.) Gaudin  
*Malva parviflora* L.  
*Marsilea quadrifolia* L.  
*Medicago hispida* Gaertn.  
*Melastoma malabathricum* L.  
*Mercurialis annua* L.  
*Mertensia virginica* (L.) Pers. ex Link  
*Miconia calvescens* DC.  
*Mikania micrantha* Kunth  
*Mikania scandens* (L.) Wild.  
*Mimosa diplotricha* C. Wright ex Sauvalle  
*Mimosa pigra* L.  
*Miscanthus giganteus* Kunth  
*Monochoria hastata* (L.) Solms  
*Mucuna pruriens* (L.) DC. var. *pruriens* Cowitch  
*Murdannia nudiflora* (L.) Brenan  
*Muscari botryoides*  
*Myrica faya* Ait.  
*Myriophyllum aquaticum* (Vell.) Verdc.  
*Myriophyllum brasiliense* Camb.  
*Nassella tenuissima* (Trin.) Barkworth  
*Neslia paniculata* (L.) Desv.  
*Nicandra physalodes* (L.) Gaertn.  
*Orlaya grandiflora* Hoffm.  
*Oryza barthii* A. Chev. (syn. *O. breviligulata* A. Chev. et Roehr.)  
*Oryza officinalis* Wall. Ex Watt.  
*Oryza punctata* Kotschy ex Steud.  
*Panicum fasciculatum* Sw.  
*Panicum maximum* Jacq.  
*Parthenium hysterophorus* L.  
*Passiflora mollissima* (H. B. K.) Bailey  
*Passiflora rubra* Lam.  
*Peltophorum dubium* (Spreng.) Taub.  
*Pennisetum ciliare* (L.) Link  
*Pennisetum clandestinum* Hochst. ex Chiov.  
*Pennisetum macrourum* Trin.  
*Pennisetum pedicellatum* Trin.  
*Pennisetum polystachion* (L.) Schult.  
*Pennisetum purpureum* Schumach.  
*Pennisetum setaceum* (Forsk.) Chiov.  
*Pennisetum villosum* R. Br. ex Fresen.  
*Phalaris minor* Retz.  
*Phalaris paradoxa* L.  
*Pinus pinaster* = *P. maritima* = *P. mesogeneensis*  
*Pluchea carolinensis* (Jacq.) G. Don  
*Pluchea odorata* (L.) Cass.  
*Pluchea sagittalis* (Lam.) Cabera  
*Poa cita* E. Edgar  
*Pontederia rotundifolia* L. f.  
*Portulaca oleracea*  
*Potamogeton natans* L.  
*Pueraria phaseoloides*  
*Quercus gambelii* Nutt.  
*Radermachera hainanensis* Merrill  
*Ranunculus arvensis* L.  
*Ranunculus repens* L.  
*Raphanus raphanistrum* L. (*Raphanus arvensis* Wallr., *Raphanus sylvestris* Aschers)  
*Rapistrum rugosum* (L.) All.  
*Reseda lutea* L.  
*Rhodanthe chlorocephala* (Turcz.) Paul G. Wilson  
*Ribes cereum* = *R. viscidulum*  
*Richardia brasiliensis* Gomez  
*Rides roezlii*  
*Rosa canina*  
*Rubus argutus* Link  
*Rubus leucodermis*

*Rubus moluccanus* L.  
*Rubus parviflorus*  
*Rumex pulcher* L.  
*Sagittaria sagittifolia* L.  
*Sagittaria subulata* (L.) Buch.  
*Salsola kali* L.  
*Sanvitalia procumbens* Lam.  
*Schizachyrium condensatum* (Kunth) Nees  
*Scirpus grossus* L. f.  
*Scirpus maritimus* L.  
*Scirpus mucronatus* L.  
*Sesbania punicea* (Cav.) Benth.  
*Sida spinosa* L.  
*Silene gallica* L.  
*Sinapis arvensis* L.  
*Sisymbrium luteum*= *Hesperis lutea*  
*Sisymbrium officinale* (L.) Scop.  
*Solanum mauritianum* Scopoli  
*Solanum sisymbriifolium*= *S. sisymbriifolium*  
*Solidago canadensis* L.  
*Solidago speciosa* Nutt.  
*Sophora secundiflora* Lag. ex DC.  
*Sorghastrum nutans* (L.) Nash  
*Spergula arvensis* L.  
*Sporobolus heterolepis* (Gray) Gray  
*Stachytarpheta urticaefolia* (Salisb.) Sims

*Stipa tenacissima* L.= *Nassella tenuissima* (Trin.)  
 Barkworth  
*Striga asiatica* (L.) O. Ktze.  
*Swainsona formosa* (G.Don)J.Thompson  
*Tagetes minuta* L.  
*Taraxacum mongolicum* Hand.-Mazz.  
*Taraxacum officinale* G.H. Weber ex Wiggers  
*Tecoma stans*  
*Thlaspi arvense* L.  
*Tibouchina urvilleana* (DC) Cogn.  
*Trichachne insulatis* (L.) Ness  
*Trisacum dactyloides*  
*Typha latifolia* L.  
*Ulex europaeus* L.  
*Urochloa panicoides* Beauv.  
*Urtica dioica* L.  
*Urtica urens* L.  
*Vallisneria spiralis* L.  
*Verbascum blattaria* L.  
*Verbascum bombyciferum* Heuff.  
*Verbascum olympicum* Boiss.  
*Vicia angustifolia* L.  
*Xanthium spinosum* L.  
*Yucca glauca*

#### Parasitic Plants ( 13 )

<i>Aeginetia indica</i>	<i>Cuscuta major</i>	Orobanche spp.
<i>Arceuthobium</i> spp.	<i>Cuscuta japonica</i>	Phoradendron spp.
<i>Arceuthobium americanum</i>	<i>Cuscuta indicora</i>	Striga spp.
<i>Arceuthobium pusillum</i>	<i>Cuscuta planiflora</i>	
<i>Conopholis</i> spp.	<i>Cuscuta campestris</i>	

#### Mollusca ( 12 )

<i>Achatina achatina</i>	<i>Archachatina ventricosa</i>	<i>Helix aspersa</i>
<i>Achatina fulica</i>	<i>Bradybaena similaaris</i>	<i>Otala lactea</i>
<i>Archachatina degneri</i>	<i>Cepaea nemoralis</i>	<i>Succinea costaricana</i>
<i>Archachatina purpurea</i>	<i>Eobania vermiculata</i>	<i>Theba pisana</i>

#### Agent ( 45 )

African soybean dwarf agent	Cherry rough fruit agent
Apple flat limb agent	Cherry rusty mottle (European) agent
Apple green crinkle agent	Cherry short stem agent
Apple ringspot agent	Cherry twisted leaf agent
Apple rosette agent	Cotton anthocyanosis agent
Apple rough bark agent	Cotton small leaf agent
Apple star crack agent	Euonymus mosaic agents
Apricot ring pox agent	Grapevine Bratislava mosaic agent
Cherry necrotic rusty mottle agent (CNRMV)	Grapevine chasselas latent agent
Cherry pink fruit agent	Grapevine enation agent

Grapevine little leaf agent  
Grapevine vein mosaic agent  
Grapevine vein necrosis agent  
Hibiscus leaf curl agent  
Horsechestnut variegation agent  
Horsechestnut yellow mosaic agent  
Jasmine variegation agents  
Ligustrum mosaic agents  
Maple mosaic agent  
Maple variegation agent  
Mountain ash ringspot mosaic agent  
Mountain ash variegation agent  
Mulberry mosaic agent

Okra mosaic agents  
Okra yellow leaf curl agent  
Peach wart agent  
Pear bud drop agent  
Pear rough bark agent  
Pear stony pit agent  
Quince sooty ringspot agent  
Quince stunt agent  
Quince yellow blotch agent  
Rose wilt agent  
Sampaguita yellow ringspot mosaic agent  
Spur cherry agent

11. The wooden packing material used for import commodities should be in compliance with the “Quarantine Requirements for the Importation of Wooden Packaging Material to Taiwan”.

12. Importation of tissue culture plantlets shall comply with the “Quarantine Requirements for the Importation of tissue culture plantlets”.