

## 農業部動植物防疫檢疫署 函

地址：100060臺北市中正區和平西路  
二段100號9樓

承辦人：王家于

電話：(02)3343-2058

傳真：(02)2304-7455

電子信箱：cywang@aphia.gov.tw

受文者：本署高雄分署

發文日期：中華民國115年8月19日

發文字號：防檢四字第1151842929號

速別：普通件

密等及解密條件或保密期限：

附件：如文al


主旨：有關韓國檢疫機關公告增列17屬64種植物為Xylella fastidiosa寄主，其種植用植物產品禁止自臺灣輸往韓國案，請貴分署配合辦理並轉知相關業者，請查照。

說明：

- 一、依據中華民國常駐世界貿易組織代表團115年7月24日世貿字第1154340699號函及世界貿易組織115年7月10日G/SPS/N/KOR/622/Add. 7通知文件辦理。
- 二、檢附現行韓國規定禁止輸韓之Xylella fastidiosa寄主植物種類清單（計88屬329種）如附件，請貴分署配合辦理並轉知相關業者。

正本：本署基隆分署、本署桃園分署、本署臺中分署、本署高雄分署

副本：本署植物檢疫組



[Attachment]

## Hosts and distributed areas of *Xylella fastidiosa* and the vectors

| Prohibited Pests                                                                                            | Prohibited Plants <sup>2)</sup>                                                                                        | Prohibited Areas (23)                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Xylella fastidiosa</i> (including <i>X. taiwanensis</i> ) and vectors <sup>1)</sup> of distributed areas | Plants for planting such as nursery stocks, scions, cuttings, etc. (Seed includes only <i>Carya illinoensis</i> seeds) | <ul style="list-style-type: none"><li>- Asia: Chinese Taipei, India, Iraq, Islamic Republic of Iran, Israel, Türkiye, <a href="#">Lebanon</a></li><li>- North and Central America: Canada, Costa Rica, Honduras, Mexico, The United States</li><li>- South America: Argentina, Brazil, Bolivarian Republic of Venezuela, Colombia, Paraguay, Peru</li><li>- Europe: France, Italy, Portugal, Spain</li></ul> |

### 1) Vectors of distributed areas of *Xylella fastidiosa* (38 species)

- *Homalodisca vitripennis*(=*H. coagulata*), *H. insolita*, *Hordnia circellata*, *Cuerna costalis*, *Graphocephala versuta*, *G. hieroglyphica*, *Oncometopia fascialis*, *O. nigricans*, *O. orbona*, *Acrogonia terminalis*, *Draeculacephala minerva*, *Graphocephala atropunctata*, *Dilobopterus costalimai*, *Bucephalogonia xanthophis*, *Cicadella viridis*, *Clastoptera achatina*, *Diceroprocta apache*, *Dorisiana viridis*, *Lepyronia quadrangularis*, *Philaenus spumarius*, *Xyphon fulgida*, *X. flaviceps*, [\*Acrogonia virescens\*](#), [\*Bothrogonia ferruginea\*](#), [\*Cuerna occidentalis\*](#), [\*Cyphonia clavigera\*](#), [\*Friscanus friscanus\*](#), [\*Graphocephala confluens\*](#), [\*Helochara delta\*](#), [\*Kolla paulula\*](#), [\*Mesoptylus impictifrons\*](#), [\*Neokolla hieroglyphica\*](#), [\*Neokolla severini\*](#), [\*Neophilaenus campestris\*](#), [\*Plesiommata corniculata\*](#), [\*Sibovia sagata\*](#), [\*Xyphon fulgidum\*](#), [\*Xyphon triguttatum\*](#)

※ The above vectors are considered as Prohibited Pests only when they are intercepted from the host plants from the Prohibited Areas. In other cases, it is complied in accordance with the existing pest management system.

## 2) Prohibited Plants (88 genera 326 species)

| Scientific name                                                             | Scientific name                                    | Scientific name                                           |
|-----------------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------------------------|
| <i>Acacia</i> spp.                                                          | <i>Escallonia montevidensis</i>                    | <i>Persea americana</i>                                   |
| <i>Acer</i> spp.                                                            | <i>Eucalyptus</i> spp.                             | <i>Persicaria lapathifolia</i> *                          |
| <i>Adenocarpus</i> spp.*                                                    | <i>Euphorbia chamaesyce</i>                        | <i>Phagnalon</i> spp.                                     |
| <i>Aesculus</i> spp.                                                        | <i>Euphorbia hirta</i>                             | <i>Phalaris angusta</i>                                   |
| <i>Aesculus x hybrida</i> *                                                 | <i>Euphorbia terracina</i>                         | <i>Phalaris minor</i>                                     |
| <i>Agathis australis</i>                                                    | <i>Euploca fruticosa</i>                           | <i>Phalaris paradoxa</i>                                  |
| <i>Agrostis gigantea</i>                                                    | <i>Euryops chrysanthemoides</i>                    | <i>Phillyrea angustifolia</i> *                           |
| <i>Ailanthus altissima</i> *                                                | <i>Euryops pectinatus</i>                          | <i>Phillyrea latifolia</i>                                |
| <i>Albizia julibrissin</i>                                                  | <i>Facelis retusa</i>                              | <i>Phleum pratense</i>                                    |
| <i>Alectryon excelsus</i>                                                   | <i>Fagopyrum esculentum</i>                        | <i>Phlomis fruticosa</i>                                  |
| <i>Alnus rhombifolia</i>                                                    | <i>Fagus crenata</i>                               | <i>Phlomis italica</i>                                    |
| <i>Alternanthera ficoidea</i><br>(= <i>Alternanthera tenella</i> )          | <i>Fallopia japonica</i>                           | <i>Phoenix</i> spp.*                                      |
| <i>Amaranthus</i> spp.                                                      | <i>Fatsia japonica</i>                             | <i>Phormium colensoi</i>                                  |
| <i>Ambrosia</i> spp.                                                        | <i>Festuca megalura</i>                            | <i>Phormium tenax</i>                                     |
| <i>Ampelopsis arborea</i>                                                   | <i>Ficus carica</i>                                | <i>Phyllocladus trichomanoides</i> var. <i>alpinus</i> *  |
| <i>Ampelopsis brevipedunculata</i> *                                        | <i>Fragaria vesca</i>                              | <i>Pinus taeda</i>                                        |
| <i>Ampelopsis brevipedunculata</i> var. <i>hancei</i> *                     | <i>Fragaria vesca</i> subsp. <i>californica</i> *  | <i>Pistacia vera</i>                                      |
| <i>Ampelopsis cordata</i>                                                   | <i>Frangula alnus</i>                              | <i>Pittosporum crassifolium</i>                           |
| <i>Ampelopsis glandulosa</i> var. <i>brevipedunculata</i>                   | <i>Franseria acanthicarpa</i>                      | <i>Pittosporum eugenoides</i>                             |
| <i>Amsinckia douglasiana</i>                                                | <i>Fraxinus</i> spp.                               | <i>Pittosporum tenuifolium</i>                            |
| <i>Anthyllis barba-jovis</i>                                                | <i>Fuchsia magellanica</i>                         | <i>Pittosporum umbellatum</i>                             |
| <i>Anthyllis hermanniae</i>                                                 | <i>Gahnia</i> spp.*                                | <i>Plantago lanceolata</i>                                |
| <i>Arbutus unedo</i>                                                        | <i>Gazania rigens</i>                              | <i>Plantago major</i> *                                   |
| <i>Arctostaphylos</i> spp.                                                  | <i>Genista</i> spp.                                | <i>Platanus</i> spp.                                      |
| <i>Argyranthemum frutescens</i>                                             | <i>Geranium dissectum</i>                          | <i>Pluchea odorata</i>                                    |
| <i>Artemisia</i> spp.                                                       | <i>Ginkgo biloba</i>                               | <i>Poa annua</i>                                          |
| <i>Asparagus acutifolius</i>                                                | <i>Gleditsia triacanthos</i>                       | <i>Polygala</i> spp.                                      |
| <i>Athyrium filix-femina</i> *                                              | <i>Gleditsia triacanthos</i> var. <i>inermis</i> * | <i>Polygonum arenastrum</i>                               |
| <i>Atriplex</i> spp.                                                        | <i>Godetia grandiflora</i>                         | <i>Polygonum aviculare</i> *                              |
| <i>Avena fatua</i>                                                          | <i>Grevillea alpina</i>                            | <i>Polygonum convolvulus</i>                              |
| <i>Axonopus compressus</i>                                                  | <i>Grevillea juniperina</i>                        | <i>Polygonum lapathifolium</i>                            |
| <i>Baccharis</i> spp.                                                       | <i>Grevillea rosmarinifolia</i> *                  | <i>Pomaderris prunifolia</i> var. <i>edgerleyi</i> *      |
| <i>Berberis thunbergii</i>                                                  | <i>Hakea petiolaris</i>                            | <i>Populus fremontii</i>                                  |
| <i>Bidens pilosa</i>                                                        | <i>Halimium</i> spp.*                              | <i>Portulaca oleracea</i>                                 |
| <i>Boerhavia diffusa</i>                                                    | <i>Haloragis erecta</i>                            | <i>Prunus</i> spp.                                        |
| <i>Brachiaria decumbens</i>                                                 | <i>Hebe</i> spp.                                   | <i>Psidium</i> spp.*                                      |
| <i>Brachiaria plantaginea</i> *                                             | <i>Hedera helix</i>                                | <i>Pteridium aquilinum</i> *                              |
| <i>Brachyglottis</i> spp.                                                   | <i>Helianthus</i> spp.                             | <i>Pyracantha coccinea</i> *                              |
| <i>Brassica</i> spp.                                                        | <i>Helichrysum</i> spp.                            | <i>Pyrus</i> spp.                                         |
| <i>Bromus</i> spp.                                                          | <i>Heliotropium europaeum</i>                      | <i>Quercus</i> spp.                                       |
| <i>Broussonetia papyrifera</i> (= <i>Morus papyrifera</i> )*                | <i>Heliotropium fruticosum</i> *                   | <i>Ranunculus repens</i>                                  |
| <i>Calicotome</i> spp.                                                      | <i>Heliotropium indicum</i>                        | <i>Raphanus sativus</i> *                                 |
| <i>Calicotome villosa</i> *                                                 | <i>Hemerocallis</i> spp.                           | <i>Ratibida columnifera</i>                               |
| <i>Callicarpa americana</i>                                                 | <i>Heteromeles arbutifolia</i>                     | <i>Reseda odorata</i>                                     |
| <i>Callistephus chinensis</i>                                               | <i>Heterotheca grandiflora</i>                     | <i>Retama monosperma</i>                                  |
| <i>Calluna vulgaris</i> *                                                   | <i>Hevea brasiliensis</i>                          | <i>Reynoutria japonica</i> (= <i>Fallopia japonica</i> )* |
| <i>Calyptocarpus biliaristatus</i><br>(= <i>Blainvillea biliaristata</i> )* | <i>Hibiscus</i> spp.                               | <i>Rhamnus</i> spp.*                                      |
| <i>Campsis radicans</i>                                                     | <i>Hordeum murinum</i>                             | <i>Rheum rhabarbarum</i>                                  |
| <i>Canna</i> spp.                                                           | <i>Hordeum vulgare</i>                             | <i>Rhus</i> spp.                                          |

|                                                   |                                                        |                                                         |
|---------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------|
| <i>Capsella bursa-pastoris</i>                    | <i>Humulus scandens</i>                                | <i>Richardia</i> spp.                                   |
| <i>Carex</i> spp.                                 | <i>Hydrangea paniculata</i>                            | <i>Robinia pseudoacacia</i>                             |
| <i>Carpinus caroliniana</i> *                     | <i>Hypericum androsaemum</i>                           | <i>Rosa</i> spp.                                        |
| <i>Carya</i> spp.                                 | <i>Hypericum perforatum</i>                            | <i>Rubus</i> spp.                                       |
| <i>Castanea sativa</i> *                          | <i>Hypochaeris brasiliensis</i> *                      | <i>Rudgea verticillata</i> (= <i>Coffea racemosa</i> )* |
| <i>Catharanthus</i> spp.                          | <i>Hypochaeris chillensis</i>                          | <i>Rumex</i> spp.*                                      |
| <i>Celastrus orbiculatus</i>                      | <i>Ilex aquifolium</i>                                 | <i>Ruta chalepensis</i> *                               |
| <i>Celtis</i> spp.*                               | <i>Ilex vomitoria</i>                                  | <i>Ruta graveolens</i>                                  |
| <i>Cenchrus clandestinus</i>                      | <i>Ipomoea carnea</i> subsp. <i>fistulosa</i> *        | <i>Salix</i> spp.                                       |
| <i>Cenchrus echinatus</i>                         | <i>Ipomoea purpurea</i>                                | <i>Salsola kali</i> *                                   |
| <i>Cercis canadensis</i>                          | <i>Iva annua</i>                                       | <i>Salsola tragus</i>                                   |
| <i>Cercis occidentalis</i>                        | <i>Jacaranda mimosifolia</i>                           | <i>Salvia</i> spp.*                                     |
| <i>Cercis siliquastrum</i>                        | <i>Jacobaea maritima</i>                               | <i>Sambucus</i> spp.                                    |
| <i>Chamaecrista fasciculata</i>                   | <i>Juglans</i> spp.                                    | <i>Santolina</i> spp.*                                  |
| <i>Chenopodium murale</i>                         | <i>Juniperus ashei</i>                                 | <i>Sapindus saponaria</i>                               |
| <i>Chenopodium album</i>                          | <i>Koeleruteria bipinnata</i>                          | <i>Sassafras</i> spp.*                                  |
| <i>Chenopodium quinoa</i>                         | <i>Lactuca serriola</i>                                | <i>Scabiosa atropurpurea</i> *                          |
| <i>Chionanthus</i> spp.                           | <i>Lagerstroemia</i> spp.                              | <i>Scabiosa atropurpurea</i> var. <i>maritima</i>       |
| <i>Chitalpa tashkinensis</i>                      | <i>Lathyrus cicera</i>                                 | <i>Schinus molle</i>                                    |
| <i>Chloris halophila</i>                          | <i>Lathyrus clymenum</i>                               | <i>Senecio grisebachii</i>                              |
| <i>Chrysanthemum morifolium</i>                   | <i>Lathyrus sativus</i>                                | <i>Senecio inaequidens</i>                              |
| <i>Cistus</i> spp.                                | <i>Laurus</i> spp.                                     | <i>Senecio vulgaris</i>                                 |
| <i>Citrus</i> spp.                                | <i>Lavandula</i> spp.                                  | <i>Senna obtusifolia</i> *                              |
| <i>Clematis cirrhosa</i> *                        | <i>Leonurus sibiricus</i>                              | <i>Senna secundiflora</i>                               |
| <i>Clematis vitalba</i>                           | <i>Lepidium auriculatum</i> *                          | <i>Senna tora</i> (= <i>Cassia tora</i> )               |
| <i>Clanthus puniceus</i> *                        | <i>Lepidium didymum</i> (= <i>Coronopus didymus</i> )* | <i>Setaria magna</i>                                    |
| <i>Clinopodium nepeta</i>                         | <i>Lepidium ruderae</i> *                              | <i>Setaria pumila</i>                                   |
| <i>Coelorachis cylindrica</i>                     | <i>Leptospermum laevigatum</i>                         | <i>Sida rhombifolia</i>                                 |
| <i>Coffea</i> spp.                                | <i>Leucophyta brownii</i>                              | <i>Silybum marianum</i>                                 |
| <i>Coleonema album</i> *                          | <i>Libertia peregrinans</i> *                          | <i>Simmondsia chinensis</i>                             |
| <i>Commelina benghalensis</i>                     | <i>Ligustrum lucidum</i>                               | <i>Sisymbrium irio</i>                                  |
| <i>Commelina erecta</i>                           | <i>Ligustrum sinense</i>                               | <i>Solanum americanum</i>                               |
| <i>Conium maculatum</i>                           | <i>Ligustrum virginicum</i> *                          | <i>Solanum elaeagnifolium</i> *                         |
| <i>Convolvulus arvensis</i>                       | <i>Liquidambar styraciflua</i>                         | <i>Solanum lycopersicum</i>                             |
| <i>Convolvulus cneorum</i>                        | <i>Liriodendron tulipifera</i>                         | <i>Solanum melongena</i>                                |
| <i>Coprosma baueri</i>                            | <i>Lobularia maritima</i>                              | <i>Solidago canadensis</i>                              |
| <i>Coprosma repens</i>                            | <i>Lolium multiflorum</i>                              | <i>Solidago fistulosa</i>                               |
| <i>Coprosma robusta</i>                           | <i>Lolium perenne</i>                                  | <i>Solidago virgaurea</i>                               |
| <i>Cordyline</i> spp.                             | <i>Lolium temulentum</i>                               | <i>Sonchus</i> spp.                                     |
| <i>Coriandrum sativum</i>                         | <i>Lonicera</i> spp.                                   | <i>Sophora secundiflora</i> *                           |
| <i>Cornus florida</i>                             | <i>Ludwigia grandiflora</i>                            | <i>Sorghum halepense</i>                                |
| <i>Cornus sanguinea</i>                           | <i>Lupinus</i> spp.                                    | <i>Sorghum sudanense</i>                                |
| <i>Corokia</i> spp.                               | <i>Magnolia grandiflora</i>                            | <i>Sorghum x drummondii</i>                             |
| <i>Coronilla valentina</i>                        | <i>Magnolia x soulangeana</i>                          | <i>Spartium</i> spp.                                    |
| <i>Coronilla valentina</i> subsp. <i>glauca</i> * | <i>Majorana hortensis</i>                              | <i>Spermacoce latifolia</i>                             |
| <i>Coronopus didymus</i>                          | <i>Mallotus paniculatus</i>                            | <i>Stachys arvensis</i>                                 |
| <i>Cortaderia selloana</i>                        | <i>Malus domestica</i> *                               | <i>Stellaria media</i>                                  |
| <i>Corynocarpus laevigatus</i>                    | <i>Malva multiflora</i> (= <i>Lavatera cretica</i> )*  | <i>Stewartia pseudocamellia</i>                         |
| <i>Cotoneaster rotundifolius</i>                  | <i>Malva parviflora</i>                                | <i>Strelitzia reginae</i>                               |
| <i>Croton setigerus</i> *                         | <i>Marrubium vulgare</i>                               | <i>Streptocarpus</i> spp.                               |
| <i>Cynodon dactylon</i>                           | <i>Medicago arborea</i>                                | <i>Swainsona galegifolia</i>                            |
| <i>Cyperus</i> spp.                               | <i>Medicago hispida</i>                                | <i>Symphoricarpos albus</i>                             |
| <i>Cytisus</i> spp.                               | <i>Medicago polymorpha</i> *                           | <i>Symphyotrichum divaricatum</i> *                     |
| <i>Datura wrightii</i>                            | <i>Medicago sativa</i>                                 | <i>Symphyotrichum subulatum</i> var.                    |

|                                                           |                                                   |                                                             |
|-----------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------|
|                                                           |                                                   | <i>ligulatum</i>                                            |
| <i>Daucus carota</i>                                      | <i>Megathyrsus maximus</i> (=Panicum maximum)*    | <i>Syringa vulgaris</i>                                     |
| <i>Dermatophyllum secundiflorum</i>                       | <i>Melaleuca citrina</i> (=Callistemon citrinus)* | <i>Syzygium australe</i> (= <i>Eugenia myrtifolia</i> Sims) |
| <i>Dichanthelium acuminatum</i>                           | <i>Melicope ternata</i>                           | <i>Talinum paniculatum</i>                                  |
| <i>Digitaria</i> spp.                                     | <i>Melicytus ramiflorus</i>                       | <i>Taraxacum officinale</i>                                 |
| <i>Dimorphotheca ecklonis</i>                             | <i>Melilotus</i> spp.                             | <i>Teucrium capitatum</i>                                   |
| <i>Dimorphotheca fruticosa</i>                            | <i>Melissa officinalis</i>                        | <i>Thymus vulgaris</i>                                      |
| <i>Diospyros kaki</i>                                     | <i>Mentha</i> spp.                                | <i>Tillandsia usneoides</i>                                 |
| <i>Diplocyclos palmatus</i>                               | <i>Meryta sinclairii</i>                          | <i>Toxicodendron diversilobum</i>                           |
| <i>Distimake macrocalyx</i> (=Merremia glabra)*           | <i>Metrosideros</i> spp.                          | <i>Trifolium</i> spp.                                       |
| <i>Dittrichia</i> spp.*                                   | <i>Mimosa</i> spp.*                               | <i>Ulex</i> spp.*                                           |
| <i>Dodonaea viscosa</i>                                   | <i>Modiola caroliniana</i>                        | <i>Ulmus</i> spp.                                           |
| <i>Duranta erecta</i>                                     | <i>Montia linearis</i>                            | <i>Umbellularia californica</i>                             |
| <i>Duranta repens</i>                                     | <i>Morus</i> spp.                                 | <i>Urochloa plantaginea</i>                                 |
| <i>Dysphania ambrosioides</i>                             | <i>Myoporum</i> spp.*                             | <i>Urtica dioica</i> *                                      |
| <i>Echinochloa crus-galli</i>                             | <i>Myrtus communis</i>                            | <i>Urtica dioica</i> subsp. <i>gracilis</i> *               |
| <i>Echinopartum lusitanicum</i> (=Echinopartum ibericum)* | <i>Nandina domestica</i>                          | <i>Urtica urens</i>                                         |
| <i>Echium plantagineum</i>                                | <i>Neptunia lutea</i>                             | <i>Vaccinium</i> spp.                                       |
| <i>Elaeagnus angustifolia</i>                             | <i>Nerium oleander</i>                            | <i>Verbena litoralis</i>                                    |
| <i>Elaeagnus x submacrophylla</i>                         | <i>Nicotiana clevelandii</i>                      | <i>Vernonia</i> spp.                                        |
| <i>Eleusine indica</i> *                                  | <i>Nicotiana glauca</i>                           | <i>Veronica</i> spp.                                        |
| <i>Encelia farinosa</i>                                   | <i>Nicotiana tabacum</i>                          | <i>Viburnum tinus</i>                                       |
| <i>Epilobium brachycarpum</i>                             | <i>Oenanthe sarmentosa</i>                        | <i>Vicia faba</i>                                           |
| <i>Epilobium ciliatum</i>                                 | <i>Oenothera hookeri</i>                          | <i>Vicia ludoviciana</i>                                    |
| <i>Eragrostis pectinacea</i>                              | <i>Olea</i> spp.                                  | <i>Vicia monantha</i>                                       |
| <i>Eremophila maculata</i>                                | <i>Olearia traversii</i> *                        | <i>Vicia sativa</i>                                         |
| <i>Erica</i> spp.*                                        | <i>Origanum majorana</i>                          | <i>Vinca</i> spp.                                           |
| <i>Erigeron</i> spp.                                      | <i>Pachystegia insignis</i> *                     | <i>Vitex agnus-castus</i>                                   |
| <i>Eriocephalus africanus</i>                             | <i>Parthenium hysterophorus</i> *                 | <i>Vitex lucens</i>                                         |
| <i>Eriochloa acuminata</i>                                | <i>Parthenocissus quinquefolia</i>                | <i>Vitis</i> spp.                                           |
| <i>Eriochloa contracta</i>                                | <i>Parthenocissus tricuspidata</i>                | <i>Westringia fruticosa</i>                                 |
| <i>Eriochloa gracilis</i>                                 | <i>Paspalum dilatatum</i>                         | <i>Westringia glabra</i>                                    |
| <i>Eriogonum</i> spp.                                     | <i>Paspalum regnellii</i>                         | <i>Wisteria frutescens</i>                                  |
| <i>Erodium</i> spp.                                       | <i>Paspalum urvillei</i>                          | <i>x Chitalpa tashkentensis</i> *                           |
| <i>Erysimum</i> spp.                                      | <i>Passiflora foetida</i>                         | <i>Xanthium spinosum</i>                                    |
| <i>Escallonia bifida</i> (=Escallonia montevidensis)*     | <i>Pelargonium</i> spp.                           | <i>Xanthium strumarium</i>                                  |