

# 中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第一點第五十三項、第十點修正規定

## 乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國 家 或 地 區	病 蟲 害 名 稱	檢 疫 條 件
53.下列繁殖用種子: (1) 西瓜 ( <i>Citrullus lanatus</i> ) (2) 甜瓜 ( <i>Cucumis melo</i> ) (3) 胡瓜 ( <i>Cucumis sativus</i> )	<b>亞洲及太平洋地區</b> (1) 澳大利亞 (2) 中國大陸 (3) 印度 (4) 伊朗 (5) 以色列 (6) 日本 (7) 黎巴嫩 (8) 南韓 (9) 泰國 (10) 土耳其 (11) 敘利亞 <b>非洲</b> (12) 埃及 (13) 突尼西亞 <b>歐洲</b> (14) 法國 (15) 希臘 (16) 義大利 (17) 荷蘭 (18) 挪威 (19) 西班牙 (20) 瑞典 (21) 斯洛維尼亞 (22) 英國 <b>北美</b> (23) 加拿大 (24) 墨西哥 (25) 美國 <b>中南美</b> (26) 巴西	甜瓜壞疽斑點病毒 ( <i>Melon necrotic spot virus</i> , MNSV)	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明下列條件之一，否則銷燬或退運： 1. 輸出前經檢查且經實驗室以PCR檢測未染甜瓜壞疽斑點病毒。 2. 輸出前經乾熱70℃處理144小時，且經檢查未染甜瓜壞疽斑點病毒。

	(27) 智利 (28) 瓜地馬拉 (29) 宏都拉斯 (30) 巴拿馬 (31) 秘魯 (32) 烏拉圭		
--	--	--	--

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。農業部動植物防疫檢疫署得對下列有害生物之上一分類群（Taxa）有害生物採取檢疫處理措施。

### 病毒類（465 種）

*Abutilon mosaic virus* (AbMV) (Geminiviridae, Begomovirus)  
*Ageratum yellow vein virus* (AYVV) (Geminiviridae, Begomovirus)  
*African cassava mosaic virus* (ACMV) (Geminiviridae, Begomovirus)  
*Agropyron mosaic virus* (AgMV) (Potyviridae, Bymovirus)  
*Alfalfa cryptic virus 1* (ACV-1) (Partitiviridae, alphacryptovirus)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (Bromoviridae, alfamovirus)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (Potyviridae, potyvirus)  
*Amaranthus leaf mottle virus* (AmLMV) (Potyviridae, potyvirus)  
*American plum line pattern virus* (APLPV) (Bromoviridae, Ilarvirus)  
*Andean potato latent virus* (APLV) (Tymovirus)  
*Andean potato mottle virus* (APMoV) (Comoviridae, Comovirus)  
*Anthoxanthum latent blanching virus* (ALBV) (Hordeivirus)  
*Anthriscus yellows virus* (AYV) (Sequiviridae, waikavirus)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (Trichovirus, Flexiviridae)  
*Apple dimple fruit viroid* (ADFVd) (Apscaviroid, Pospiviroidae)  
*Apple mosaic virus* (ApMV) (Bromoviridae, Ilarvirus)  
*Apple scar skin viroid* (ASSVd) (Pospiviroidae, Apscaviroid)  
*Apple stem grooving virus* (ASGV) (Capillovirus, Flexiviridae)  
*Apple stem pitting virus* (ASPV) (Foveavirus, Flexiviridae)  
*Araujia mosaic virus* (ArjMV) (Potyviridae, potyvirus)  
*Arracacha Virus A* (AVA) (Comoviridae, Nepovirus)  
*Arracacha Virus B* (AVB) (Comoviridae, Nepovirus)  
*Arracacha Virus Y* (AVY) (Potyviridae, potyvirus)  
*Artichoke Italian latent virus* (AILV) (Comoviridae, nepovirus)  
*Artichoke latent virus* (ArLV) (Potyviridae, potyvirus)  
*Artichoke mottled crinkle virus* (AMCV) (Tombusviridae, Tombusvirus)  
*Artichoke yellow ringspot virus* (AYRSV) (Comoviridae, Nepovirus)  
*Asparagus virus 1* (AV-1) (Potyviridae, potyvirus)  
*Asparagus virus 2* (AV-2) (Bromoviridae, ilarvirus)

*Asparagus virus 3 (AV-3) (Potexvirus)*  
*Banana bunchy top virus (BBTV) (Nanovirus)*  
*Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)*  
*Barley mosaic virus (BBV)*  
*Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)*  
*Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)*  
*Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)*  
*Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)*  
*Bean common mosaic virus (Potyviridae, potyvirus)*  
*Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)*  
*Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)*  
*Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)*  
*Bean pod mottle virus (BPMV) (Comoviridae, comovirus)*  
*Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)*  
*Bean southern mosaic virus (SBMV) (sobemovirus)*  
*Bean yellow vein banding virus (BYVBV) (Umbravirus)*  
*Beet distortion mosaic virus*  
*Beet mild yellowing virus (BMV) (Luteoviridae, luteovirus)*  
*Beet mosaic virus (BtMV) (Potyviridae, potyvirus)*  
*Beet soil-borne virus (BSBV) (Pomovirus)*  
*Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)*  
*Beet yellows virus (BYV) (Closteroviridae, closterovirus)*  
*Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)*  
*Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)*  
*Beet leaf curl virus (BLCV) (Rhabdoviridae)*  
*Beet necrotic yellow vein virus (BNYVV) (Benyvirus)*  
*Belladonna mottle virus (BeMV) (Tymovirus)*  
*Bermuda grass etched-line virus (BELV) (Marafivirus)*  
*Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)*  
*Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)*  
*Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)*  
*Black raspberry latent ilarvirus*  
*Black raspberry necrosis virus (BRNV)*  
*Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)*  
*Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)*  
*Blueberry necrotic shock virus (BlShV) (ilarvirus)*  
*Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)*

*Blueberry scorch virus (BBScV) (carlavirus)*  
*Blueberry shoestring virus (BSSV) (sobemovirus)*  
*Broad bean B virus*  
*Broad bean necrosis virus (BBNV) (Pomovirus)*  
*Broad bean severe chlorosis virus (Closteroviridae, closterovirus)*  
*Broad bean stain virus (BBSV) (Comoviridae, comovirus)*  
*Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)*  
*Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)*  
*Broad bean yellow ringspot virus*  
*Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)*  
*Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Brome mosaic virus (BMV) (Bromoviridae, bromovirus)*  
*Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)*  
*Burdock mosaic virus*  
*Burdock mottle virus*  
*Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)*  
*Cacao necrosis virus (CNV) (Comoviridae, nepovirus)*  
*Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)*  
*Cacao yellow mosaic virus (CYMV) (Tymovirus)*  
*Cactus virus (CV-2) (Carlavirus)*  
*Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)*  
*Caper latent virus (CapLV) (Carlavirus)*  
*Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)*  
*Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)*  
*Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)*  
*Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)*  
*Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)*  
*Carnation latent virus (CLV) (Carlavirus)*  
*Carnation mottle virus (CarMV) (Carmovirus)*  
*Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)*  
*Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)*  
*Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)*  
*Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)*  
*Carrot mottle mimic virus (CmoMV) (Umbravirus)*  
*Carrot mottle virus (CMoV) (Umbravirus)*  
*Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)*  
*Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)*

*Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)*  
*Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)*  
*Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)*  
*Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)*  
*Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)*  
*Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)*  
*Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)*  
*Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)*  
*Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)*  
*Cowpea stunt virus (Luteovirus)*  
*Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)*  
*Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)*  
*Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)*  
*Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)*  
*Cassava virus X (CsVX) (Potexvirus)*  
*Cassia mosaic virus*  
*Cassia ringspot virus*  
*Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)*  
*Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)*  
*Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)*  
*Celery mosaic virus (CeMV) (Potyviridae, potyvirus)*  
*Cereal northern mosaic virus (NCMV) (cytorhabdovirus)*  
*Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)*  
*Cassava common mosaic virus (CsCMV) (Potexvirus)*  
*Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)*  
*Cherry green ring mottle virus (CGRMV) (Foveavirus)*  
*Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)*  
*Cherry mottle leaf virus (CMLV) (Trichovirus)*  
*Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)*  
*Cherry virus A (CVA) (Capillovirus)*  
*Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)*  
*Chickpea distortion mosaic virus (Potyviridae, potyvirus)*  
*Chicory virus (ChVX) (potexvirus)*  
*Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)*  
*Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)*  
*Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)*

*Chrysanthemum virus B* (CVB) (*Carlavirus*)  
*Citrus blight disease*  
*Citrus leprosis virus* (CiLV) (*Rhabdoviridae*)  
*Citrus yellow mosaic virus* (CiYMV) (*Caulimoviridae*, *Badnavirus*)  
*Citrus leaf rugose virus* (CiLRV) (*Rhabdoviridae*, *ilarvirus*)  
*Citrus ringspot virus*  
*Citrus sudden death-associated virus* (CSD- associated virus) (*Marafivirus*,  
*Tymoviridae*)  
*Citrus variegation virus* (CVV) (*Bromoviridae*, *ilarvirus*)  
*Clitoria yellow vein virus* (CYVV) (*Tymovirus*)  
*Clover mild mosaic virus*  
*Clover wound tumor virus* (WTV) (*Phytoreovirus*)  
*Clover yellow mosaic virus* (CIYMV) (*potexvirus*)  
*Clover yellows virus* (CYV) (*Closteroviridae*, *closterovirus*)  
*Clover yellow vein virus* (CIYVV) (*Potyviridae*, *potyvirus*)  
*Cocksfoot mottle virus* (CoMV) (*Sobemovirus*)  
*Coconut foliar decay virus* (CFDV) (*Nanavirus*)  
*Commelina diffusa virus* (*Potyviridae*, *potyvirus*)  
*Commelina mosaic virus* (ComMV) (*Potyviridae*, *potyvirus*)  
*Commelina virus X* (ComVX) (*potexvirus*)  
*Commelina yellow mottle virus* (ComYMV) (*Caulimoviridae*, *badnavirus*)  
*Cocksfoot mild mosaic virus* (CoMV) (*Sobemovirus*)  
*Cocoa mottle leaf virus*  
*Cocoa necrosis virus* (CoNV) (*Comoviridae*, *Nepovirus*)  
*Cocoa swollen shoot virus* (CSSV) (*Caulimoviridae*, *Badnavirus*)  
*Cocoa yellow mosaic virus*  
*Colombian datura virus* (CDV) (*Potyviridae*, *Potyvirus*)  
*Coriander feathery red vein virus* (CFRVV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Cotton leaf curl virus* (CLCuV) (*Geminiviridae*, *Begomovirus*)  
*Cotton leaf crumple virus* (CLCrV) (*Geminiviridae*, *bigeminivirus* )  
*Cowpea mild mottle virus* (CPMMV) (*Carlavirus*)  
*Crimson clover latent virus* (CCLV) (*Comoviridae*, *nepovirus*)  
*Crinum mosaic virus* (CriMV) (*Potyviridae*, *potyvirus*)  
*Croton yellow vein mosaic virus* (CYVMV) (*Geminiviridae*, *bigeminivirus* )  
*Cucumber green mottle mosaic virus* (CGMMV) (*Tobamovirus*)  
*Cucumber leaf spot virus* (CLSV) (*Tombusviridae*, *carmovirus*)  
*Cucumber mosaic virus subgroup II* (CMV-II) (*Bromoviridae*, *Cucumovirus*)

*Cucumber necrosis virus* (CuNV) (*Tombusviridae*, *tombusvirus*)  
*Cucumber soil-borne virus* (CuSBV) (*Tombusviridae*, *carmovirus*)  
*Cucumber vein yellowing virus* (CVYV)  
*Cucurbit chlorotic yellows virus* (CCYV) (*Closteroviridae*, *Crinivirus*)  
*Cycas necrotic stunt virus* (CNSV) (*Comoviridae*, *nepovirus*)  
*Cymbidium ringspot virus* (CymRSV) (*Tombusviridae*, *tombusvirus*)  
*Cynodon chlorotic streak virus*  
*Cynosurus mottle virus* (CnMoV) (*Sobemovirus*)  
*Dahlia mosaic virus* (DMV) (*Caulimoviridae*, *caulimovirus* )  
*Dandelion latent virus* (DaLV) (*Carlavirus*)  
*Dandelion yellow mosaic virus* (DaYMV) (*Sequiviridae*, *sequivirus*)  
*Daphne virus X* (DVX) (*Potexvirus*)  
*Daphne virus Y* (DVY) (*Potyviridae*, *potyvirus*)  
*Datura Colombian virus* (CDV) (*Potyviridae*, *potyvirus*)  
*Datura distortion mosaic virus* (DDMV) (*Potyviridae*, *potyvirus*)  
*Datura necrosis virus* (DNV) (*Potyviridae*, *potyvirus*)  
*Datura shoestring virus* (DSTV) (*Potyviridae*, *potyvirus*)  
*Datura yellow vein virus* (DYVV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Datura distortion virus*  
*Datura enation mosaic virus*  
*Dendrobium mosaic virus* (DeMV) (*Potyviridae*, *potyvirus*)  
*Desmodium mosaic virus* (DesMV) (*Potyviridae*, *potyvirus*)  
*Desmodium yellow mottle virus* (DYMV) (*Tymovirus*)  
*Digitaria streak virus* (DSV) (*Geminiviridae*, *monogeminivirus*)  
*Digitaria striate mosaic* (DiSMV) (*Geminiviridae*, *monogeminivirus*)  
*Dioscorea alata virus* (*Potyviridae*, *potyvirus*)  
*Dioscorea bacilliform virus* (DBV) (*Caulimoviridae*, *badnavirus*)  
*Dioscorea green banding mosaic virus* (*Potyviridae*, *potyvirus*)  
*Dodonaea yellows-associated virus*  
*Dolichos yellow mosaic virus* (DoMYV) (*Geminiviridae*, *bigeminivirus*)  
*Dulcamara mottle virus* (DuMV) (*Tymovirus*)  
*Eggplant green mosaic virus* (EGMV) (*Potyviridae*, *potyvirus*)  
*Eggplant mottled dwarf virus* (EMDV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Elderberry virus* (EV) (*Carlavirus 1*)  
*Epirus cherry virus* (EpCV) (*Ourmiavirus*)  
*Erysimum latent virus* (ErLV) (*Tymovirus*)  
*Echinochloa ragged stunt virus* (ERSV) (*Reoviridae*, *Oryzavirus*)



*Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)*  
*European wheat striate mosaic virus (EWSMV) (Tenuivirus)*  
*Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)*  
*Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)*  
*Faba bean necrotic yellows virus (FBNYV) (Nanovirus)*  
*Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)*  
*Fig virus S (FVS) (Carlavirus)*  
*Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)*  
*Foxtail mosaic virus (FoMV) (Potexvirus)*  
*Frangipani mosaic virus (FrMV) (Tobamovirus)*  
*French bean mosaic virus*  
*Freesia leaf necrosis virus (FLNV) (Varicosavirus)*  
*Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)*  
*Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)*  
*Glycine mosaic virus (GMV) (Comoviridae, Comovirus)*  
*Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)*  
*Grapevine asteroid mosaic virus*  
*Grapevine berry inner necrosis virus (GINV) (Trichovirus)*  
*Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)*  
*Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)*  
*Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)*  
*Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)*  
*Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)*  
*Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)*  
*Grapevine fleck virus (GFkV)*  
*Grapevine stunt virus*  
*Grapevine vein necrosis virus*  
*Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)*  
*Grapevine virus B (GVB) (Vitivirus, Flexiviridae)*  
*Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)*  
*Groundnut chlorotic leaf streak virus*  
*Groundnut chlorotic spotting virus*  
*Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)*  
*Groundnut rosette virus (GRV) (Umbravirus)*  
*Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)*  
*Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)*  
*Guar top necrosis virus*

*Guinea grass mosaic virus* (GGMV) (*Potyviridae*, *Potyvirus*)  
*Helenium virus S* (HVS) (*Carlavirus*)  
*Helenium virus Y* (HVY) (*Potyviridae*, *Potyvirus*)  
*Henbane mosaic virus* (HMV) (*Potyviridae*, *Potyvirus*)  
*Heracleum latent virus* (HLV) (*Vitivirus*)  
*Hibiscus latent ringspot virus* (HLRSV) (*Comoviridae*, *nepovirus*)  
*Hibiscus chlorotic ringspot virus* (HCRSV) (*Tombusviridae*, *Carmovirus*)  
*Hippeastrum mosaic virus*  
*Honeysuckle latent virus* (LnLV) (*Carlavirus*)  
*Hop American latent* (AHLV) (*Carlavirus*)  
*Hop latent virus* (HpLV) (*Carlavirus*)  
*Hop mosaic virus* (HpMV) (*Carlavirus*)  
*Hop trefoil cryptic virus 1* (HTCV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Hop trefoil cryptic virus 2* (HTCV-2) (*Partitiviridae*, *betacryptovirus*)  
*Hop trefoil cryptic virus 3* (HTCV-3) (*Partitiviridae*, *alphacryptovirus*)  
*Hop stunt viroid* (HpSVd) (*Hostuviroid*, *Pospiviroidae*)  
*Hordeum mosaic virus* (HoMV) (*Potyviridae*, *Potyvirus*)  
*Humulus japonicus virus* (HJV) (*Bromoviridae*, *ilarvirus*)  
*Hyacinth mosaic virus* (HyaMV) (*Potyviridae*, *Potyvirus*)  
*Hydrangea mosaic virus* (HdMV) (*Bromoviridae*, *ilarvirus*)  
*Hydrangea ringspot virus* (HRSV) (*Potexvirus*)  
*Horsegram yellow mosaic virus* (HgYMV) (*Geminiviridae*, *Begomovirus*)  
*Iris fulva mosaic virus* (IFMV) (*Potyviridae*, *Potyvirus*)  
*Iris Japanese necrotic ring virus*  
*Iris mild mosaic virus* (IMMV) (*Potyviridae*, *Potyvirus*)  
*Iris severe mosaic virus* (ISMV) (*Potyviridae*, *Potyvirus*)  
*Indian peanut clump virus* (IPCV) (*Pecluvirus*)  
*Indonesian soybean dwarf virus* (ISDV) (*Luteoviridae*, *Enamovirus*)  
*Iranian maize mosaic virus*  
*Jatropha mosaic virus* (JMV) (*Geminiviridae*, *bigeminivirus*)  
*Johnsongrass mosaic* (JGMV) (*Potyviridae*, *Potyvirus*)  
*Kalanchoe isometric virus*  
*Kalanchoe latent virus* (KLV) (*Carlavirus*)  
*Kalanchoe top-spotting virus* (KTSV) (*Caulimoviridae*, *badnavirus*)  
*Kennedya yellow mosaic virus* (KYMV) (*Tymovirus*)  
*Kennedya virus Y* (KVY) (*Potyviridae*, *Potyvirus*)  
*Kyuri green mottle mosaic virus* (KGMMV) (*Tobamovirus*)

*Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)*  
*Kober stem grooving*  
*Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)*  
*Lato River virus (LRV) (Tombusviridae, tombusvirus)*  
*Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)*  
*Lettuce big-vein virus (LBVV) (Varicosavirus)*  
*Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)*  
*Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Lettuce speckles mottle virus (LSMV) (Umbravirus)*  
*Lilac chlorotic leafspot virus (LCLV) (Capillovirus)*  
*Lilac mottle virus (LiMV) (Carlavirus)*  
*Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)*  
*Lily mottle virus (LMoV) (Potyviridae, potyvirus)*  
*Lily virus X (LVX) (Potexvirus)*  
*Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)*  
*Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)*  
*Little cherry virus (LChV) (Closteroviridae, Closterovirus)*  
*LN33 stem grooving*  
*Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)*  
*Lucerne vein yellowing virus*  
*Lucerne transient streak virus (LTSV) (Sobemovirus)*  
*Lychnis ringspot virus (LRSV) (Hordeivirus)*  
*Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)*  
*Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)*  
*Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)*  
*Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)*  
*Maize line virus*  
*Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)*  
*Maize rayado fino virus (MRFV) (Marafivirus)*  
*Maize white line mosaic virus (MWLMV)*  
*Maize mottle/chlorotic stunt virus*  
*Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)*  
*Maize streak virus (MSV) (Genimiviridae, Mastrevirus)*  
*Malvastrum mottle virus*  
*Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)*  
*Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)*  
*Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)*

*Melon leaf curl virus* (MLCV) (*Geminiviridae*, *bigeminivirus*)  
*Melon Ourmia virus* (OuMV) (*Ourmiavirus*)  
*Melon rugose mosaic virus* (MRMV) (*Tymovirus*)  
*Milk vetch dwarf virus* (MDV) (*Nanovirus*)  
*Mimosa mosaic virus*  
*Mirabilis mosaic virus* (MiMV) (*Caulimovirus*)  
*Miscanthus streak virus* (MiSV) (*Geminiviridae*, *monogeminivirus*)  
*Mulberry latent virus* (MLV) (*Carlavirus*)  
*Mulberry ringspot virus* (MRSV) (*Comoviridae*, *nepovirus*)  
*Mung bean yellow mosaic virus* (MYMV) (*Geminiviridae*, *bigeminivirus*)  
*Muskmelon vein necrosis virus* (MuVNV) (*Carlavirus*)  
*Myrobalan latent ringspot virus* (MLRSV) (*Comoviridae*, *nepovirus*)  
*Narcissus latent virus* (NLV) (*Potyviridae*, *macluravirus*)  
*Narcissus mosaic virus* (NMV) (*Potexvirus*)  
*Narcissus yellow stripe virus* (*Potyviridae*, *potyvirus*)  
*Natsudaikai dwarf virus* (NDV) (*Sadwavirus*)  
*Neckar River virus* (NRV) (*Tombusviridae*, *tombusvirus*)  
*Nerine latent virus* (NeLV) (*Carlavirus*)  
*Nerine virus* (NV) (*Potyviridae*, *potyvirus*)  
*Nerine virus X* (NVX) (*Potexvirus*)  
*Northern cereal mosaic virus* (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Oak ringspot virus*  
*Oat blue dwarf virus* (OBDV) (*Marafivirus*)  
*Oat golden stripe virus* (OGSV) (*Furovirus*)  
*Oat mosaic virus* (OMV) (*Potyviridae*, *bymovirus*)  
*Oat necrotic mottle virus* (ONMV) (*Potyviridae*, *rymovirus*)  
*Oat red streak mosaic virus*  
*Oat sterile dwarf virus* (OSDV) (*Reoviridae*, *Fijivirus*)  
*Okra leaf-curl virus* (OLCV) (*Geminivirus*, *bigeminivirus*)  
*Okra mosaic virus* (OkMV) (*Tymovirus*)  
*Olive latent ringspot virus* (OLRSV) (*Comoviridae*, *nepovirus*)  
*Ononis yellow mosaic virus* (OYMV) (*Tymovirus*)  
*Opuntia Sammons' virus* (SOV) (*Tobamovirus*)  
*Ornithogalum mosaic virus*  
*Pangola stunt virus* (PaSV) (*Reoviridae*, *Fijivirus*)  
*Panicum streak virus* (PanSV) (*Geminiviridae*, *monogeminivirus*)  
*Papaya leaf curl virus* (PaLCuV) (*Begomovirus*, *Geminiviridae*)

*Papaya meleira virus* (PMeV)  
*Papaya mosaic virus* (PapMV) (*Potexvirus*, *Flexiviridae*)  
*Paprika mild mottle virus* (PaMMV) (*Tobamovirus*)  
*Parietaria mottle virus* (PmoV) (*Bromoviridae*, *ilarvirus*)  
*Parsnip leafcurl virus*  
*Parsnip mosaic virus* (ParMV)  
*Parsnip yellow fleck virus* (PYFV) (*Sequiviridae*, *sequivirus*)  
*Paspalum striate mosaic virus* (PSMV) (*Geminiviridae*, *monogeminivirus*)  
*Passiflora latent virus* (PLV) (*Carlavirus*)  
*Passiflora South African virus* (*Potyviridae*, *potyvirus*)  
*Passiflora ringspot virus* (PFRSV) (*Potyviridae*, *potyvirus*)  
*Passionfruit woodiness virus* (PWV) (*Potyviridae*, *potyvirus*)  
*Passionfruit yellow mosaic virus* (PaYMV) (*Tymovirus*)  
*Patchouli mosaic virus* (*Potyviridae*, *potyvirus*)  
*Pea early browning virus* (PEBV) (*Tobravirus*)  
*Pea enation mosaic virus-1* (PEMV-1) (*Luteovirus*)  
*Pea enation mosaic virus-2* (PEMV-2) (*Umbravirus*)  
*Pea mild mosaic virus* (PmiMV) (*Comoviridae*, *comovirus*)  
*Pea mosaic virus* (*Potyviridae*, *potyvirus*)  
*Peanut chlorotic streak virus* (PCSV) (*Caulimoviridae*, *caulimovirus*)  
*Peanut green mosaic virus* (*Potyviridae*, *potyvirus*)  
*Peanut stunt virus* (PSV) (*Bromoviridae*, *cucumovirus*)  
*Peanut yellow spot virus* (PeYMV) (*Tospovirus*)  
*Peach American mosaic virus*  
*Peach latent mosaic viroid* (PLMVd)  
*Peach mosaic virus* (PMV) (*Trichovirus*)  
*Peach rosette mosaic virus* (PRMV) (*Comoviridae*, *Nepovirus*)  
*Peanut clump virus* (PCV) (*Pecluvirus*)  
*Pear blister canker viroid* (PBCVd) (*Pospiviroidae*, *Apscaviriod*)  
*Pear necrotic spot virus*  
*Pineapple bacilliform virus* (PBV) (*Badnavirus*, *Caulimoviridae*)  
*Pineapple mealybug wilt-associated virus-1* (PMWaV-1) (*Ampelovirus*, *Closteroviridae*)  
*Pineapple mealybug wilt-associated virus-2* (PMWaV-2) (*Ampelovirus*, *Closteroviridae*)  
*Plum American line pattern virus* (APLPV) (*Ilarvirus*, *Bromoviridae*)  
*Plum bark split virus*

*Plum pox virus* (PPV) (*Potyviridae*, *Potyvirus*)  
*Plum rusty blotch*  
*Potato black ringspot virus* (PBRSV) (*Comoviridae*, *Nepovirus*)  
*Potato deforming mosaic virus*  
*Potato mop-top virus* (PMTV) (*Pomovirus*)  
*Potato virus T* (PVT) (*Trichovirus*)  
*Potato virus U* (PVU) (*Comoviridae*, *Nepovirus*)  
*Potato virus V* (PVV) (*Potyviridae*, *Potyvirus*)  
*Potato yellow dwarf virus* (PYDV) (*Rhabdoviridae*, *Nucleorhabdovirus*)  
*Potato yellow vein virus* (PYVV) (*Closteroviridae*, *Crinivirus*)  
*Potato yellowing virus*  
*Prune dwarf virus* (PDV) (*Bromoviridae*, *Ilarvirus*)  
*Prunus necrotic ringspot virus* (PNRSV) (*Bromoviridae*, *Ilarvirus*)  
*Raspberry leaf curl virus*  
*Raspberry ringspot virus* (RpRSV) (*Comoviridae*, *Nepovirus*)  
*Red clover mottle virus* (RCMV) (*Comoviridae*, *Comovirus*)  
*Rice gall dwarf virus* (RGDV) (*Reoviridae*, *Phytoreovirus*)  
*Rice tungro bacilliform virus* (RTBV) (*Caulimoviridae*, *Rice tungro bacilliform-like virus*)  
*Rice tungro spherical virus* (RTSV) (*Sequiviridae*, *Waikavirus*)  
*Rice yellow mottle virus* (RYMV) (*Sobemovirus*)  
*Rupestris stem pitting-associated virus* (*Foveavirus*, *Flexiviridae*)  
*Squash leaf curl virus* (SLCV) (*Geminiviridae*, *Begomovirus*)  
*Squash mosaic virus* (SqMV) (*Comoviridae*, *Comovirus*)  
*Strawberry latent ringspot virus* (SLRSV) (*Sadwavirus*)  
*Strawberry veinbanding virus* (SVBV) (*Caulimoviridae*, *Caulimovirus*)  
*Sugarcane yellow leaf virus* (ScYLV) (*Polerovirus*, *Luteoviridae*)  
*Tobacco rattle virus* (TRV) (*Tobravirus*)  
*Tobacco ringspot virus* (TRSV) (*Comoviridae*, *Nepovirus*)  
*Tobacco mosaic virus* (TMV) (*Tobamovirus*)  
*Tobacco necrosis virus*  
*Tobacco streak virus* (TSV) (*Ilarvirus*, *Bromoviridae*)  
*Tomato black ring virus* (TBRV) (*Comoviridae*, *Nepovirus*)  
*Tomato bushy stunt virus* (TBSV) (*Tombusvirus*, *Tombusviridae*)  
*Tomato mottle virus* (ToMoV) (*Geminiviridae*, *Begomovirus*)  
*Tomato ringspot virus* (ToRSV) (*Comoviridae*, *Nepovirus*)  
*Tulare apple mosaic virus* (TAMV) (*Ilarvirus*, *Bromoviridae*)

*Tulip breaking virus*

*Ullucus virus C (UVC) (Comoviridae, comovirus)*

*Ullucus mild mottle virus (UMMV) (Tobamovirus)*

*Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)*

*Urd bean leaf crinkle virus*

*Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)*

*Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)*

*Vanilla necrosis virus (Potyviridae, potyvirus)*

*Velvet tobacco mottle virus (VTMoV) (Sobemovirus)*

*Viola mottle virus (VMV) (Potexvirus)*

*Voandzeia distortion mosaic virus (Potyviridae, potyvirus)*

*Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)*

*Watercress yellow spot virus (WYSV)*

*Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)*

*Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)*

*Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)*

*Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)*

*Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)*

*Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)*

*Wheat soil-borne mosaic virus (SBWMV) (Furovirus)*

*Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)*

*Wheat spindle streak mosaic virus (WSSMV) (Potyvirida, bymovirus)*

*Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)*

*White clover mosaic virus (WClMV) (Potexvirus)*

*Wild cucumber mosaic virus (WCMV) (Tymovirus)*

*Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)*

*Wineberry latent virus (WLV)*

*Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)*

*Yam mosaic virus (YMV) (Potyviridae, Potyvirus)*

*Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)*

備註：以上病毒之媒介有害生物亦一併列入管制