


檔 號：  
保存年限：

## 行政院農業委員會 公告

發文日期：中華民國109年2月10日  
發文字號：農授防字第1091492992A號



主旨：修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第十點，並自即日生效。  
依據：植物防疫檢疫法第十四條第一項。  
公告事項：附修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第十點1份。

主任委員 陳吉仲

# 中華民國輸入植物或植物產品檢疫規定乙、有條件 輸入植物或植物產品之檢疫條件第十點修正規定

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群（Taxa）有害生物採取檢疫處理措施。

## 病毒類（475 種）

*Abutilon mosaic virus* (AbMV) (Geminiviridae, Begomovirus)  
*Ageratum yellow vein virus* (AYVV) (Geminiviridae, Begomovirus)  
*African cassava mosaic virus* (ACMV) (Geminiviridae, Begomovirus)  
*Agropyron mosaic virus* (AgMV) (Potyviridae, Bymovirus)  
*Alfalfa cryptic virus 1* (ACV-1) (Partitiviridae, alphacryptovirus)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (Bromoviridae, alfamovirus)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (Potyviridae, potyvirus)  
*Amaranthus leaf mottle virus* (AmLMV) (Potyviridae, potyvirus)  
*American plum line pattern virus* (APLPV) (Bromoviridae, Ilarvirus)  
*Andean potato latent virus* (APLV) (Tymovirus)  
*Andean potato mottle virus* (APMoV) (Comoviridae, Comovirus)  
*Anthoxanthum latent blanching virus* (ALBV) (Hordeivirus)  
*Anthriscus yellows virus* (AYV) (Sequiviridae, waikavirus)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (Trichovirus, Flexiviridae)  
*Apple dimple fruit viroid* (ADFVd) (Apscaviroid, Pospiviroidae)  
*Apple mosaic virus* (ApMV) (Bromoviridae, Ilarvirus)  
*Apple scar skin viroid* (ASSVd) (Pospiviroidae, Apscaviroid)  
*Apple stem grooving virus* (ASGV) (Capillovirus, Flexiviridae)  
*Apple stem pitting virus* (ASPV) (Foveavirus, Flexiviridae)  
*Araujia mosaic virus* (ArjMV) (Potyviridae, potyvirus)  
*Arracacha Virus A* (AVA) (Comoviridae, Nepovirus)  
*Arracacha Virus B* (AVB) (Comoviridae, Nepovirus)  
*Arracacha Virus Y* (AVY) (Potyviridae, potyvirus)  
*Artichoke Italian latent virus* (AILV) (Comoviridae, nepovirus)  
*Artichoke latent virus* (ArLV) (Potyviridae, potyvirus)  
*Artichoke mottled crinkle virus* (AMCV) (Tombusviridae, Tombusvirus)  
*Artichoke yellow ringspot virus* (AYRSV) (Comoviridae, Nepovirus)  
*Asparagus virus 1* (AV-1) (Potyviridae, potyvirus)  
*Asparagus virus 2* (AV-2) (Bromoviridae, ilarvirus)  
*Asparagus virus 3* (AV-3) (Potexvirus)  
*Banana bunchy top virus* (BBTV) (Nanovirus)  
*Barley mild mosaic virus* (BaMMV) (Potyviridae, bymovirus)  
*Barley mosaic virus* (BBV)  
*Barley yellow dwarf virus-GPV* (BYDV-GPV) (Luteovirus)  
*Barley yellow mosaic virus* (BaYMV) (Potyviridae, Bymovirus)

*Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)*  
*Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)*  
*Bean common mosaic virus (Potyviridae, potyvirus)*  
*Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)*  
*Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)*  
*Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)*  
*Bean pod mottle virus (BPMV) (Comoviridae, comovirus)*  
*Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)*  
*Bean southern mosaic virus (SBMV) (sobemovirus)*  
*Bean yellow vein banding virus (BYVBV) (Umbravirus)*  
*Beet distortion mosaic virus*  
*Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)*  
*Beet mosaic virus (BtMV) (Potyviridae, potyvirus)*  
*Beet soil-borne virus (BSBV) (Pomovirus)*  
*Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)*  
*Beet yellows virus (BYV) (Closteroviridae, closterovirus)*  
*Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)*  
*Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)*  
*Beet leaf curl virus (BLCV) (Rhabdoviridae)*  
*Beet necrotic yellow vein virus (BNYVV) (Benyvirus)*  
*Belladonna mottle virus (BeMV) (Tymovirus)*  
*Bermuda grass etched-line virus (BELV) (Marafivirus)*  
*Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)*  
*Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)*  
*Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)*  
*Black raspberry latent ilarvirus*  
*Black raspberry necrosis virus (BRNV)*  
*Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)*  
*Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)*  
*Blueberry necrotic shock virus (BlShV) (ilarvirus)*  
*Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)*  
*Blueberry scorch virus (BBScV) (carlavirus)*  
*Blueberry shoestring virus (BSSV) (sobemovirus)*  
*Broad bean B virus*  
*Broad bean necrosis virus (BBNV) (Pomovirus)*  
*Broad bean severe chlorosis virus (Closteroviridae, closterovirus)*  
*Broad bean stain virus (BBSV) (Comoviridae, comovirus)*  
*Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)*  
*Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)*  
*Broad bean yellow ringspot virus*  
*Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)*  
*Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Brome mosaic virus (BMV) (Bromoviridae, bromovirus)*  
*Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)*  
*Burdock mosaic virus*  
*Burdock mottle virus*  
*Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)*  
*Cacao necrosis virus (CNV) (Comoviridae, nepovirus)*  
*Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)*  
*Cacao yellow mosaic virus (CYMV) (Tymovirus)*

*Cactus virus (CV-2) (Carlavirus)*  
*Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)*  
*Caper latent virus (CapLV) (Carlavirus)*  
*Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)*  
*Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)*  
*Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)*  
*Carnation etched ring virus (CERV) (Caulimoviridae, caulimovirus)*  
*Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)*  
*Carnation latent virus (CLV) (Carlavirus)*  
*Carnation mottle virus (CarMV) (Carmovirus)*  
*Carnation necrotic fleck virus (CNFV) (Closteroviridae, closterovirus)*  
*Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)*  
*Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)*  
*Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)*  
*Carrot mottle mimic virus (CmoMV) (Umbravirus)*  
*Carrot mottle virus (CMoV) (Umbravirus)*  
*Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)*  
*Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)*  
*Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)*  
*Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)*  
*Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)*  
*Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)*  
*Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)*  
*Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)*  
*Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)*  
*Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)*  
*Cowpea stunt virus (Luteovirus)*  
*Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)*  
*Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)*  
*Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)*  
*Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)*  
*Cassava virus X (CsVX) (Potexvirus)*  
*Cassia mosaic virus*  
*Cassia ringspot virus*  
*Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)*  
*Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)*  
*Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)*  
*Celery mosaic virus (CeMV) (Potyviridae, potyvirus)*  
*Cereal northern mosaic virus (NCMV) (cytorhabdovirus)*  
*Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)*  
*Cassava common mosaic virus (CsCMV) (Potexvirus)*  
*Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)*  
*Cherry green ring mottle virus (CGRMV) (Foveavirus)*  
*Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)*  
*Cherry mottle leaf virus (CMLV) (Trichovirus)*  
*Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)*  
*Cherry virus A (CVA) (Capillovirus)*  
*Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)*

*Chickpea distortion mosaic virus* (Potyviridae, potyvirus)  
*Chicory virus* (ChVX) (potexvirus)  
*Chicory yellow mottle virus* (ChYMV) (Comoviridae, nepovirus)  
*Chino del tomate virus* (CdTV) (Geminiviridae, bigeminivirus)  
*Chloris striate mosaic virus* (CSMV) (Geminiviridae, monogeminivirus)  
*Chrysanthemum virus B* (CVB) (Carlavirus)  
*Citrus blight disease*  
*Citrus leprosis virus* (CiLV) (Rhabdoviridae)  
*Citrus yellow mosaic virus* (CiYMV) (Caulimoviridae, Badnavirus)  
*Citrus leaf rugose virus* (CiLRV) (Rhabdoviridae, ilarvirus)  
*Citrus ringspot virus*  
*Citrus sudden death-associated virus* (CSD- associated virus) (Marafivirus, Tymoviridae)  
*Citrus variegation virus* (CVV) (Bromoviridae, ilarvirus)  
*Clitoria yellow vein virus* (CYVV) (Tymovirus)  
*Clover mild mosaic virus*  
*Clover wound tumor virus* (WTV) (Phytoreovirus)  
*Clover yellow mosaic virus* (CIYMV) (potexvirus)  
*Clover yellows virus* (CYV) (Closteroviridae, closterovirus)  
*Clover yellow vein virus* (CIYVV) (Potyviridae, potyvirus)  
*Cocksfoot mottle virus* (CoMV) (Sobemovirus)  
*Coconut foliar decay virus* (CFDV) (Nanavirus)  
*Commelina diffusa virus* (Potyviridae, potyvirus)  
*Commelina mosaic virus* (ComMV) (Potyviridae, potyvirus)  
*Commelina virus X* (ComVX) (potexvirus)  
*Commelina yellow mottle virus* (ComYMV) (Caulimoviridae, badnavirus)  
*Columnnea latent viroid* (CLVd) (Pospiviroidae, Pospiviroid)  
*Cocksfoot mild mosaic virus* (CoMV) (Sobemovirus)  
*Cocoa mottle leaf virus*  
*Cocoa necrosis virus* (CoNV) (Comoviridae, Nepovirus)  
*Cocoa swollen shoot virus* (CSSV) (Caulimoviridae, Badnavirus)  
*Cocoa yellow mosaic virus*  
*Colombian datura virus* (CDV) (Potyviridae, Potyvirus)  
*Coriander feathery red vein virus* (CFRVV) (Rhabdoviridae, nucleorhabdovirus)  
*Cotton leaf curl virus* (CLCuV) (Geminiviridae, Begomovirus)  
*Cotton leaf crumple virus* (CLCrV) (Geminiviridae, bigeminivirus)  
*Cowpea mild mottle virus* (CPMMV) (Carlavirus)  
*Crimson clover latent virus* (CCLV) (Comoviridae, nepovirus)  
*Crinum mosaic virus* (CriMV) (Potyviridae, potyvirus)  
*Croton yellow vein mosaic virus* (CYVMV) (Geminiviridae, bigeminivirus)  
*Cucumber green mottle mosaic virus* (CGMMV) (Tobamovirus)  
*Cucumber leaf spot virus* (CLSV) (Tombusviridae, carmovirus)  
*Cucumber mosaic virus subgroup II* (CMV-II) (Bromoviridae, Cucumovirus)  
*Cucumber necrosis virus* (CuNV) (Tombusviridae, tombusvirus)  
*Cucumber soil-borne virus* (CuSBV) (Tombusviridae, carmovirus)  
*Cucumber vein yellowing virus* (CVYV)  
*Cucurbit chlorotic yellows virus* (CCYC) (Closteroviridae, Crinivirus)  
*Cycas necrotic stunt virus* (CNSV) (Comoviridae, nepovirus)  
*Cymbidium ringspot virus* (CymRSV) (Tombusviridae, tombusvirus)  
*Cynodon chlorotic streak virus*

*Cynosurus mottle virus* (CnMoV) (Sobemovirus)  
*Dahlia mosaic virus* (DMV) (Caulimoviridae, caulimovirus )  
*Dandelion latent virus* (DaLV) (Carlavirus)  
*Dandelion yellow mosaic virus* (DaYMV) (Sequiviridae, sequivirus)  
*Daphne virus X* (DVX) (Potexvirus)  
*Daphne virus Y* (DYY) (Potyviridae, potyvirus)  
*Datura Colombian virus* (CDV) (Potyviridae, potyvirus)  
*Datura distortion mosaic virus* (DDMV) (Potyviridae, potyvirus)  
*Datura necrosis virus* (DNV) (Potyviridae, potyvirus)  
*Datura shoestring virus* (DSTV) (Potyviridae, potyvirus)  
*Datura yellow vein virus* (DYVV) (Rhabdoviridae, nucleorhabdovirus)  
*Datura distortion virus*  
*Datura enation mosaic virus*  
*Dendrobium mosaic virus* (DeMV) (Potyviridae, potyvirus)  
*Desmodium mosaic virus* (DesMV) (Potyviridae, potyvirus)  
*Desmodium yellow mottle virus* (DYMV) (Tymovirus)  
*Digitaria streak virus* (DSV) (Geminiviridae, monogeminivirus)  
*Digitaria striate mosaic* (DiSMV) (Geminiviridae, monogeminivirus)  
*Dioscorea alata virus* (Potyviridae, potyvirus)  
*Dioscorea bacilliform virus* (DBV) (Caulimoviridae, badnavirus)  
*Dioscorea green banding mosaic virus* (Potyviridae, potyvirus)  
*Dodonaea yellows-associated virus*  
*Dolichos yellow mosaic virus* (DoMYV) (Geminiviridae, bigeminivirus)  
*Dulcamara mottle virus* (DuMV) (Tymovirus)  
*Eggplant green mosaic virus* (EGMV) (Potyviridae, potyvirus)  
*Eggplant mottled dwarf virus* (EMDV) (Rhabdoviridae, nucleorhabdovirus)  
*Elderberry virus* (EV) (Carlavirus 1)  
*Epirus cherry virus* (EpCV) (Ourmiavirus)  
*Erysimum latent virus* (ErLV) (Tymovirus)  
*Echinochloa ragged stunt virus* (ERSV) (Reoviridae, Oryzavirus)  
*Elm mottle virus* (EMoV) (Bromoviridae, Ilarvirus)  
*European wheat striate mosaic virus* (EWSMV) (Tenuivirus)  
*Euphorbia mosaic virus* (EuMV) (Geminiviridae, bigeminivirus)  
*Euphorbia ringspot virus* (EuRV) (Potyviridae, potyvirus)  
*Faba bean necrotic yellows virus* (FBNYV) (Nanovirus)  
*Festuca leaf streak virus* (FLSV) (Rhabdoviridae, cytorhabdovirus)  
*Fig virus S* (FVS) (Carlavirus)  
*Figwort mosaic virus* (FMV) (Caulimoviridae, caulimovirus)  
*Foxtail mosaic virus* (FoMV) (Potexvirus)  
*Frangipani mosaic virus* (FrMV) (Tobamovirus)  
*French bean mosaic virus*  
*Freesia leaf necrosis virus* (FLNV) (Varicosavirus)  
*Freesia mosaic virus* (FreMV) (Potyviridae, Potyvirus)  
*Galinsoga mosaic virus* (GaMV) (Tombusviridae, carmovirus)  
*Glycine mosaic virus* (GMV) (Comoviridae, Comovirus)  
*Grapevine Algerian latent virus* (GALV) (Tombusviridae, Tombusvirus)  
*Grapevine asteroid mosaic virus*  
*Grapevine berry inner necrosis virus* (GINV) (Trichovirus)  
*Grapevine Bulgarian latent virus* (GBLV) (Comoviridae, Nepovirus)  
*Grapevine chrome mosaic virus* (GCMV) (Comoviridae, Nepovirus)

*Grapevine leafroll-associated virus 1 (GLRAV-1)* (Closteroviridae, Ampelovirus)  
*Grapevine stem pitting associated closterovirus* (Closteroviridae, Closterovirus)  
*Grapevine Tunisian ringspot virus (GTRSV)* (Comoviridae, Nepovirus)  
*Grapevine fanleaf virus (GFLV)* (Comoviridae, nepovirus)  
*Grapevine fleck virus (GFkV)*  
*Grapevine stunt virus*  
*Grapevine vein necrosis virus*  
*Grapevine virus A (GVA)* (Betaflexiviridae, Vitivirus)  
*Grapevine virus B (GVB)* (Vitivirus, Flexiviridae)  
*Grapevine yellow speckle viroid (GYSVd)* (Pospiviroidae, Apscaviroid)  
*Groundnut chlorotic leaf streak virus*  
*Groundnut chlorotic spotting virus*  
*Groundnut rosette assistor virus (GRAV)* (Luteoviridae, Enamovirus)  
*Groundnut rosette virus (GRV)* (Umbravirus)  
*Groundnut eyespot virus (GEV)* (Potyviridae, Potyvirus)  
*Guar symptomless virus (GSLV)* (Potyviridae, Potyvirus)  
*Guar top necrosis virus*  
*Guinea grass mosaic virus (GGMV)* (Potyviridae, Potyvirus)  
*Helenium virus S (HVS)* (Carlavirus)  
*Helenium virus Y (HVY)* (Potyviridae, Potyvirus)  
*Henbane mosaic virus (HBMV)* (Potyviridae, Potyvirus)  
*Heracleum latent virus (HLV)* (Vitivirus)  
*Hibiscus latent ringspot virus (HLRSV)* (Comoviridae, )nepovirus  
*Hibiscus chlorotic ringspot virus (HCRSV)* (Tombusviridae, Carmovirus)  
*Hippeastrum mosaic virus*  
*Honeysuckle latent virus (LnLV)* (Carlavirus)  
*Hop American latent (AHLV)* (Carlavirus)  
*Hop latent virus (HpLV)* (Carlavirus)  
*Hop mosaic virus (HpMV)* (Carlavirus)  
*Hop trefoil cryptic virus 1 (HTCV-1)* (Partitiviridae, alphacryptovirus)  
*Hop trefoil cryptic virus 2 (HTCV-2)* (Partitiviridae, betacryptovirus)  
*Hop trefoil cryptic virus 3 (HTCV-3)* (Partitiviridae, alphacryptovirus)  
*Hop stunt viroid (HpSVd)* (Hostuviroid, Pospiviroidae)  
*Hordeum mosaic virus (HoMV)* (Potyviridae, Potyvirus)  
*Humulus japonicus virus (HJV)* (Bromoviridae, ilarvirus)  
*Hyacinth mosaic virus (HyaMV)* (Potyviridae, Potyvirus)  
*Hydrangea mosaic virus (HdMV)* (Bromoviridae, ilarvirus)  
*Hydrangea ringspot virus (HRSV)* (Potexvirus)  
*Horsegram yellow mosaic virus (HgYMV)* (Geminiviridae, Begomovirus)  
*Iris fulva mosaic virus (IFMV)* (Potyviridae, Potyvirus)  
*Iris Japanese necrotic ring virus*  
*Iris mild mosaic virus (IMMV)* (Potyviridae, Potyvirus)  
*Iris severe mosaic virus (ISMV)* (Potyviridae, Potyvirus)  
*Impatiens necrotic spot virus (INSV)* (Bunyaviridae, Tospovirus)  
*Indian peanut clump virus (IPCV)* (Pecluvirus)  
*Indonesian soybean dwarf virus (ISDV)* (Luteoviridae, Enamovirus)  
*Iranian maize mosaic virus*  
*Jatropha mosaic virus (JMV)* (Geminiviridae, bigeminivirus)  
*Johnsongrass mosaic (JGMV)* (Potyviridae, Potyvirus)  
*Kalanchoe isometric virus*

*Kalanchoe latent virus* (KLV) (*Carlavirus*)  
*Kalanchoe top-spotting virus* (KTSV) (*Caulimoviridae*, *badnavirus*)  
*Kennedya yellow mosaic virus* (KYMV) (*Tymovirus*)  
*Kennedya virus Y* (KVY) (*Potyviridae*, *Potyvirus*)  
*Kyuri green mottle mosaic virus* (KGMMV) (*Tobamovirus*)  
*Konjac mosaic virus* (KoMV) (*Potyviridae*, *Potyvirus*)  
*Kober stem grooving*  
*Lamium mild mottle virus* (LMMV) (*Comoviridae*, *fabavirus*)  
*Lato River virus* (LRV) (*Tombusviridae*, *tombusvirus*)  
*Leek yellow stripe virus* (LYSV) (*Potyviridae*, *potyvirus*)  
*Lettuce big-vein virus* (LBVV) (*Varicosavirus*)  
*Lettuce mosaic virus* (LMV) (*Potyviridae*, *potyvirus*)  
*Lettuce necrotic yellows virus* (LNYV) (*Rhabdoviridae*, *cytorhabdovirus*)  
*Lettuce speckles mottle virus* (LSMV) (*Umbravirus*)  
*Lilac chlorotic leafspot virus* (LCLV) (*Capillovirus*)  
*Lilac mottle virus* (LiMV) (*Carlavirus*)  
*Lilac ring mottle virus* (LRMV) (*Bromoviridae*, *ilarvirus*)  
*Lily mottle virus* (LMoV) (*Potyviridae*, *potyvirus*)  
*Lily virus X* (LVX) (*Potexvirus*)  
*Lettuce infectious yellows virus* (LIYV) (*Closteroviridae*, *Crinivirus*)  
*Limabean golden mosaic virus* (LGMV) (*Geminiviridae*, *Begomovirus*)  
*Little cherry virus* (LChV) (*Closteroviridae*, *Closterovirus*)  
*LN33 stem grooving*  
*Lucerne Australian symptomless virus* (LASV) (*Comoviridae*, *Nepovirus*)  
*Lucerne vein yellowing virus*  
*Lucerne transient streak virus* (LTSV) (*Sobemovirus*)  
*Lychnis ringspot virus* (LRSV) (*Hordeivirus*)  
*Maclura mosaic virus* (MacMV) (*Potyviridae*, *macluravirus*)  
*Maize chlorotic dwarf virus* (MCDV) (*Sequiviridae*, *waikavirus*)  
*Maize chlorotic mottle virus* (MCMV) (*Tombusviridae*, *machlomovirus*)  
*Maize dwarf mosaic virus* (MDMV) (*Potyviridae*, *potyvirus*)  
*Maize line virus*  
*Maize mosaic virus* (MMV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Maize rayado fino virus* (MRFV) (*Marafivirus*)  
*Maize white line mosaic virus* (MWLMV)  
*Maize mottle/chlorotic stunt virus*  
*Maize rough dwarf virus* (MRDV) (*Reoviridae*, *Fijivirus*)  
*Maize streak virus* (MSV) (*Genimiviridae*, *Mastrevirus*)  
*Malvastrum mottle virus*  
*Malva vein clearing virus* (MVCV) (*Potyviridae*, *potyvirus*)  
*Marigold mottle virus* (MaMoV) (*Potyviridae*, *potyvirus*)  
*Melandrium yellow fleck virus* (MYFV) (*Bromoviridae*, *bromovirus*)  
*Melon leaf curl virus* (MLCV) (*Geminiviridae*, *bigeminivirus*)  
*Melon necrotic spot virus* (MNSV) (*Tombusviridae*, *carmovirus*)  
*Melon Ourmia virus* (OuMV) (*Ourmiavirus*)  
*Melon rugose mosaic virus* (MRMV) (*Tymovirus*)  
*Milk vetch dwarf virus* (MDV) (*Nanovirus*)  
*Mimosa mosaic virus*  
*Mirabilis mosaic virus* (MiMV) (*Caulimovirus*)  
*Miscanthus streak virus* (MiSV) (*Geminiviridae*, *monogeminivirus*)



*Mulberry latent virus (MLV) (Carlavirus)*  
*Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)*  
*Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)*  
*Muskmelon vein necrosis virus (MuVNV) (Carlavirus)*  
*Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)*  
*Narcissus latent virus (NLV) (Potyviridae, macluravirus)*  
*Narcissus mosaic virus (NMV) (Potexvirus)*  
*Narcissus yellow stripe virus (Potyviridae, potyvirus)*  
*Natsudaikai dwarf virus (NDV) (Sadwavirus)*  
*Neckar River virus (NRV) (Tombusviridae, tombusvirus)*  
*Nerine latent virus (NeLV) (Carlavirus)*  
*Nerine virus (NV) (Potyviridae, potyvirus)*  
*Nerine virus X (NVX) (Potexvirus)*  
*Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)*  
*Oak ringspot virus*  
*Oat blue dwarf virus (OBDV) (Marafivirus)*  
*Oat golden stripe virus (OGSV) (Furovirus)*  
*Oat mosaic virus (OMV) (Potyviridae, bymovirus)*  
*Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)*  
*Oat red streak mosaic virus*  
*Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)*  
*Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)*  
*Okra mosaic virus (OkMV) (Tymovirus)*  
*Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)*  
*Ononis yellow mosaic virus (OYMV) (Tymovirus)*  
*Opuntia Sammons' virus (SOV) (Tobamovirus)*  
*Ornithogalum mosaic virus*  
*Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)*  
*Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)*  
*Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)*  
*Papaya meleira virus (PMeV)*  
*Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)*  
*Paprika mild mottle virus (PaMMV) (Tobamovirus)*  
*Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)*  
*Parsnip leafcurl virus*  
*Parsnip mosaic virus (ParMV)*  
*Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)*  
*Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)*  
*Passiflora latent virus (PLV) (Carlavirus)*  
*Passiflora South African virus (Potyviridae, potyvirus)*  
*Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)*  
*Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)*  
*Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)*  
*Patchouli mosaic virus (Potyviridae, potyvirus)*  
*Pea early browning virus (PEBV) (Tobravirus)*  
*Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)*  
*Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)*  
*Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)*  
*Pea mosaic virus (Potyviridae, potyvirus)*  
*Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)*

*Peanut green mosaic virus* (Potyviridae, potyvirus)  
*Peanut stunt virus* (PSV) (Bromoviridae, cucumovirus)  
*Peanut yellow spot virus* (PeYMV) (Tospovirus)  
*Peach American mosaic virus*  
*Peach latent mosaic viroid* (PLMVd)  
*Peach mosaic virus* (PMV) (Trichovirus)  
*Peach rosette mosaic virus* (PRMV) (Comoviridae, Nepovirus)  
*Peanut clump virus* (PCV) (Pecluvirus)  
*Pear blister canker viroid* (PBCVd) (Pospiviroidae, Apscaviriod)  
*Pear necrotic spot virus*  
*Pepper chat fruit viroid* (PCFVd) (Pospiviroidae, Pospiviroid)  
*Pineapple bacilliform virus* (PBV) (Badnavirus, Caulimoviridae)  
*Pineapple mealybug wilt-associated virus-1* (PMWaV-1) (Ampelovirus, Closteroviridae)  
*Pineapple mealybug wilt-associated virus-2* (PMWaV-2) (Ampelovirus, Closteroviridae)  
*Plum American line pattern virus* (APLPV) (Ilarvirus, Bromoviridae)  
*Plum bark split virus*  
*Plum pox virus* (PPV) (Potyviridae, Potyvirus)  
*Plum rusty blotch*  
*Potato black ringspot virus* (PBRSV) (Comoviridae, Nepovirus)  
*Potato deforming mosaic virus*  
*Potato mop-top virus* (PMTV) (Pomovirus)  
*Potato virus T* (PVT) (Trichovirus)  
*Potato virus U* (PVU) (Comoviridae, Nepovirus)  
*Potato virus V* (PVV) (Potyviridae, Potyvirus)  
*Potato yellow dwarf virus* (PYDV) (Rhabdoviridae, Nucleorhabdovirus)  
*Potato yellow vein virus* (PYVV) (Closteroviridae, Crinivirus)  
*Potato yellowing virus*  
*Prune dwarf virus* (PDV) (Bromoviridae, Ilarvirus)  
*Prunus necrotic ringspot virus* (PNRSV) (Bromoviridae, Ilarvirus)  
*Raspberry leaf curl virus*  
*Raspberry ringspot virus* (RpRSV) (Comoviridae, Nepovirus)  
*Red clover mottle virus* (RCMV) (Comoviridae, Comovirus)  
*Rice gall dwarf virus* (RGDV) (Reoviridae, Phytoreovirus)  
*Rice tungro bacilliform virus* (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)  
*Rice tungro spherical virus* (RTSV) (Sequiviridae, Waikavirus)  
*Rice yellow mottle virus* (RYMV) (Sobemovirus)  
*Ruprestis stem pitting-associated virus* (Foveavirus, Flexiviridae)  
*Squash leaf curl virus* (SLCV) (Geminiviridae, Begomovirus)  
*Squash mosaic virus* (SqMV) (Comoviridae, Comovirus)  
*Strawberry latent ringspot virus* (SLRSV) (Sadwavirus)  
*Strawberry veinbanding virus* (SVBV) (Caulimoviridae, Caulimovirus)  
*Sugarcane yellow leaf virus* (ScYLV) (Polerovirus, Luteoviridae)  
*Tobacco rattle virus* (TRV) (Tobravirus)  
*Tobacco ringspot virus* (TRSV) (Comoviridae, Nepovirus)  
*Tobacco mosaic virus* (TMV) (Tobamovirus)  
*Tobacco necrosis virus*  
*Tobacco streak virus* (TSV) (Ilarvirus, Bromoviridae)  
*Tomato apical stunt viroid* (TASVd) (Pospiviroidae, Pospiviroid)  
*Tomato black ring virus* (TBRV) (Comoviridae, Nepovirus)

*Tomato brown rugose fruit virus* (ToBRFV) (Virgaviridae, Tobamovirus)  
*Tomato bushy stunt virus* (TBSV) (Tombusvirus, Tombusviridae)  
*Tomato chlorotic dwarf viroid* (TCDVd) (Pospiviroidae, Pospiviroid)  
*Tomato mottle mosaic virus* (ToMMV) (Virgaviridae, Tobamovirus)  
*Tomato mottle virus* (ToMoV) (Geminiviridae, Begomovirus)  
*Tomato planta macho viroid* (TPMVd) (Pospiviroidae, Pospiviroid)  
*Tomato ringspot virus* (ToRSV) (Comoviridae, Nepovirus)  
*Tomato yellow leaf curl virus* (TYLCV) (Geminiviridae, Begomovirus)  
*Tulare apple mosaic virus* (TAMV) (Ilarvirus, Bromoviridae)  
*Tulip breaking virus*  
*Ullucus virus C* (UVC) (Comoviridae, comovirus)  
*Ullucus mild mottle virus* (UMMV) (Tobamovirus)  
*Ullucus mosaic virus* (UMV) (Potyviridae, potyvirus)  
*Urd bean leaf crinkle virus*  
*Vallota mosaic virus* (ValMV) (Potyviridae, potyvirus)  
*Vanilla mosaic virus* (VanMV) (Potyviridae, potyvirus)  
*Vanilla necrosis virus* (Potyviridae, potyvirus)  
*Velvet tobacco mottle virus* (VTMoV) (Sobemovirus)  
*Viola mottle virus* (VMV) (Potexvirus)  
*Voandzeia distortion mosaic virus* (Potyviridae, potyvirus)  
*Voandzeia necrotic mosaic virus* (VNMV) (Tymovirus)  
*Watercress yellow spot virus* (WYSV)  
*Watermelon chlorotic stunt virus* (WmCSV) (Geminiviridae, bigeminivirus)  
*Watermelon curly mottle virus* (WmCMV) (Geminiviridae, bigeminivirus)  
*Watermelon mosaic virus 2* (WMV-2) (Potyviridae, potyvirus)  
*Wheat American striate mosaic virus* (WASMV) (Rhabdovirus, ucleorhabdovirus)  
*Wheat yellow leaf virus* (WYLV) (Closteroviridae, Closterovirus)  
*Wheat dwarf virus* (WDV) (Geminiviridae, monogeminivirus)  
*Wheat soil-borne mosaic virus* (SBWMV) (Furovirus)  
*Wheat streak mosaic virus* (WSMV) (Potyviridae, rymovirus)  
*Wheat spindle streak mosaic virus* (WSSMV) (Potyvirida, bymovirus)  
*Wheat yellow mosaic virus* (WYMV) (Potyviridae, bymovirus)  
*White clover mosaic virus* (WClMV) (Potexvirus)  
*Wild cucumber mosaic virus* (WCMV) (Tymovirus)  
*Wild potato mosaic* (WPMV) (Potyviridae, Potyvirus)  
*Wineberry latent virus* (WLV)  
*Wisteria vein mosaic virus* (WVMV) (Potyviridae, Potyvirus)  
*Yam mosaic virus* (YMV) (Potyviridae, Potyvirus)  
*Zucchini yellow fleck virus* (ZYFV) (Potyviridae, Potyvirus)  
 備註：以上病毒之媒介有害生物亦一併列入管制