

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十點修正草案對照表

修正規定	現行規定	說明
<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群(Taxa)有害生物採取檢疫處理措施。</p> <p>昆蟲類(345種)</p> <p><i>Acalolepta cervina</i>  <i>Acanthoscelides obtectus</i>  <i>Acanthoscelides pallidipennis</i>  <i>Acleris gloverana</i>  <i>Acleris variana</i>  <i>Acrogonia terminalis</i>  <i>Acrolepiopsis assectella</i>  <i>Acropolitis rudisana</i>  <i>Adelges tsugae</i>  <i>Adoxophyes orana</i>  <i>Aeolesthes sarta</i>  <i>Aeolothrips fasciatus</i>  <i>Aethina tumida</i>  <i>Affirmaspis socotrana</i>  <i>Agrilus mali</i>  <i>Amorbia emigratella</i>  <i>Anaphothrips obscurus</i>  <i>Anastrepha grandis</i>  <i>Anastrepha striata</i>  <i>Anastrepha suspensa</i>  <i>Anchastus swezeyi</i>  <i>Anomala sulcatula</i>  <i>Anthonomus bisignifer</i>  <i>Anthonomus eugenii</i>  <i>Anthonomus grandis</i>  <i>Aonidiella lauretorum</i>  <i>Aonidiella orientalis</i>  <i>Aonidiella tinerfinensis</i>  <i>Aphis fabae</i>  <i>Aphis sedi</i></p>	<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群(Taxa)有害生物採取檢疫處理措施。</p> <p>昆蟲類(342種)</p> <p><i>Acalolepta cervina</i>  <i>Acanthoscelides obtectus</i>  <i>Acanthoscelides pallidipennis</i>  <i>Acleris gloverana</i>  <i>Acleris variana</i>  <i>Acrogonia terminalis</i>  <i>Acrolepiopsis assectella</i>  <i>Acropolitis rudisana</i>  <i>Adelges tsugae</i>  <i>Adoxophyes orana</i>  <i>Aeolesthes sarta</i>  <i>Aeolothrips fasciatus</i>  <i>Aethina tumida</i>  <i>Affirmaspis socotrana</i>  <i>Agrilus mali</i>  <i>Amorbia emigratella</i>  <i>Anaphothrips obscurus</i>  <i>Anastrepha grandis</i>  <i>Anastrepha striata</i>  <i>Anastrepha suspensa</i>  <i>Anchastus swezeyi</i>  <i>Anomala sulcatula</i>  <i>Anthonomus bisignifer</i>  <i>Anthonomus eugenii</i>  <i>Anthonomus grandis</i>  <i>Aonidiella lauretorum</i>  <i>Aonidiella orientalis</i>  <i>Aonidiella tinerfinensis</i>  <i>Aphis fabae</i>  <i>Aphis sedi</i></p>	<p>一、依據風險評估結果，<i>Apomyelois ceratoniae</i> 與 <i>Coscinoptyha improbana</i> 屬高風險物種，其不產於台灣鄰近地區，因此傳入之管道可能為鮮果實，為避免其傳入危害我國農業生產安全，爰予以增列。</p> <p>二、依據風險評估結果，<i>Grapholita dimorpha</i> 屬高風險物種，且產於台灣鄰近地區，因此除鮮果實傳入之途徑外，亦不排除夾藏於貨櫃中遷入之可能性，為避免其傳入危害我國農業生產安全，爰予以增列。</p> <p>三、另修正部分學名或屬名繕打錯誤。</p>

<p><i>Apis mellifera capensis</i>  <i>Apis mellifera scutellata</i>  <u><i>Apomyelois ceratoniae</i></u>  <i>Archips micaceanus</i>  <i>Argyrotaenia ljugiana</i>  <i>Artitropa comus</i>  <i>Aspidiotus nerii</i>  <i>Aspidiotus spinosus</i>  <i>Asterolecanium</i> spp.  <i>Bactrocera albistrigata</i>  <i>Bactrocera aquilonis</i>  <i>Bactrocera cucumis</i>  <i>Bactrocera decipiens</i>  <i>Bactrocera diversa</i>  <i>Bactrocera facialis</i>  <i>Bactrocera frauenfeldi</i>  <i>Bactrocera jarvisi</i>  <i>Bactrocera kirki</i>  <i>Bactrocera latifrons</i>  <i>Bactrocera melanota</i>  <i>Bactrocera musae</i>  <i>Bactrocera neohumeralis</i>  <i>Bactrocera occipitalis</i>  <i>Bactrocera oleae</i>  <i>Bactrocera passiflorae</i>  <i>Bactrocera psidii</i>  <i>Bactrocera trivialis</i>  <i>Bactrocera tuberculata</i>  <i>Bactrocera umbrosa</i>  <i>Bagrada hilaris</i>  <i>Bactrocera xanthodes</i>  <i>Bemisia cordylinidis</i>  <i>Blitopertha orientalis</i>  <i>Brachycaudus cardui</i>  <i>Brachycaudus persicae</i>  <i>Brachycerus</i> spp.  <i>Brachydactyla discoidea</i>  <i>Bruchophagus roddi</i>  <i>Bruchus pisorum</i></p>	<p><i>Apis mellifera capensis</i>  <i>Apis mellifera scutellata</i>    <i>Archips micaceanus</i>  <i>Argyrotaenia ljugiana</i>  <i>Artitropa comus</i>  <i>Aspidiotus nerii</i>  <i>Aspidiotus spinosus</i>  <i>Asterolecanium</i> spp.  <i>Bactrocera albistrigata</i>  <i>Bactrocera aquilonis</i>  <i>Bactrocera cucumis</i>  <i>Bactrocera decipiens</i>  <i>Bactrocera diversa</i>  <i>Bactrocera facialis</i>  <i>Bactrocera frauenfeldi</i>  <i>Bactrocera jarvisi</i>  <i>Bactrocera kirki</i>  <i>Bactrocera latifrons</i>  <i>Bactrocera melanota</i>  <i>Bactrocera musae</i>  <i>Bactrocera neohumeralis</i>  <i>Bactrocera occipitalis</i>  <i>Bactrocera oleae</i>  <i>Bactrocera passiflorae</i>  <i>Bactrocera psidii</i>  <i>Bactrocera trivialis</i>  <i>Bactrocera tuberculata</i>  <i>Bactrocera umbrosa</i>  <i>Bagrada hilaris</i>  <i>Bactrocera xanthodes</i>  <i>Bemisia cordylinidis</i>  <i>Blitopertha orientalis</i>  <i>Brachycaudus cardui</i>  <i>Brachycaudus persicae</i>  <i>Brachycerus</i> spp.  <i>Brachydactyla discoidea</i>  <i>Bruchophagus roddi</i>  <i>Bruchus pisorum</i></p>	
--	---	--

<i>Bruchus rufimanus</i>	<i>Bruchus rufimanus</i>	
<i>Bulbifer homeorhynchus</i>	<i>Bulbifer homeorhynchus</i>	
<i>Cacoecimorpha pronubana</i>	<i>Cacoecimorpha pronubana</i>	
<i>Cacopsylla chinensis</i>	<i>Cacopsylla chinensis</i>	
<i>Cacyreus marshalli</i>	<i>Cacyreus marshalli</i>	
<i>Callipogon relictus</i>	<i>Callipogon relictus</i>	
<i>Callosobruchus analis</i>	<i>Callosobruchus analis</i>	
<i>Callosobruchus phaseoli</i>	<i>Callosobruchus phaseoli</i>	
<i>Camponotus floridanus</i>	<i>Camponotus floridanus</i>	
<i>Camponotus herculeanus</i>	<i>Camponotus herculeanus</i>	
<i>Camponotus kiusiuensis</i>	<i>Camponotus kiusiuensis</i>	
<i>Camponotus noveboracensis</i>	<i>Camponotus noveboracensis</i>	
<i>Camponotus obscuripes</i>	<i>Camponotus obscuripes</i>	
<i>Camponotus pennsylvanicus</i>	<i>Camponotus pennsylvanicus</i>	
<i>Capitophorus horni</i>	<i>Capitophorus horni</i>	
<i>Capua tortrix</i>	<i>Capua tortrix</i>	
<i>Cataenococcus hispidus</i>	<i>Cataenococcus hispidus</i>	
<i>Catamacta lotinana</i>	<i>Catamacta lotinana</i>	
<i>Ceratitis</i> spp.	<i>Ceratitis</i> spp.	
<i>Chaetanaphothrips signipennis</i>	<i>Chaetanaphothrips signipennis</i>	
<i>Chalcophora japonica</i>	<i>Chalcophora japonica</i>	
<i>Choristoneura conflictana</i>	<i>Choristoneura conflictana</i>	
<i>Choristoneura fumiferana</i>	<i>Choristoneura fumiferana</i>	
<i>Choristoneura occidentalis</i>	<i>Choristoneura occidentalis</i>	
<i>Choristoneura rosaceana</i>	<i>Choristoneura rosaceana</i>	
<i>Chrysomphalus diversicolor</i>	<i>Chrysomphalus diversicolor</i>	
<i>Chrysomphalus pinnulifer</i>	<i>Chrysomphalus pinnulifer</i>	
<i>Cilaeopeplus swezeyi</i>	<i>Cilaeopeplus swezeyi</i>	
<i>Coccidohystrix insolita</i>	<i>Coccidohystrix insolita</i>	
<i>Coccus</i> spp.	<i>Coccus</i> spp.	
<i>Conoderus eveillardi</i>	<i>Conoderus eveillardi</i>	
<i>Conoderus rufangulus</i>	<i>Conoderus rufangulus</i>	
<i>Conopia hector</i>	<i>Conopia hector</i>	
<i>Conotrachelus aguacatae</i>	<i>Conotrachelus aguacatae</i>	
<i>Contarinia maculipennis</i>	<i>Contarinia maculipennis</i>	
<i>Contarinia nasturtii</i>	<i>Contarinia nasturtii</i>	
<i>Contarinia sorghicola</i>	<i>Contarinia sorghicola</i>	
<i>Coptotermes curvignathus</i>	<i>Coptotermes curvignathus</i>	
<i>Copturus aguacatae</i>	<i>Copturus aguacatae</i>	

<u><i>Coscinoptycha improbana</i></u>		
<i>Crematogaster matsumurai</i>	<i>Crematogaster matsumurai</i>	
<i>Crematogaster teranishii</i>	<i>Crematogaster teranishii</i>	
<i>Cryptophlebia leucotreta</i>	<i>Cryptophlebia leucotreta</i>	
<i>Cryptorhynchus lapathi</i>	<i>Cryptorhynchus lapathi</i>	
<i>Curculio davidi</i>	<i>Curculio davidi</i>	
<i>Curculio elephas</i>	<i>Curculio elephas</i>	
<i>Curculio nucum</i>	<i>Curculio nucum</i>	
<i>Cydia latiferreana</i>	<i>Cydia latiferreana</i>	
<i>Cydia splendana</i>	<i>Cydia splendana</i>	
<i>Dacus bivittatus</i>	<i>Dacus bivittatus</i>	
<i>Dacus vertebrates</i>	<i>Dacus vertebrates</i>	
<i>Daktulosphaira vitifoliae</i>	<i>Daktulosphaira vitifoliae</i>	
<i>Dasineura mali</i>	<i>Dasineura mali</i>	
<i>Dendroctonus adjunctus</i>	<i>Dendroctonus adjunctus</i>	
<i>Dendroctonus ponderosae</i>	<i>Dendroctonus ponderosae</i>	
<i>Dendroctonus rufipennis</i>	<i>Dendroctonus rufipennis</i>	
<i>Dendrolimus sibiricus</i>	<i>Dendrolimus sibiricus</i>	
<i>Delia antique</i>	<i>Delia antique</i>	
<i>Delia platura</i>	<i>Delia platura</i>	
<i>Diabrotica barberi</i>	<i>Diabrotica barberi</i>	
<i>Diabrotica speciosa</i>	<i>Diabrotica speciosa</i>	
<i>Diabrotica undecimpunctata</i>	<i>Diabrotica undecimpunctata</i>	
<i>Diabrotica virgifera virgifera</i>	<i>Diabrotica virgifera virgifera</i>	
<i>Diaprepes abbreviatus</i>	<i>Diaprepes abbreviatus</i>	
<i>Diaspidiotus gigas</i>	<i>Diaspidiotus gigas</i>	
<i>Diaspidiotus ostreaeformis</i>	<i>Diaspidiotus ostreaeformis</i>	
<i>Diaspidiotus pyri</i>	<i>Diaspidiotus pyri</i>	
<i>Diatraea saccharalis</i>	<i>Diatraea saccharalis</i>	
<i>Dilobopterus costalimai</i>	<i>Dilobopterus costalimai</i>	
<i>Dociostaurus maroccanus</i>	<i>Dociostaurus maroccanus</i>	
<i>Draeculacephala minerva</i>	<i>Draeculacephala minerva</i>	
<i>Dreyfusia piceae</i>	<i>Dreyfusia piceae</i>	
<i>Drosophila suzukii</i>	<i>Drosophila suzukii</i>	
<i>Dryocoetes confuses</i>	<i>Dryocoetes confuses</i>	
<i>Dryocosmus kuriphilus</i>	<i>Dryocosmus kuriphilus</i>	
<i>Dysmicoccus nesophilus</i>	<i>Dysmicoccus nesophilus</i>	
<i>Dyspessa ulula</i>	<i>Dyspessa ulula</i>	
<i>Earias vittella</i>	<i>Earias vittella</i>	

<i>Echinothrips americanus</i>	<i>Echinothrips americanus</i>	
<i>Elytroteinus subtruncatus</i>	<i>Elytroteinus subtruncatus</i>	
<i>Epiphyas postvittana</i>	<i>Epiphyas postvittana</i>	
<i>Epitrix cucumeris</i>	<i>Epitrix cucumeris</i>	
<i>Epitrix tuberis</i>	<i>Epitrix tuberis</i>	
<i>Eriosoma lanigerum</i>	<i>Eriosoma lanigerum</i>	
<i>Eublemma rufimixta</i>	<i>Eublemma rufimixta</i>	
<i>Eucalymnatus tessellatus</i>	<i>Eucalymnatus tessellatus</i>	
<i>Euproctis chrysorrhoea</i>	<i>Euproctis chrysorrhoea</i>	
<i>Eurytoma laricis</i>	<i>Eurytoma laricis</i>	
<i>Eustalodes anthivora</i>	<i>Eustalodes anthivora</i>	
<i>Exosoma lusitanica</i>	<i>Exosoma lusitanica</i>	
<i>Frankliniella</i> spp.	<i>Frankliniella</i> spp.	
<i>Furcaspis oceanica</i>	<i>Furcaspis oceanica</i>	
<i>Glaucothrips glaucus</i>	<i>Glaucothrips glaucus</i>	
<i>Gnathotrichus sulcatus</i>	<i>Gnathotrichus sulcatus</i>	
<i>Gonipterus gibberus</i>	<i>Gonipterus gibberus</i>	
<i>Graphocephala atropunctata</i>	<i>Graphocephala atropunctata</i>	
<i><u>Grapholita dimorpha</u></i>		
<i>Grapholita funebrana</i>	<i>Grapholita funebrana</i>	
<i>Grapholita inopinata</i>	<i>Grapholita inopinata</i>	
<i>Grapholita molesta</i>	<i>Grapholita molesta</i>	
<i>Grapholita packardi</i>	<i>Grapholita packardi</i>	
<i>Grapholita prunivora</i>	<i>Grapholita prunivora</i>	
<i>Heilipus lauri</i>	<i>Heilipus lauri</i>	
<i>Helicoverpa zea</i>	<i>Helicoverpa zea</i>	
<i>Hemiberlesia cyanophylli</i>	<i>Hemiberlesia cyanophylli</i>	
<i>Hemiberlesia palmae</i>	<i>Hemiberlesia palmae</i>	
<i>Hemimene juliana</i>	<i>Hemimene juliana</i>	
<i>Hesperophanes campestris</i>	<i>Hesperophanes campestris</i>	
<i>Heterobostrychus aequalis</i>	<i>Heterobostrychus aequalis</i>	
<i>Heteronychus arator</i>	<i>Heteronychus arator</i>	
<i>Holotrichia mindanaona</i>	<i>Holotrichia mindanaona</i>	
<i>Homalodisca coagulata</i>	<i>Homalodisca coagulata</i>	
<i>Howardia biclavis</i>	<i>Howardia biclavis</i>	
<i>Hylastes ater</i>	<i>Hylastes ater</i>	
<i>Hylurgopinus rufipes</i>	<i>Hylurgopinus rufipes</i>	
<i>Hyphantria cunea</i>	<i>Hyphantria cunea</i>	

**病毒類 (475 種)**

*Abutilon mosaic virus* (AbMV) (*Geminiviridae*, *Begomovirus*)  
*Ageratum yellow vein virus* (AYVV) (*Geminiviridae*, *Begomovirus*)  
*African cassava mosaic virus* (ACMV) (*Geminiviridae*, *Begomovirus*)  
*Agropyron mosaic virus* (AgMV) (*Potyviridae*, *Bymovirus*)  
*Alfalfa cryptic virus 1* (ACV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (*Bromoviridae*, *alfamovirus*)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (*Potyviridae*, *potyvirus*)  
*Amaranthus leaf mottle virus* (AmLMV) (*Potyviridae*, *potyvirus*)  
*American plum line pattern virus* (APLPV) (*Bromoviridae*, *Ilarvirus*)  
*Andean potato latent virus* (APLV) (*Tymovirus*)  
*Andean potato mottle virus* (APMoV) (*Comoviridae*, *Comovirus*)  
*Anthoxanthum latent blanching virus* (ALBV) (*Hordeivirus*)  
*Anthriscus yellows virus* (AYV) (*Sequiviridae*, *waikavirus*)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (*Trichovirus*, *Flexiviridae*)  
*Apple dimple fruit viroid* (ADFVd) (*Apscaviroid*, *Pospiviroidae*)  
*Apple mosaic virus* (ApMV) (*Bromoviridae*, *Ilarvirus*)  
*Apple scar skin viroid* (ASSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Apple stem grooving virus* (ASGV) (*Capillovirus*, *Flexiviridae*)  
*Apple stem pitting virus* (ASPV) (*Foveavirus*, *Flexiviridae*)  
*Araujia mosaic virus* (ArjMV) (*Potyviridae*, *potyvirus*)  
*Arracacha Virus A* (AVA) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus B* (AVB) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus Y* (AVY) (*Potyviridae*, *potyvirus*)  
*Artichoke Italian latent virus* (AILV) (*Comoviridae*, *nepovirus*)  
*Artichoke latent virus* (ArLV) (*Potyviridae*, *potyvirus*)  
*Artichoke mottled crinkle virus* (AMCV) (*Tombusviridae*, *Tombusvirus*)  
*Artichoke yellow ringspot virus* (AYRSV) (*Comoviridae*, *Nepovirus*)  
*Asparagus virus 1* (AV-1) (*Potyviridae*, *potyvirus*)  
*Asparagus virus 2* (AV-2) (*Bromoviridae*, *ilarvirus*)  
*Asparagus virus 3* (AV-3) (*Potexvirus*)  
*Banana bunchy top virus* (BBTV) (*Nanovirus*)  
*Barley mild mosaic virus* (BaMMV) (*Potyviridae*, *bymovirus*)  
*Barley mosaic virus* (BBV)  
*Barley yellow dwarf virus-GPV* (BYDV-GPV) (*Luteovirus*)  
*Barley yellow mosaic virus* (BaYMV) (*Potyviridae*, *Bymovirus*)  
*Barley yellow striate mosaic virus* (BYSMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Bean calico mosaic virus* (BCaMV) (*Geminiviridae*, *Begomovirus*)  
*Bean common mosaic virus* (*Potyviridae*, *potyvirus*)  
*Bean golden mosaic virus* (BGMV) (*Geminiviridae*, *Begomovirus*)  
*Bean leaf roll virus* (BLRV) (*Luteoviridae*, *luteovirus*)  
*Bean mild mosaic virus* (BMMV) (*Tombusviridae*, *carmovirus*)  
*Bean pod mottle virus* (BPMV) (*Comoviridae*, *comovirus*)

**病毒類 (475 種)**

*Abutilon mosaic virus* (AbMV) (*Geminiviridae*, *Begomovirus*)  
*Ageratum yellow vein virus* (AYVV) (*Geminiviridae*, *Begomovirus*)  
*African cassava mosaic virus* (ACMV) (*Geminiviridae*, *Begomovirus*)  
*Agropyron mosaic virus* (AgMV) (*Potyviridae*, *Bymovirus*)  
*Alfalfa cryptic virus 1* (ACV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (*Bromoviridae*, *alfamovirus*)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (*Potyviridae*, *potyvirus*)  
*Amaranthus leaf mottle virus* (AmLMV) (*Potyviridae*, *potyvirus*)  
*American plum line pattern virus* (APLPV) (*Bromoviridae*, *Ilarvirus*)  
*Andean potato latent virus* (APLV) (*Tymovirus*)  
*Andean potato mottle virus* (APMoV) (*Comoviridae*, *Comovirus*)  
*Anthoxanthum latent blanching virus* (ALBV) (*Hordeivirus*)  
*Anthriscus yellows virus* (AYV) (*Sequiviridae*, *waikavirus*)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (*Trichovirus*, *Flexiviridae*)  
*Apple dimple fruit viroid* (ADFVd) (*Apscaviroid*, *Pospiviroidae*)  
*Apple mosaic virus* (ApMV) (*Bromoviridae*, *Ilarvirus*)  
*Apple scar skin viroid* (ASSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Apple stem grooving virus* (ASGV) (*Capillovirus*, *Flexiviridae*)  
*Apple stem pitting virus* (ASPV) (*Foveavirus*, *Flexiviridae*)  
*Araujia mosaic virus* (ArjMV) (*Potyviridae*, *potyvirus*)  
*Arracacha Virus A* (AVA) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus B* (AVB) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus Y* (AVY) (*Potyviridae*, *potyvirus*)  
*Artichoke Italian latent virus* (AILV) (*Comoviridae*, *nepovirus*)  
*Artichoke latent virus* (ArLV) (*Potyviridae*, *potyvirus*)  
*Artichoke mottled crinkle virus* (AMCV) (*Tombusviridae*, *Tombusvirus*)  
*Artichoke yellow ringspot virus* (AYRSV) (*Comoviridae*, *Nepovirus*)  
*Asparagus virus 1* (AV-1) (*Potyviridae*, *potyvirus*)  
*Asparagus virus 2* (AV-2) (*Bromoviridae*, *ilarvirus*)  
*Asparagus virus 3* (AV-3) (*Potexvirus*)  
*Banana bunchy top virus* (BBTV) (*Nanovirus*)  
*Barley mild mosaic virus* (BaMMV) (*Potyviridae*, *bymovirus*)  
*Barley mosaic virus* (BBV)  
*Barley yellow dwarf virus-GPV* (BYDV-GPV) (*Luteovirus*)  
*Barley yellow mosaic virus* (BaYMV) (*Potyviridae*, *Bymovirus*)  
*Barley yellow striate mosaic virus* (BYSMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Bean calico mosaic virus* (BCaMV) (*Geminiviridae*, *Begomovirus*)  
*Bean common mosaic virus* (*Potyviridae*, *potyvirus*)  
*Bean golden mosaic virus* (BGMV) (*Geminiviridae*, *Begomovirus*)  
*Bean leaf roll virus* (BLRV) (*Luteoviridae*, *luteovirus*)  
*Bean mild mosaic virus* (BMMV) (*Tombusviridae*, *carmovirus*)  
*Bean pod mottle virus* (BPMV) (*Comoviridae*, *comovirus*)

<p> <i>Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)</i>  <i>Bean southern mosaic virus (SBMV) (sobemovirus)</i>  <i>Bean yellow vein banding virus (BYV BV) (Umbravirus)</i>  <i>Beet distortion mosaic virus</i>  <i>Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)</i>  <i>Beet mosaic virus (BtMV) (Potyviridae, potyvirus)</i>  <i>Beet soil-borne virus (BSBV) (Pomovirus)</i>  <i>Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)</i>  <i>Beet yellows virus (BYV) (Closteroviridae, closterovirus)</i>  <i>Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)</i>  <i>Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)</i>  <i>Beet leaf curl virus (BLCV) (Rhabdoviridae)</i>  <i>Beet necrotic yellow vein virus (BNYVV) (Benyvirus)</i>  <i>Belladonna mottle virus (BeMV) (Tymovirus)</i>  <i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i>  <i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i>  <i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i>  <i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i>  <i>Black raspberry latent ilarvirus</i>  <i>Black raspberry necrosis virus (BRNV)</i>  <i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i>  <i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i>  <i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i>  <i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i>  <i>Blueberry scorch virus (BBScV) (carlavirus)</i>  <i>Blueberry shoestring virus (BSSV) (sobemovirus)</i>  <i>Broad bean B virus</i>  <i>Broad bean necrosis virus (BBNV) (Pomovirus)</i>  <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i>  <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i>  <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i>  <i>Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)</i>  <i>Broad bean yellow ringspot virus</i>  <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i>  <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i>  <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i>  <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i>  <i>Burdock mosaic virus</i>  <i>Burdock mottle virus</i>  <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i>  <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i>  <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i>  <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i>  <i>Cactus virus (CV-2) (Carlavirus)</i>  <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i>  <i>Caper latent virus (CapLV) (Carlavirus)</i> </p>	<p> <i>Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)</i>  <i>Bean southern mosaic virus (SBMV) (sobemovirus)</i>  <i>Bean yellow vein banding virus (BYV BV) (Umbravirus)</i>  <i>Beet distortion mosaic virus</i>  <i>Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)</i>  <i>Beet mosaic virus (BtMV) (Potyviridae, potyvirus)</i>  <i>Beet soil-borne virus (BSBV) (Pomovirus)</i>  <i>Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)</i>  <i>Beet yellows virus (BYV) (Closteroviridae, closterovirus)</i>  <i>Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)</i>  <i>Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)</i>  <i>Beet leaf curl virus (BLCV) (Rhabdoviridae)</i>  <i>Beet necrotic yellow vein virus (BNYVV) (Benyvirus)</i>  <i>Belladonna mottle virus (BeMV) (Tymovirus)</i>  <i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i>  <i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i>  <i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i>  <i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i>  <i>Black raspberry latent ilarvirus</i>  <i>Black raspberry necrosis virus (BRNV)</i>  <i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i>  <i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i>  <i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i>  <i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i>  <i>Blueberry scorch virus (BBScV) (carlavirus)</i>  <i>Blueberry shoestring virus (BSSV) (sobemovirus)</i>  <i>Broad bean B virus</i>  <i>Broad bean necrosis virus (BBNV) (Pomovirus)</i>  <i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i>  <i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i>  <i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i>  <i>Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)</i>  <i>Broad bean yellow ringspot virus</i>  <i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i>  <i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i>  <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i>  <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i>  <i>Burdock mosaic virus</i>  <i>Burdock mottle virus</i>  <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i>  <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i>  <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i>  <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i>  <i>Cactus virus (CV-2) (Carlavirus)</i>  <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i>  <i>Caper latent virus (CapLV) (Carlavirus)</i> </p>	
---	---	--

<p><i>Cardamine chlorotic fleck virus</i> (CCFV) (<i>Tombusviridae</i>, <i>carmovirus</i>)</p> <p><i>Cardamom mosaic virus</i> (CdMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Carnation cryptic virus 1</i> (CCV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carnation etched ring virus</i> (CERV) (<i>Cualimoviridae</i>, <i>caulimovirus</i>)</p> <p><i>Carnation Italian ringspot virus</i> (CIRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>)</p> <p><i>Carnation latent virus</i> (CLV) (<i>Carlavirus</i>)</p> <p><i>Carnation mottle virus</i> (CarMV) (<i>Carmovirus</i>)</p> <p><i>Carnation necrotic fleck virus</i> (CNFV) (<i>Clostreoviridae</i>, <i>closterovirus</i>)</p> <p><i>Carnation ringspot virus</i> (CRSV) (<i>Tombusviridae</i>, <i>dianthovirus</i>)</p> <p><i>Carnation vein mottle virus</i> (CVMoV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Carrot latent virus</i> (CtLV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>)</p> <p><i>Carrot mottle mimic virus</i> (CmoMV) (<i>Umbravirus</i>)</p> <p><i>Carrot mottle virus</i> (CMoV) (<i>Umbravirus</i>)</p> <p><i>Carrot red leaf virus</i> (CtRLV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Carrot temperate virus 1</i> (CteV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot temperate virus 2</i> (CteV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>)</p> <p><i>Carrot temperate virus 3</i> (CteV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot temperate virus 4</i> (CteV-4) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot thin leaf virus</i> (CTLV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cowpea chlorotic mottle virus</i> (CCMV) (<i>Bromoviridae</i>, <i>Bromovirus</i>)</p> <p><i>Cowpea golden mosaic virus</i> (CPGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Cowpea green vein-banding virus</i> (CGVBV) (<i>Potyviridae</i>, <i>Potyvirus</i>)</p> <p><i>Cowpea mosaic virus</i> (CPMV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Cowpea rugose mosaic virus</i> (CPRMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)</p> <p><i>Cowpea severe mosaic virus</i> (CPSMV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Cowpea stunt virus</i> (<i>Luteovirus</i>)</p> <p><i>Cassava African mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)</p> <p><i>Cassava green mottle virus</i> (CaGMV) (<i>Comoviridae</i>, <i>nepovirus</i>)</p> <p><i>Cassava Indian mosaic virus</i> (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)</p> <p><i>Cassava Ivorian bacilliform virus</i> (CsIBV) (<i>Ourmiavirus</i>)</p> <p><i>Cassava virus X</i> (CsVX) (<i>Potexvirus</i>)</p> <p><i>Cassia mosaic virus</i></p> <p><i>Cassia ringspot virus</i></p> <p><i>Cassia yellow blotch virus</i> (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>)</p> <p><i>Cassia yellow spot virus</i> (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cauliflower mosaic virus</i> (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>)</p> <p><i>Celery mosaic virus</i> (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cereal northern mosaic virus</i> (NCMV) (<i>cytorhabdovirus</i>)</p> <p><i>Cassava brown streak virus</i> (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>)</p> <p><i>Cassava common mosaic virus</i> (CsCMV) (<i>Potexvirus</i>)</p> <p><i>Cereal chlorotic mosaic virus</i> (CCMoV) (<i>Rhabdoviridae</i>)</p>	<p><i>Cardamine chlorotic fleck virus</i> (CCFV) (<i>Tombusviridae</i>, <i>carmovirus</i>)</p> <p><i>Cardamom mosaic virus</i> (CdMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Carnation cryptic virus 1</i> (CCV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carnation etched ring virus</i> (CERV) (<i>Cualimoviridae</i>, <i>caulimovirus</i>)</p> <p><i>Carnation Italian ringspot virus</i> (CIRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>)</p> <p><i>Carnation latent virus</i> (CLV) (<i>Carlavirus</i>)</p> <p><i>Carnation mottle virus</i> (CarMV) (<i>Carmovirus</i>)</p> <p><i>Carnation necrotic fleck virus</i> (CNFV) (<i>Clostreoviridae</i>, <i>closterovirus</i>)</p> <p><i>Carnation ringspot virus</i> (CRSV) (<i>Tombusviridae</i>, <i>dianthovirus</i>)</p> <p><i>Carnation vein mottle virus</i> (CVMoV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Carrot latent virus</i> (CtLV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>)</p> <p><i>Carrot mottle mimic virus</i> (CmoMV) (<i>Umbravirus</i>)</p> <p><i>Carrot mottle virus</i> (CMoV) (<i>Umbravirus</i>)</p> <p><i>Carrot red leaf virus</i> (CtRLV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Carrot temperate virus 1</i> (CteV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot temperate virus 2</i> (CteV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>)</p> <p><i>Carrot temperate virus 3</i> (CteV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot temperate virus 4</i> (CteV-4) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)</p> <p><i>Carrot thin leaf virus</i> (CTLV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cowpea chlorotic mottle virus</i> (CCMV) (<i>Bromoviridae</i>, <i>Bromovirus</i>)</p> <p><i>Cowpea golden mosaic virus</i> (CPGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Cowpea green vein-banding virus</i> (CGVBV) (<i>Potyviridae</i>, <i>Potyvirus</i>)</p> <p><i>Cowpea mosaic virus</i> (CPMV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Cowpea rugose mosaic virus</i> (CPRMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)</p> <p><i>Cowpea severe mosaic virus</i> (CPSMV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Cowpea stunt virus</i> (<i>Luteovirus</i>)</p> <p><i>Cassava African mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)</p> <p><i>Cassava green mottle virus</i> (CaGMV) (<i>Comoviridae</i>, <i>nepovirus</i>)</p> <p><i>Cassava Indian mosaic virus</i> (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)</p> <p><i>Cassava Ivorian bacilliform virus</i> (CsIBV) (<i>Ourmiavirus</i>)</p> <p><i>Cassava virus X</i> (CsVX) (<i>Potexvirus</i>)</p> <p><i>Cassia mosaic virus</i></p> <p><i>Cassia ringspot virus</i></p> <p><i>Cassia yellow blotch virus</i> (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>)</p> <p><i>Cassia yellow spot virus</i> (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cauliflower mosaic virus</i> (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>)</p> <p><i>Celery mosaic virus</i> (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Cereal northern mosaic virus</i> (NCMV) (<i>cytorhabdovirus</i>)</p> <p><i>Cassava brown streak virus</i> (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>)</p> <p><i>Cassava common mosaic virus</i> (CsCMV) (<i>Potexvirus</i>)</p> <p><i>Cereal chlorotic mosaic virus</i> (CCMoV) (<i>Rhabdoviridae</i>)</p>	
---	---	--

<p>Cherry green ring mottle virus (CGRMV) (<i>Foveavirus</i>)  Cherry leaf roll virus (CLRV) (<i>Comoviridae, Nepovirus</i>)  Cherry mottle leaf virus (CMLV) (<i>Trichovirus</i>)  Cherry rasp leaf virus (CRLV) (<i>Comoviridae, Nepovirus</i>)  Cherry virus A (CVA) (<i>Capillovirus</i>)  Chickpea bushy dwarf virus (CpBDV) (<i>Potyviridae, potyvirus</i>)  Chickpea distortion mosaic virus (<i>Potyviridae, potyvirus</i>)  Chicory virus (ChVX) (<i>potexvirus</i>)  Chicory yellow mottle virus (ChYMV) (<i>Comoviridae, nepovirus</i>)  Chino del tomate virus (CdTV) (<i>Geminiviridae, bigeminivirus</i>)  Chloris striate mosaic virus (CSMV) (<i>Geminiviridae, monogeminivirus</i>)  Chrysanthemum virus B (CVB) (<i>Carlavirus</i>)  Citrus blight disease  Citrus leprosis virus (CiLV) (<i>Rhabdoviridae</i>)  Citrus yellow mosaic virus (CiYMV) (<i>Caulimoviridae, Badnavirus</i>)  Citrus leaf rugose virus (CiLRV) (<i>Rhabdoviridae, ilarvirus</i>)  Citrus ringspot virus  Citrus sudden death-associated virus (CSD- associated virus) (<i>Marafivirus, Tymoviridae</i>)  Citrus variegation virus (CVV) (<i>Bromoviridae, ilarvirus</i>)  Clitoria yellow vein virus (CYVV) (<i>Tymovirus</i>)  Clover mild mosaic virus  Clover wound tumor virus (WTV) (<i>Phytoreovirus</i>)  Clover yellow mosaic virus (CIYMV) (<i>potexvirus</i>)  Clover yellows virus (CYV) (<i>Closteroviridae, closterovirus</i>)  Clover yellow vein virus (CIYVV) (<i>Potyviridae, potyvirus</i>)  Cocksfoot mottle virus (CoMV) (<i>Sobemovirus</i>)  Coconut foliar decay virus (CFDV) (<i>Nanavirus</i>)  Commelina diffusa virus (<i>Potyviridae, potyvirus</i>)  Commelina mosaic virus (ComMV) (<i>Potyviridae, potyvirus</i>)  Commelina virus X (ComVX) (<i>potexvirus</i>)  Commelina yellow mottle virus (ComYMV) (<i>Caulimoviridae, badnavirus</i>)  Columnea latent viroid (CLVd) (<i>Pospiviroidae, Pospiviroid</i>)  Cocksfoot mild mosaic virus (CoMV) (<i>Sobemovirus</i>)  Cocoa mottle leaf virus  Cocoa necrosis virus (CoNV) (<i>Comoviridae, Nepovirus</i>)  Cocoa swollen shoot virus (CSSV) (<i>Caulimoviridae, Badnavirus</i>)  Cocoa yellow mosaic virus  Colombian datura virus (CDV) (<i>Potyviridae, Potyvirus</i>)  Coriander feathery red vein virus (CFRVV) (<i>Rhabdoviridae, nucleorhabdovirus</i>)  Cotton leaf curl virus (CLCuV) (<i>Geminiviridae, Begomovirus</i>)  Cotton leaf crumple virus (CLCrV) (<i>Geminiviridae, bigeminivirus</i>)  Cowpea mild mottle virus (CPMMV) (<i>Carlavirus</i>)  Crimson clover latent virus (CCLV) (<i>Comoviridae, nepovirus</i>)  Crinum mosaic virus (CriMV) (<i>Potyviridae, potyvirus</i>)  Croton yellow vein mosaic virus (CYVMV) (<i>Geminiviridae, bigeminivirus</i>)  Cucumber green mottle mosaic virus (CGMMV) (<i>Tobamovirus</i>)</p>	<p>Cherry green ring mottle virus (CGRMV) (<i>Foveavirus</i>)  Cherry leaf roll virus (CLRV) (<i>Comoviridae, Nepovirus</i>)  Cherry mottle leaf virus (CMLV) (<i>Trichovirus</i>)  Cherry rasp leaf virus (CRLV) (<i>Comoviridae, Nepovirus</i>)  Cherry virus A (CVA) (<i>Capillovirus</i>)  Chickpea bushy dwarf virus (CpBDV) (<i>Potyviridae, potyvirus</i>)  Chickpea distortion mosaic virus (<i>Potyviridae, potyvirus</i>)  Chicory virus (ChVX) (<i>potexvirus</i>)  Chicory yellow mottle virus (ChYMV) (<i>Comoviridae, nepovirus</i>)  Chino del tomate virus (CdTV) (<i>Geminiviridae, bigeminivirus</i>)  Chloris striate mosaic virus (CSMV) (<i>Geminiviridae, monogeminivirus</i>)  Chrysanthemum virus B (CVB) (<i>Carlavirus</i>)  Citrus blight disease  Citrus leprosis virus (CiLV) (<i>Rhabdoviridae</i>)  Citrus yellow mosaic virus (CiYMV) (<i>Caulimoviridae, Badnavirus</i>)  Citrus leaf rugose virus (CiLRV) (<i>Rhabdoviridae, ilarvirus</i>)  Citrus ringspot virus  Citrus sudden death-associated virus (CSD- associated virus) (<i>Marafivirus, Tymoviridae</i>)  Citrus variegation virus (CVV) (<i>Bromoviridae, ilarvirus</i>)  Clitoria yellow vein virus (CYVV) (<i>Tymovirus</i>)  Clover mild mosaic virus  Clover wound tumor virus (WTV) (<i>Phytoreovirus</i>)  Clover yellow mosaic virus (CIYMV) (<i>potexvirus</i>)  Clover yellows virus (CYV) (<i>Closteroviridae, closterovirus</i>)  Clover yellow vein virus (CIYVV) (<i>Potyviridae, potyvirus</i>)  Cocksfoot mottle virus (CoMV) (<i>Sobemovirus</i>)  Coconut foliar decay virus (CFDV) (<i>Nanavirus</i>)  Commelina diffusa virus (<i>Potyviridae, potyvirus</i>)  Commelina mosaic virus (ComMV) (<i>Potyviridae, potyvirus</i>)  Commelina virus X (ComVX) (<i>potexvirus</i>)  Commelina yellow mottle virus (ComYMV) (<i>Caulimoviridae, badnavirus</i>)  Columnea latent viroid (CLVd) (<i>Pospiviroidae, Pospiviroid</i>)  Cocksfoot mild mosaic virus (CoMV) (<i>Sobemovirus</i>)  Cocoa mottle leaf virus  Cocoa necrosis virus (CoNV) (<i>Comoviridae, Nepovirus</i>)  Cocoa swollen shoot virus (CSSV) (<i>Caulimoviridae, Badnavirus</i>)  Cocoa yellow mosaic virus  Colombian datura virus (CDV) (<i>Potyviridae, Potyvirus</i>)  Coriander feathery red vein virus (CFRVV) (<i>Rhabdoviridae, nucleorhabdovirus</i>)  Cotton leaf curl virus (CLCuV) (<i>Geminiviridae, Begomovirus</i>)  Cotton leaf crumple virus (CLCrV) (<i>Geminiviridae, bigeminivirus</i>)  Cowpea mild mottle virus (CPMMV) (<i>Carlavirus</i>)  Crimson clover latent virus (CCLV) (<i>Comoviridae, nepovirus</i>)  Crinum mosaic virus (CriMV) (<i>Potyviridae, potyvirus</i>)  Croton yellow vein mosaic virus (CYVMV) (<i>Geminiviridae, bigeminivirus</i>)  Cucumber green mottle mosaic virus (CGMMV) (<i>Tobamovirus</i>)</p>	
--	--	--

<p><i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i>  <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i>  <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i>  <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i>  <i>Cucumber vein yellowing virus (CVYV)</i>  <i>Cucurbit chlorotic yellows virus (CCYV) (Closteroviridae, Crinivirus)</i>  <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i>  <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i>  <i>Cynodon chlorotic streak virus</i>  <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i>  <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus )</i>  <i>Dandelion latent virus (DaLV) (Carlavirus)</i>  <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i>  <i>Daphne virus X (DVX) (Potexvirus)</i>  <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i>  <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i>  <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i>  <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i>  <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i>  <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i>  <i>Datura distortion virus</i>  <i>Datura enation mosaic virus</i>  <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i>  <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i>  <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i>  <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i>  <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i>  <i>Dioscorea alata virus (Potyviridae, potyvirus)</i>  <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i>  <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i>  <i>Dodonaea yellows-associated virus</i>  <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i>  <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>  <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i>  <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i>  <i>Elderberry virus (EV) (Carlavirus 1)</i>  <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i>  <i>Erysimum latent virus (ErLV) (Tymovirus)</i>  <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>  <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i>  <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i>  <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i>  <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i>  <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i>  <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i></p>	<p><i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i>  <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i>  <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i>  <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i>  <i>Cucumber vein yellowing virus (CVYV)</i>  <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i>  <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i>  <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i>  <i>Cynodon chlorotic streak virus</i>  <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i>  <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus )</i>  <i>Dandelion latent virus (DaLV) (Carlavirus)</i>  <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i>  <i>Daphne virus X (DVX) (Potexvirus)</i>  <i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i>  <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i>  <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i>  <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i>  <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i>  <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i>  <i>Datura distortion virus</i>  <i>Datura enation mosaic virus</i>  <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i>  <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i>  <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i>  <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i>  <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i>  <i>Dioscorea alata virus (Potyviridae, potyvirus)</i>  <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i>  <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i>  <i>Dodonaea yellows-associated virus</i>  <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i>  <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>  <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i>  <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i>  <i>Elderberry virus (EV) (Carlavirus 1)</i>  <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i>  <i>Erysimum latent virus (ErLV) (Tymovirus)</i>  <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>  <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i>  <i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i>  <i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i>  <i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i>  <i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i>  <i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i></p>	
--	--	--

<p> <i>Fig virus S (FVS) (Carlavirus)</i>  <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i>  <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i>  <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i>  <i>French bean mosaic virus</i>  <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i>  <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i>  <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i>  <i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i>  <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i>  <i>Grapevine asteroid mosaic virus</i>  <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i>  <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i>  <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i>  <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i>  <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i>  <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i>  <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i>  <i>Grapevine fleck virus (GFkV)</i>  <i>Grapevine stunt virus</i>  <i>Grapevine vein necrosis virus</i>  <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i>  <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i>  <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i>  <i>Groundnut chlorotic leaf streak virus</i>  <i>Groundnut chlorotic spotting virus</i>  <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i>  <i>Groundnut rosette virus (GRV) (Umbravirus)</i>  <i>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)</i>  <i>Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)</i>  <i>Guar top necrosis virus</i>  <i>Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)</i>  <i>Helenium virus S (HVS) (Carlavirus)</i>  <i>Helenium virus Y (HVY) (Potyviridae, Potyvirus)</i>  <i>Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)</i>  <i>Heracleum latent virus (HLV) (Vitivirus)</i>  <i>Hibiscus latent ringspot virus (HLRSV) (Comoviridae, )nepovirus</i>  <i>Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)</i>  <i>Hippeastrum mosaic virus</i>  <i>Honeysuckle latent virus (LnLV) (Carlavirus)</i>  <i>Hop American latent (AHLV) (Carlavirus)</i>  <i>Hop latent virus (HpLV) (Carlavirus)</i>  <i>Hop mosaic virus (HpMV) (Carlavirus)</i> </p>	<p> <i>Fig virus S (FVS) (Carlavirus)</i>  <i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i>  <i>Foxtail mosaic virus (FoMV) (Potexvirus)</i>  <i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i>  <i>French bean mosaic virus</i>  <i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i>  <i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i>  <i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i>  <i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i>  <i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i>  <i>Grapevine asteroid mosaic virus</i>  <i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i>  <i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i>  <i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i>  <i>Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)</i>  <i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i>  <i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i>  <i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i>  <i>Grapevine fleck virus (GFkV)</i>  <i>Grapevine stunt virus</i>  <i>Grapevine vein necrosis virus</i>  <i>Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)</i>  <i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i>  <i>Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)</i>  <i>Groundnut chlorotic leaf streak virus</i>  <i>Groundnut chlorotic spotting virus</i>  <i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i>  <i>Groundnut rosette virus (GRV) (Umbravirus)</i>  <i>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)</i>  <i>Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)</i>  <i>Guar top necrosis virus</i>  <i>Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)</i>  <i>Helenium virus S (HVS) (Carlavirus)</i>  <i>Helenium virus Y (HVY) (Potyviridae, Potyvirus)</i>  <i>Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)</i>  <i>Heracleum latent virus (HLV) (Vitivirus)</i>  <i>Hibiscus latent ringspot virus (HLRSV) (Comoviridae, )nepovirus</i>  <i>Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)</i>  <i>Hippeastrum mosaic virus</i>  <i>Honeysuckle latent virus (LnLV) (Carlavirus)</i>  <i>Hop American latent (AHLV) (Carlavirus)</i>  <i>Hop latent virus (HpLV) (Carlavirus)</i>  <i>Hop mosaic virus (HpMV) (Carlavirus)</i> </p>	
--	--	--

<p><i>Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)</i></p> <p><i>Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)</i></p> <p><i>Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)</i></p> <p><i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i></p> <p><i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i></p> <p><i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i></p> <p><i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i></p> <p><i>Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)</i></p> <p><i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i></p> <p><i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i></p> <p><i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i></p> <p><i>Iris Japanese necrotic ring virus</i></p> <p><i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i></p> <p><i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i></p> <p><i>Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)</i></p> <p><i>Indian peanut clump virus (PCV) (Pecluvirus)</i></p> <p><i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i></p> <p><i>Iranian maize mosaic virus</i></p> <p><i>Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)</i></p> <p><i>Kalanchoe isometric virus</i></p> <p><i>Kalanchoe latent virus (KLV) (Carlavirus)</i></p> <p><i>Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)</i></p> <p><i>Kennedya yellow mosaic virus (KYMV) (Tymovirus)</i></p> <p><i>Kennedya virus Y (KVY) (Potyviridae, Potyvirus)</i></p> <p><i>Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)</i></p> <p><i>Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)</i></p> <p><i>Kober stem grooving</i></p> <p><i>Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)</i></p> <p><i>Lato River virus (LRV) (Tombusviridae, tombusvirus)</i></p> <p><i>Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)</i></p> <p><i>Lettuce big-vein virus (LBVV) (Varicosavirus)</i></p> <p><i>Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)</i></p> <p><i>Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)</i></p> <p><i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i></p> <p><i>Lilac chlorotic leafspot virus (LCLV) (Capillovirus)</i></p> <p><i>Lilac mottle virus (LiMV) (Carlavirus)</i></p> <p><i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i></p> <p><i>Lily mottle virus (LMoV) (Potyviridae, potyvirus)</i></p> <p><i>Lily virus X (LVX) (Potexvirus)</i></p> <p><i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i></p> <p><i>Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i></p> <p><i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i></p> <p><i>LN33 stem grooving</i></p>	<p><i>Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)</i></p> <p><i>Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)</i></p> <p><i>Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)</i></p> <p><i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i></p> <p><i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i></p> <p><i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i></p> <p><i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i></p> <p><i>Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)</i></p> <p><i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i></p> <p><i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i></p> <p><i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i></p> <p><i>Iris Japanese necrotic ring virus</i></p> <p><i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i></p> <p><i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i></p> <p><i>Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)</i></p> <p><i>Indian peanut clump virus (PCV) (Pecluvirus)</i></p> <p><i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i></p> <p><i>Iranian maize mosaic virus</i></p> <p><i>Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)</i></p> <p><i>Kalanchoe isometric virus</i></p> <p><i>Kalanchoe latent virus (KLV) (Carlavirus)</i></p> <p><i>Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)</i></p> <p><i>Kennedya yellow mosaic virus (KYMV) (Tymovirus)</i></p> <p><i>Kennedya virus Y (KVY) (Potyviridae, Potyvirus)</i></p> <p><i>Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)</i></p> <p><i>Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)</i></p> <p><i>Kober stem grooving</i></p> <p><i>Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)</i></p> <p><i>Lato River virus (LRV) (Tombusviridae, tombusvirus)</i></p> <p><i>Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)</i></p> <p><i>Lettuce big-vein virus (LBVV) (Varicosavirus)</i></p> <p><i>Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)</i></p> <p><i>Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)</i></p> <p><i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i></p> <p><i>Lilac chlorotic leafspot virus (LCLV) (Capillovirus)</i></p> <p><i>Lilac mottle virus (LiMV) (Carlavirus)</i></p> <p><i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i></p> <p><i>Lily mottle virus (LMoV) (Potyviridae, potyvirus)</i></p> <p><i>Lily virus X (LVX) (Potexvirus)</i></p> <p><i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i></p> <p><i>Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i></p> <p><i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i></p> <p><i>LN33 stem grooving</i></p>	
---	---	--

<p><i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i></p> <p><i>Lucerne vein yellowing virus</i></p> <p><i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i></p> <p><i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i></p> <p><i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i></p> <p><i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i></p> <p><i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i></p> <p><i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i></p> <p><i>Maize line virus</i></p> <p><i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i></p> <p><i>Maize rayado fino virus (MRFV) (Marafivirus)</i></p> <p><i>Maize white line mosaic virus (MWLMV)</i></p> <p><i>Maize mottle/chlorotic stunt virus</i></p> <p><i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i></p> <p><i>Maize streak virus (MSV) (Genimiviridae, Mastrevirus)</i></p> <p><i>Malvastrum mottle virus</i></p> <p><i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i></p> <p><i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i></p> <p><i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i></p> <p><i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i></p> <p><i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i></p> <p><i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i></p> <p><i>Milk vetch dwarf virus (MDV) (Nanovirus)</i></p> <p><i>Mimosa mosaic virus</i></p> <p><i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i></p> <p><i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i></p> <p><i>Mulberry latent virus (MLV) (Carlavirus)</i></p> <p><i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i></p> <p><i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i></p> <p><i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i></p> <p><i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i></p> <p><i>Narcissus mosaic virus (NMV) (Potexvirus)</i></p> <p><i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i></p> <p><i>Natsudaikai dwarf virus (NDV) (Sadwavirus)</i></p> <p><i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i></p> <p><i>Nerine latent virus (NeLV) (Carlavirus)</i></p> <p><i>Nerine virus (NV) (Potyviridae, potyvirus)</i></p> <p><i>Nerine virus X (NVX) (Potexvirus)</i></p> <p><i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i></p> <p><i>Oak ringspot virus</i></p> <p><i>Oat blue dwarf virus (OBDV) (Marafivirus)</i></p> <p><i>Oat golden stripe virus (OGSV) (Furovirus)</i></p> <p><i>Oat mosaic virus (OMV) (Potyviridae, bymovirus)</i></p>	<p><i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i></p> <p><i>Lucerne vein yellowing virus</i></p> <p><i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i></p> <p><i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i></p> <p><i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i></p> <p><i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i></p> <p><i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i></p> <p><i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i></p> <p><i>Maize line virus</i></p> <p><i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i></p> <p><i>Maize rayado fino virus (MRFV) (Marafivirus)</i></p> <p><i>Maize white line mosaic virus (MWLMV)</i></p> <p><i>Maize mottle/chlorotic stunt virus</i></p> <p><i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i></p> <p><i>Maize streak virus (MSV) (Genimiviridae, Mastrevirus)</i></p> <p><i>Malvastrum mottle virus</i></p> <p><i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i></p> <p><i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i></p> <p><i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i></p> <p><i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i></p> <p><i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i></p> <p><i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i></p> <p><i>Milk vetch dwarf virus (MDV) (Nanovirus)</i></p> <p><i>Mimosa mosaic virus</i></p> <p><i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i></p> <p><i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i></p> <p><i>Mulberry latent virus (MLV) (Carlavirus)</i></p> <p><i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i></p> <p><i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i></p> <p><i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i></p> <p><i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i></p> <p><i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i></p> <p><i>Narcissus mosaic virus (NMV) (Potexvirus)</i></p> <p><i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i></p> <p><i>Natsudaikai dwarf virus (NDV) (Sadwavirus)</i></p> <p><i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i></p> <p><i>Nerine latent virus (NeLV) (Carlavirus)</i></p> <p><i>Nerine virus (NV) (Potyviridae, potyvirus)</i></p> <p><i>Nerine virus X (NVX) (Potexvirus)</i></p> <p><i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i></p> <p><i>Oak ringspot virus</i></p> <p><i>Oat blue dwarf virus (OBDV) (Marafivirus)</i></p> <p><i>Oat golden stripe virus (OGSV) (Furovirus)</i></p> <p><i>Oat mosaic virus (OMV) (Potyviridae, bymovirus)</i></p>	
---	---	--

<p><i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i>  <i>Oat red streak mosaic virus</i>  <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i>  <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i>  <i>Okra mosaic virus (OkMV) (Tymovirus)</i>  <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i>  <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i>  <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i>  <i>Ornithogalum mosaic virus</i>  <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i>  <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i>  <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i>  <i>Papaya meleira virus (PMeV)</i>  <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i>  <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i>  <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i>  <i>Parsnip leafcurl virus</i>  <i>Parsnip mosaic virus (ParMV)</i>  <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i>  <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i>  <i>Passiflora latent virus (PLV)(Carlavirus)</i>  <i>Passiflora South African virus (Potyviridae, potyvirus)</i>  <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i>  <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i>  <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i>  <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i>  <i>Pea early browning virus (PEBV) (Tobravirus)</i>  <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i>  <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i>  <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus )</i>  <i>Pea mosaic virus (Potyviridae, potyvirus)</i>  <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i>  <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i>  <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i>  <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i>  <i>Peach American mosaic virus</i>  <i>Peach latent mosaic viroid (PLMVd)</i>  <i>Peach mosaic virus (PMV) (Trichovirus)</i>  <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i>  <i>Peanut clump virus (PCV) (Pecluvirus)</i>  <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscavirioid)</i>  <i>Pear necrotic spot virus</i>  <i>Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)</i>  <i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i>  <i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i>  <i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i>  <i>Plum American line pattern virus (APLPV) (Ilarvirus,</i></p>	<p><i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i>  <i>Oat red streak mosaic virus</i>  <i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i>  <i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i>  <i>Okra mosaic virus (OkMV) (Tymovirus)</i>  <i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i>  <i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i>  <i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i>  <i>Ornithogalum mosaic virus</i>  <i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i>  <i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i>  <i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i>  <i>Papaya meleira virus (PMeV)</i>  <i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i>  <i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i>  <i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i>  <i>Parsnip leafcurl virus</i>  <i>Parsnip mosaic virus (ParMV)</i>  <i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i>  <i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i>  <i>Passiflora latent virus (PLV)(Carlavirus)</i>  <i>Passiflora South African virus (Potyviridae, potyvirus)</i>  <i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i>  <i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i>  <i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i>  <i>Patchouli mosaic virus (Potyviridae, potyvirus)</i>  <i>Pea early browning virus (PEBV) (Tobravirus)</i>  <i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i>  <i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i>  <i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus )</i>  <i>Pea mosaic virus (Potyviridae, potyvirus)</i>  <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i>  <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i>  <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i>  <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i>  <i>Peach American mosaic virus</i>  <i>Peach latent mosaic viroid (PLMVd)</i>  <i>Peach mosaic virus (PMV) (Trichovirus)</i>  <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i>  <i>Peanut clump virus (PCV) (Pecluvirus)</i>  <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscavirioid)</i>  <i>Pear necrotic spot virus</i>  <i>Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)</i>  <i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i>  <i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i>  <i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i>  <i>Plum American line pattern virus (APLPV) (Ilarvirus,</i></p>	
---	---	--

<p><i>Bromoviridae</i>  <i>Plum bark split virus</i>  <i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i>  <i>Plum rusty blotch</i>  <i>Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)</i>  <i>Potato deforming mosaic virus</i>  <i>Potato mop-top virus (PMTV) (Pomovirus)</i>  <i>Potato virus T (PVT) (Trichovirus)</i>  <i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i>  <i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i>  <i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i>  <i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i>  <i>Potato yellowing virus</i>  <i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i>  <i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i>  <i>Raspberry leaf curl virus</i>  <i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i>  <i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i>  <i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i>  <i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i>  <i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i>  <i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i>  <i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i>  <i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i>  <i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i>  <i>Strawberry latent ringspot virus (SLRSV) (Sadwavirus)</i>  <i>Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)</i>  <i>Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)</i>  <i>Tobacco rattle virus (TRV) (Tobravirus)</i>  <i>Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)</i>  <i>Tobacco mosaic virus (TMV) (Tobamovirus)</i>  <i>Tobacco necrosis virus</i>  <i>Tobacco streak virus (TSV) ( Ilarvirus, Bromoviridae)</i>  <i>Tomato apical stunt viroid (TASVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)</i>  <i>Tomato brown rugose fruit virus (ToBRFV) (Virgaviridae, Tobamovirus)</i>  <i>Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)</i>  <i>Tomato chlorotic dwarf viroid (TCDVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato mottle mosaic virus (ToMMV) (Virgaviridae, Tobamovirus)</i>  <i>Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)</i>  <i>Tomato planta macho viroid (TPMVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)</i>  <i>Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)</i>  <i>Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)</i>  <i>Tulip breaking virus</i></p>	<p><i>Bromoviridae</i>  <i>Plum bark split virus</i>  <i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i>  <i>Plum rusty blotch</i>  <i>Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)</i>  <i>Potato deforming mosaic virus</i>  <i>Potato mop-top virus (PMTV) (Pomovirus)</i>  <i>Potato virus T (PVT) (Trichovirus)</i>  <i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i>  <i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i>  <i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i>  <i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i>  <i>Potato yellowing virus</i>  <i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i>  <i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i>  <i>Raspberry leaf curl virus</i>  <i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i>  <i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i>  <i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i>  <i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i>  <i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i>  <i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i>  <i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i>  <i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i>  <i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i>  <i>Strawberry latent ringspot virus (SLRSV) (Sadwavirus)</i>  <i>Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)</i>  <i>Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)</i>  <i>Tobacco rattle virus (TRV) (Tobravirus)</i>  <i>Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)</i>  <i>Tobacco mosaic virus (TMV) (Tobamovirus)</i>  <i>Tobacco necrosis virus</i>  <i>Tobacco streak virus (TSV) ( Ilarvirus, Bromoviridae)</i>  <i>Tomato apical stunt viroid (TASVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)</i>  <i>Tomato brown rugose fruit virus (ToBRFV) (Virgaviridae, Tobamovirus)</i>  <i>Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)</i>  <i>Tomato chlorotic dwarf viroid (TCDVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato mottle mosaic virus (ToMMV) (Virgaviridae, Tobamovirus)</i>  <i>Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)</i>  <i>Tomato planta macho viroid (TPMVd) (Pospiviroidae, Pospiviroid)</i>  <i>Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)</i>  <i>Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)</i>  <i>Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)</i>  <i>Tulip breaking virus</i></p>	
--	--	--

<p> <i>Ullucus virus C (UVC) (Comoviridae, comovirus)</i>  <i>Ullucus mild mottle virus (UMMV) (Tobamovirus)</i>  <i>Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)</i>  <i>Urd bean leaf crinkle virus</i>  <i>Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)</i>  <i>Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)</i>  <i>Vanilla necrosis virus (Potyviridae, potyvirus)</i>  <i>Velvet tobacco mottle virus (VTMoV) (Sobemovirus)</i>  <i>Viola mottle virus (VMV) (Potexvirus)</i>  <i>Voandzeia distortion mosaic virus (Potyviridae, potyvirus)</i>  <i>Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)</i>  <i>Watercress yellow spot virus (WYSV)</i>  <i>Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)</i>  <i>Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)</i>  <i>Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)</i>  <i>Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)</i>  <i>Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)</i>  <i>Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)</i>  <i>Wheat soil-borne mosaic virus (SBWMV) (Furovirus)</i>  <i>Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)</i>  <i>Wheat spindle streak mosaic virus (WSSMV) (Potyvirida, bymovirus)</i>  <i>Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)</i>  <i>White clover mosaic virus (WCIMV) (Potexvirus)</i>  <i>Wild cucumber mosaic virus (WCMV) (Tymovirus)</i>  <i>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</i>  <i>Wineberry latent virus (WLV)</i>  <i>Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)</i>  <i>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</i>  <i>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</i>            備註：以上病毒之媒介有害生物亦一併列入管制         </p>	<p> <i>Ullucus virus C (UVC) (Comoviridae, comovirus)</i>  <i>Ullucus mild mottle virus (UMMV) (Tobamovirus)</i>  <i>Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)</i>  <i>Urd bean leaf crinkle virus</i>  <i>Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)</i>  <i>Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)</i>  <i>Vanilla necrosis virus (Potyviridae, potyvirus)</i>  <i>Velvet tobacco mottle virus (VTMoV) (Sobemovirus)</i>  <i>Viola mottle virus (VMV) (Potexvirus)</i>  <i>Voandzeia distortion mosaic virus (Potyviridae, potyvirus)</i>  <i>Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)</i>  <i>Watercress yellow spot virus (WYSV)</i>  <i>Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)</i>  <i>Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)</i>  <i>Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)</i>  <i>Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)</i>  <i>Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)</i>  <i>Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)</i>  <i>Wheat soil-borne mosaic virus (SBWMV) (Furovirus)</i>  <i>Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)</i>  <i>Wheat spindle streak mosaic virus (WSSMV) (Potyvirida, bymovirus)</i>  <i>Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)</i>  <i>White clover mosaic virus (WCIMV) (Potexvirus)</i>  <i>Wild cucumber mosaic virus (WCMV) (Tymovirus)</i>  <i>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</i>  <i>Wineberry latent virus (WLV)</i>  <i>Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)</i>  <i>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</i>  <i>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</i>            備註：以上病毒之媒介有害生物亦一併列入管制         </p>	
---	---	--