


檔 號：
保存年限：

行政院農業委員會 公告

發文日期：中華民國108年11月15日
發文字號：農授防字第1081494917A號



主旨：預告修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第十點。

依據：行政程序法第一百五十一條第二項準用第一百五十四條第一項。

公告事項：

- 一、修正機關：行政院農業委員會。
- 二、修正依據：植物防疫檢疫法第十四條第一項。
- 三、「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第十點修正草案如附件。本案另載於本會全球資訊網（網址：<http://www.coa.gov.tw>）及動植物防疫檢疫局全球資訊網（網址：<http://www.baphiq.gov.tw>）。
- 四、對於本公告內容有任何意見或修正建議者，請於本公告刊登公報隔日起60日內陳述意見或洽詢：
 - (一)承辦單位：行政院農業委員會動植物防疫檢疫局
 - (二)地址：10075臺北市和平西路2段100號9樓
 - (三)電話：02-23431401

(四) 傳真：02-23047455

(五) 電子郵件信箱：baphiq@mail.baphiq.gov.tw

主任委員 傅吉仲



裝

訂

線

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十點修正草案對照表

| 修正規定 | 現行規定 | 說明 |
|--|--|--|
| <p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群 (Taxa) 有害生物採取檢疫處理措施。</p> <p>病毒類 (475種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>) <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>) <i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) <i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) <i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) <i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>) <i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>)</p> | <p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群 (Taxa) 有害生物採取檢疫處理措施。</p> <p>病毒類 (464種) <i>Abutilon mosaic virus</i> (AbMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Ageratum yellow vein virus</i> (AYVV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>African cassava mosaic virus</i> (ACMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Agropyron mosaic virus</i> (AgMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) <i>Alfalfa cryptic virus 1</i> (ACV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>) <i>Alfalfa enation virus</i> <i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>) <i>Alsike clover vein mosaic virus</i> <i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>) <i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>) <i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>) <i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>) <i>Apple chat fruit disease</i> <i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>) <i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>) <i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>) <i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>) <i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>) <i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>) <i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>) <i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>) <i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>)</p> | <p>一、依據國際有害生物疫情及參考它國規定，<i>Columnea latent viroid</i>、<i>Pepper chat fruit viroid</i>、<i>Tomato apical stunt viroid</i>、<i>Tomato brown rugose fruit virus</i>、<i>Tomato chlorotic dwarf viroid</i>、<i>Tomato mottle mosaic virus</i> 及 <i>Tomato planta macho viroid</i> 等有害生物於我國並無發生紀錄，且可隨番茄及番椒屬種子傳播，為防止其入侵影響我國番茄及番椒產業，爰予以增列。</p> <p>二、依據風險評估結果，<i>Grapevine leafroll-associated virus 1</i>、<i>Grapevine virus A</i> 及 <i>Grapevine yellow speckle viroid</i> 等有害生物於我國並無發生紀錄，且可隨葡萄植株傳播，為防止其入侵影響我國葡萄產業，爰予以增列。</p> <p>三、依據風險評估結果，<i>Cucumber mosaic virus subgroup II</i> 未有於我國發生紀錄，因其寄主範圍廣泛，為防止其入侵影響我國農業，爰予以增列。</p> |

| | | |
|--|--|--|
| <p>Barley mild mosaic virus (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) Barley mosaic virus (BBV) Barley yellow dwarf virus-GPV (BYDV-GPV) (<i>Luteovirus</i>) Barley yellow mosaic virus (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) Barley yellow striate mosaic virus (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) Bean calico mosaic virus (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean common mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Bean golden mosaic virus (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean leaf roll virus (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Bean mild mosaic virus (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) Bean pod mottle virus (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean rugose mosaic virus (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean southern mosaic virus (SBMV) (<i>sobemovirus</i>) Bean yellow vein banding virus (BYVBV) (<i>Umbravirus</i>) Beet distortion mosaic virus Beet mild yellowing virus (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet mosaic virus (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Beet soil-borne virus (BSBV) (<i>Pomovirus</i>) Beet western yellows virus (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet yellows virus (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet yellow stunt virus (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet curly top virus (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) Beet leaf curl virus (BLCV) (<i>Rhabdoviridae</i>) Beet necrotic yellow vein virus (BNYVV) (<i>Benyvirus</i>) Belladonna mottle virus (BeMV) (<i>Tymovirus</i>) Bermuda grass etched-line virus (BELV) (<i>Marafivirus</i>) Bhendi yellow vein mosaic virus (BYVMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bidens mosaic virus (BiMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Bidens mottle virus (BiMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) Black raspberry latent ilarvirus Black raspberry necrosis virus (BRNV) Blackcurrant reversion associated virus (BRAV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry leaf mottle virus (BLMoV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry necrotic shock virus (BlShV) (<i>ilarvirus</i>) Blueberry red ringspot virus (BRRV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Blueberry scorch virus (BBScV) (<i>carlavirus</i>) Blueberry shoestring virus (BSSV) (<i>sobemovirus</i>) Broad bean B virus Broad bean necrosis virus (BBNV) (<i>Pomovirus</i>) Broad bean severe chlorosis virus (<i>Closteroviridae</i>, <i>closterovirus</i>) Broad bean stain virus (BBSV) (<i>Comoviridae</i>, <i>comovirus</i>) Broad bean true mosaic virus (BBTMV) (<i>Comoviridae</i>, <i>comovirus</i>) Broad bean wilt virus (BBWV) (<i>Comoviridae</i>, <i>fabavirus</i>) Broad bean yellow ringspot virus Broad bean yellow vein virus (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>) Broccoli necrotic yellows virus (BNYV) (<i>Rhabdoviridae</i>,</p> | <p>Barley mild mosaic virus (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>) Barley mosaic virus (BBV) Barley yellow dwarf virus-GPV (BYDV-GPV) (<i>Luteovirus</i>) Barley yellow mosaic virus (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>) Barley yellow striate mosaic virus (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) Bean calico mosaic virus (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean common mosaic virus (<i>Potyviridae</i>, <i>potyvirus</i>) Bean golden mosaic virus (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bean leaf roll virus (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Bean mild mosaic virus (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>) Bean pod mottle virus (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean rugose mosaic virus (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>) Bean southern mosaic virus (SBMV) (<i>sobemovirus</i>) Bean yellow vein banding virus (BYVBV) (<i>Umbravirus</i>) Beet distortion mosaic virus Beet mild yellowing virus (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet mosaic virus (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Beet soil-borne virus (BSBV) (<i>Pomovirus</i>) Beet western yellows virus (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>) Beet yellows virus (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet yellow stunt virus (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>) Beet curly top virus (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>) Beet leaf curl virus (BLCV) (<i>Rhabdoviridae</i>) Beet necrotic yellow vein virus (BNYVV) (<i>Benyvirus</i>) Belladonna mottle virus (BeMV) (<i>Tymovirus</i>) Bermuda grass etched-line virus (BELV) (<i>Marafivirus</i>) Bhendi yellow vein mosaic virus (BYVMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) Bidens mosaic virus (BiMV) (<i>Potyviridae</i>, <i>potyvirus</i>) Bidens mottle virus (BiMoV) (<i>Potyviridae</i>, <i>potyvirus</i>) Black raspberry latent ilarvirus Black raspberry necrosis virus (BRNV) Blackcurrant reversion associated virus (BRAV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry leaf mottle virus (BLMoV) (<i>Comoviridae</i>, <i>Nepovirus</i>) Blueberry necrotic shock virus (BlShV) (<i>ilarvirus</i>) Blueberry red ringspot virus (BRRV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) Blueberry scorch virus (BBScV) (<i>carlavirus</i>) Blueberry shoestring virus (BSSV) (<i>sobemovirus</i>) Broad bean B virus Broad bean necrosis virus (BBNV) (<i>Pomovirus</i>) Broad bean severe chlorosis virus (<i>Closteroviridae</i>, <i>closterovirus</i>) Broad bean stain virus (BBSV) (<i>Comoviridae</i>, <i>comovirus</i>) Broad bean true mosaic virus (BBTMV) (<i>Comoviridae</i>, <i>comovirus</i>) Broad bean wilt virus (BBWV) (<i>Comoviridae</i>, <i>fabavirus</i>) Broad bean yellow ringspot virus Broad bean yellow vein virus (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>) Broccoli necrotic yellows virus (BNYV) (<i>Rhabdoviridae</i>,</p> | |
|--|--|--|

| | | |
|--|--|--|
| <p>cytorhabdovirus) <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> <i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i> <i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i> <i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i> <i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i> <i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i> <i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i> <i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i> <i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i> <i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i> <i>Cowpea stunt virus (Luteovirus)</i> <i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i></p> | <p>cytorhabdovirus) <i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i> <i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i> <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i> <i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i> <i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i> <i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i> <i>Cactus virus (CV-2) (Carlavirus)</i> <i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i> <i>Caper latent virus (CapLV) (Carlavirus)</i> <i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i> <i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i> <i>Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)</i> <i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i> <i>Carnation latent virus (CLV) (Carlavirus)</i> <i>Carnation mottle virus (CarMV) (Carmovirus)</i> <i>Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)</i> <i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i> <i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i> <i>Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i> <i>Carrot mottle virus (CMoV) (Umbravirus)</i> <i>Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)</i> <i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i> <i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i> <i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i> <i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i> <i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i> <i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i> <i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i> <i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i> <i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i> <i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i> <i>Cowpea stunt virus (Luteovirus)</i> <i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i> <i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i></p> | |
|--|--|--|

| | | |
|---|--|--|
| <p><i>Cassava Indian mosaic virus</i> (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cassava Ivorian bacilliform virus</i> (CsIBV) (<i>Ourmiavirus</i>) <i>Cassava virus X</i> (CsVX) (<i>Potexvirus</i>) <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus</i> (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>) <i>Cassia yellow spot virus</i> (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cauliflower mosaic virus</i> (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) <i>Celery mosaic virus</i> (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cereal northern mosaic virus</i> (NCMV) (<i>cytorhabdovirus</i>) <i>Cassava brown streak virus</i> (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>) <i>Cassava common mosaic virus</i> (CsCMV) (<i>Potexvirus</i>) <i>Cereal chlorotic mosaic virus</i> (CCMoV) (<i>Rhabdoviridae</i>) <i>Cherry green ring mottle virus</i> (CGRMV) (<i>Foveavirus</i>) <i>Cherry leaf roll virus</i> (CLRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cherry mottle leaf virus</i> (CMLV) (<i>Trichovirus</i>) <i>Cherry rasp leaf virus</i> (CRLV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cherry virus A</i> (CVA) (<i>Capillovirus</i>) <i>Chickpea bushy dwarf virus</i> (CpBDV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Chickpea distortion mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Chicory virus</i> (ChVX)(<i>potexvirus</i>) <i>Chicory yellow mottle virus</i> (ChYMV)(<i>Comoviridae</i>, <i>nepovirus</i>) <i>Chino del tomate virus</i> (CdTV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Chloris striate mosaic virus</i> (CSMV)((<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Chrysanthemum virus B</i> (CVB) (<i>Carlavirus</i>) <i>Citrus blight disease</i> <i>Citrus leprosis virus</i> (CiLV) (<i>Rhabdoviridae</i>) <i>Citrus yellow mosaic virus</i> (CiYMV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) <i>Citrus leaf rugose virus</i> (CiLRV) (<i>Rhabdoviridae</i>, <i>ilarvirus</i>) <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus</i> (CSD- associated virus) (<i>Marafivirus</i>, <i>Tymoviridae</i>) <i>Citrus variegation virus</i> (CVV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Clitoria yellow vein virus</i> (CYVV) (<i>Tymovirus</i>) <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus</i> (WTV) (<i>Phytoreovirus</i>) <i>Clover yellow mosaic virus</i> (CIYMV) (<i>potexvirus</i>) <i>Clover yellows virus</i> (CYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Clover yellow vein virus</i> (CIYVV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cocksfoot mottle virus</i> (CoMV) (<i>Sobemovirus</i>) <i>Coconut foliar decay virus</i> (CFDV) (<i>Nanavirus</i>) <i>Commelina diffusa virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Commelina mosaic virus</i> (ComMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Commelina virus X</i> (ComVX) (<i>potexvirus</i>) <i>Commelina yellow mottle virus</i> (ComYMV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Columnea latent viroid</i> (CLVd)(<i>Pospiviroidae</i>, <i>Pospiviroid</i>) <i>Cocksfoot mild mosaic virus</i> (CoMV) (<i>Sobemovirus</i>)</p> | <p><i>Cassava Indian mosaic virus</i> (ICMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cassava Ivorian bacilliform virus</i> (CsIBV) (<i>Ourmiavirus</i>) <i>Cassava virus X</i> (CsVX) (<i>Potexvirus</i>) <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus</i> (CYBV) (<i>Bromoviridae</i>, <i>bromovirus</i>) <i>Cassia yellow spot virus</i> (CasYSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cauliflower mosaic virus</i> (CaMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) <i>Celery mosaic virus</i> (CeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cereal northern mosaic virus</i> (NCMV) (<i>cytorhabdovirus</i>) <i>Cassava brown streak virus</i> (CsBSV) (<i>Potyviridae</i>, <i>Ipomovirus</i>) <i>Cassava common mosaic virus</i> (CsCMV) (<i>Potexvirus</i>) <i>Cereal chlorotic mosaic virus</i> (CCMoV) (<i>Rhabdoviridae</i>) <i>Cherry green ring mottle virus</i> (CGRMV) (<i>Foveavirus</i>) <i>Cherry leaf roll virus</i> (CLRV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cherry mottle leaf virus</i> (CMLV) (<i>Trichovirus</i>) <i>Cherry rasp leaf virus</i> (CRLV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cherry virus A</i> (CVA) (<i>Capillovirus</i>) <i>Chickpea bushy dwarf virus</i> (CpBDV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Chickpea distortion mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Chicory virus</i> (ChVX)(<i>potexvirus</i>) <i>Chicory yellow mottle virus</i> (ChYMV)(<i>Comoviridae</i>, <i>nepovirus</i>) <i>Chino del tomate virus</i> (CdTV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Chloris striate mosaic virus</i> (CSMV)((<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Chrysanthemum virus B</i> (CVB) (<i>Carlavirus</i>) <i>Citrus blight disease</i> <i>Citrus leprosis virus</i> (CiLV) (<i>Rhabdoviridae</i>) <i>Citrus yellow mosaic virus</i> (CiYMV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) <i>Citrus leaf rugose virus</i> (CiLRV) (<i>Rhabdoviridae</i>, <i>ilarvirus</i>) <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus</i> (CSD- associated virus) (<i>Marafivirus</i>, <i>Tymoviridae</i>) <i>Citrus variegation virus</i> (CVV) (<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Clitoria yellow vein virus</i> (CYVV) (<i>Tymovirus</i>) <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus</i> (WTV) (<i>Phytoreovirus</i>) <i>Clover yellow mosaic virus</i> (CIYMV) (<i>potexvirus</i>) <i>Clover yellows virus</i> (CYV) (<i>Closteroviridae</i>, <i>closterovirus</i>) <i>Clover yellow vein virus</i> (CIYVV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Cocksfoot mottle virus</i> (CoMV) (<i>Sobemovirus</i>) <i>Coconut foliar decay virus</i> (CFDV) (<i>Nanavirus</i>) <i>Commelina diffusa virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Commelina mosaic virus</i> (ComMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Commelina virus X</i> (ComVX) (<i>potexvirus</i>) <i>Commelina yellow mottle virus</i> (ComYMV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Cocksfoot mild mosaic virus</i> (CoMV) (<i>Sobemovirus</i>)</p> | |
|---|--|--|

| | | |
|---|---|--|
| <p><i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus</i> (CoNV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cocoa swollen shoot virus</i> (CSSV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus</i> (CDV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Coriander feathery red vein virus</i> (CFRVV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Cotton leaf curl virus</i> (CLCuV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Cotton leaf crumple virus</i> (CLCrV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cowpea mild mottle virus</i> (CPMMV) (<i>Carlavirus</i>) <i>Crimson clover latent virus</i> (CCLV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Crinum mosaic virus</i> (CriMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Croton yellow vein mosaic virus</i> (CYVMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cucumber green mottle mosaic virus</i> (CGMMV) (<i>Tobamovirus</i>) <i>Cucumber leaf spot virus</i> (CLSV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <u><i>Cucumber mosaic virus subgroup II</i> (CMV-II) (<i>Bromoviridae</i>, <i>Cucumovirus</i>)</u> <i>Cucumber necrosis virus</i> (CuNV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Cucumber soil-borne virus</i> (CuSBV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Cucumber vein yellowing virus</i> (CVYV) <i>Cucurbit chlorotic yellows virus</i> (CCYC) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Cycas necrotic stunt virus</i> (CNSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Cymbidium ringspot virus</i> (CymRSV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus</i> (CnMoV) (<i>Sobemovirus</i>) <i>Dahlia mosaic virus</i> (DMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) <i>Dandelion latent virus</i> (DaLV) (<i>Carlavirus</i>) <i>Dandelion yellow mosaic virus</i> (DaYMV) (<i>Sequiviridae</i>, <i>sequivirus</i>) <i>Daphne virus X</i> (DVX) (<i>Potexvirus</i>) <i>Daphne virus Y</i> (DVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura Colombian virus</i> (CDV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura distortion mosaic virus</i> (DDMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura necrosis virus</i> (DNV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura shoestring virus</i> (DSTV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura yellow vein virus</i> (DYVV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus</i> (DeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Desmodium mosaic virus</i> (DesMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Desmodium yellow mottle virus</i> (DYMV) (<i>Tymovirus</i>) <i>Digitaria streak virus</i> (DSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Digitaria striate mosaic</i> (DiSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Dioscorea alata virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Dioscorea bacilliform virus</i> (DBV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Dioscorea green banding mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)</p> | <p><i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus</i> (CoNV) (<i>Comoviridae</i>, <i>Nepovirus</i>) <i>Cocoa swollen shoot virus</i> (CSSV) (<i>Caulimoviridae</i>, <i>Badnavirus</i>) <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus</i> (CDV) (<i>Potyviridae</i>, <i>Potyvirus</i>) <i>Coriander feathery red vein virus</i> (CFRVV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Cotton leaf curl virus</i> (CLCuV) (<i>Geminiviridae</i>, <i>Begomovirus</i>) <i>Cotton leaf crumple virus</i> (CLCrV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cowpea mild mottle virus</i> (CPMMV) (<i>Carlavirus</i>) <i>Crimson clover latent virus</i> (CCLV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Crinum mosaic virus</i> (CriMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Croton yellow vein mosaic virus</i> (CYVMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Cucumber green mottle mosaic virus</i> (CGMMV) (<i>Tobamovirus</i>) <i>Cucumber leaf spot virus</i> (CLSV) (<i>Tombusviridae</i>, <i>carmovirus</i>)</p> <p><i>Cucumber necrosis virus</i> (CuNV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Cucumber soil-borne virus</i> (CuSBV) (<i>Tombusviridae</i>, <i>carmovirus</i>) <i>Cucumber vein yellowing virus</i> (CVYV) <i>Cucurbit chlorotic yellows virus</i> (CCYC) (<i>Closteroviridae</i>, <i>Crinivirus</i>) <i>Cycas necrotic stunt virus</i> (CNSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Cymbidium ringspot virus</i> (CymRSV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus</i> (CnMoV) (<i>Sobemovirus</i>) <i>Dahlia mosaic virus</i> (DMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>) <i>Dandelion latent virus</i> (DaLV) (<i>Carlavirus</i>) <i>Dandelion yellow mosaic virus</i> (DaYMV) (<i>Sequiviridae</i>, <i>sequivirus</i>) <i>Daphne virus X</i> (DVX) (<i>Potexvirus</i>) <i>Daphne virus Y</i> (DVY) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura Colombian virus</i> (CDV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura distortion mosaic virus</i> (DDMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura necrosis virus</i> (DNV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura shoestring virus</i> (DSTV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Datura yellow vein virus</i> (DYVV) (<i>Rhabdoviridae</i>, <i>nucleorhabdovirus</i>) <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus</i> (DeMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Desmodium mosaic virus</i> (DesMV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Desmodium yellow mottle virus</i> (DYMV) (<i>Tymovirus</i>) <i>Digitaria streak virus</i> (DSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Digitaria striate mosaic</i> (DiSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Dioscorea alata virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Dioscorea bacilliform virus</i> (DBV) (<i>Caulimoviridae</i>, <i>badnavirus</i>) <i>Dioscorea green banding mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)</p> | |
|---|---|--|

| | | |
|--|--|--|
| <p><i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus</i> (DoMYV) (<i>Geminiviridae, bigeminivirus</i>) <i>Dulcamara mottle virus</i> (DuMV) (<i>Tymovirus</i>) <i>Eggplant green mosaic virus</i> (EGMV) (<i>Potyviridae, potyvirus</i>) <i>Eggplant mottled dwarf virus</i> (EMDV) (<i>Rhabdoviridae, nucleorhabdovirus</i>) <i>Elderberry virus</i> (EV) (<i>Carlavirus 1</i>) <i>Epirus cherry virus</i> (EpCV) (<i>Ourmiavirus</i>) <i>Erysimum latent virus</i> (ErLV) (<i>Tymovirus</i>) <i>Echinochloa ragged stunt virus</i> (ERSV) (<i>Reoviridae, Oryzavirus</i>) <i>Elm mottle virus</i> (EMoV) (<i>Bromoviridae, Ilarvirus</i>) <i>European wheat striate mosaic virus</i> (EWSMV) (<i>Tenuivirus</i>) <i>Euphorbia mosaic virus</i> (EuMV) (<i>Geminiviridae, bigeminivirus</i>) <i>Euphorbia ringspot virus</i> (EuRV) (<i>Potyviridae, potyvirus</i>) <i>Faba bean necrotic yellows virus</i> (FBNYV) (<i>Nanovirus</i>) <i>Festuca leaf streak virus</i> (FLSV) (<i>Rhabdoviridae, cytorhabdovirus</i>) <i>Fig virus S</i> (FVS) (<i>Carlavirus</i>) <i>Figwort mosaic virus</i> (FMV) (<i>Caulimoviridae, caulimovirus</i>) <i>Foxtail mosaic virus</i> (FoMV) (<i>Potexvirus</i>) <i>Frangipani mosaic virus</i> (FrMV) (<i>Tobamovirus</i>) <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus</i> (FLNV) (<i>Varicosavirus</i>) <i>Freesia mosaic virus</i> (FreMV) (<i>Potyviridae, Potyvirus</i>) <i>Galinsoga mosaic virus</i> (GaMV) (<i>Tombusviridae, carmovirus</i>) <i>Glycine mosaic virus</i> (GMV) (<i>Comoviridae, Comovirus</i>) <i>Grapevine Algerian latent virus</i> (GALV) (<i>Tombusviridae, Tombusvirus</i>) <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus</i> (GINV) (<i>Trichovirus</i>) <i>Grapevine Bulgarian latent virus</i> (GBLV) (<i>Comoviridae, Nepovirus</i>) <i>Grapevine chrome mosaic virus</i> (GCMV) (<i>Comoviridae, Nepovirus</i>) <u><i>Grapevine leafroll-associated virus 1</i> (GLRAV-1) (<i>Closteroviridae, Ampelovirus</i>)</u> <i>Grapevine stem pitting associated closterovirus</i> (<i>Closteroviridae, Closterovirus</i>) <i>Grapevine Tunisian ringspot virus</i> (GTRSV) (<i>Comoviridae, Nepovirus</i>) <i>Grapevine fanleaf virus</i> (GFLV) (<i>Comoviridae, nepovirus</i>) <i>Grapevine fleck virus</i> (GFkV) <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <u><i>Grapevine virus A</i> (GVA) (<i>Betaflexiviridae, Vitivirus</i>)</u> <i>Grapevine virus B</i> (GVB) (<i>Vitivirus, Flexiviridae</i>) <u><i>Grapevine yellow speckle viroid</i> (GYSVd) (<i>Pospiviroidae, Apscaviroid</i>)</u> <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus</i> (GRAV) (<i>Luteoviridae,</i></p> | <p><i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus</i> (DoMYV) (<i>Geminiviridae, bigeminivirus</i>) <i>Dulcamara mottle virus</i> (DuMV) (<i>Tymovirus</i>) <i>Eggplant green mosaic virus</i> (EGMV) (<i>Potyviridae, potyvirus</i>) <i>Eggplant mottled dwarf virus</i> (EMDV) (<i>Rhabdoviridae, nucleorhabdovirus</i>) <i>Elderberry virus</i> (EV) (<i>Carlavirus 1</i>) <i>Epirus cherry virus</i> (EpCV) (<i>Ourmiavirus</i>) <i>Erysimum latent virus</i> (ErLV) (<i>Tymovirus</i>) <i>Echinochloa ragged stunt virus</i> (ERSV) (<i>Reoviridae, Oryzavirus</i>) <i>Elm mottle virus</i> (EMoV) (<i>Bromoviridae, Ilarvirus</i>) <i>European wheat striate mosaic virus</i> (EWSMV) (<i>Tenuivirus</i>) <i>Euphorbia mosaic virus</i> (EuMV) (<i>Geminiviridae, bigeminivirus</i>) <i>Euphorbia ringspot virus</i> (EuRV) (<i>Potyviridae, potyvirus</i>) <i>Faba bean necrotic yellows virus</i> (FBNYV) (<i>Nanovirus</i>) <i>Festuca leaf streak virus</i> (FLSV) (<i>Rhabdoviridae, cytorhabdovirus</i>) <i>Fig virus S</i> (FVS) (<i>Carlavirus</i>) <i>Figwort mosaic virus</i> (FMV) (<i>Caulimoviridae, caulimovirus</i>) <i>Foxtail mosaic virus</i> (FoMV) (<i>Potexvirus</i>) <i>Frangipani mosaic virus</i> (FrMV) (<i>Tobamovirus</i>) <i>French bean mosaic virus</i> <i>Freesia leaf necrosis virus</i> (FLNV) (<i>Varicosavirus</i>) <i>Freesia mosaic virus</i> (FreMV) (<i>Potyviridae, Potyvirus</i>) <i>Galinsoga mosaic virus</i> (GaMV) (<i>Tombusviridae, carmovirus</i>) <i>Glycine mosaic virus</i> (GMV) (<i>Comoviridae, Comovirus</i>) <i>Grapevine Algerian latent virus</i> (GALV) (<i>Tombusviridae, Tombusvirus</i>) <i>Grapevine asteroid mosaic virus</i> <i>Grapevine berry inner necrosis virus</i> (GINV) (<i>Trichovirus</i>) <i>Grapevine Bulgarian latent virus</i> (GBLV) (<i>Comoviridae, Nepovirus</i>) <i>Grapevine chrome mosaic virus</i> (GCMV) (<i>Comoviridae, Nepovirus</i>) <i>Grapevine stem pitting associated closterovirus</i> (<i>Closteroviridae, Closterovirus</i>) <i>Grapevine Tunisian ringspot virus</i> (GTRSV) (<i>Comoviridae, Nepovirus</i>) <i>Grapevine fanleaf virus</i> (GFLV) (<i>Comoviridae, nepovirus</i>) <i>Grapevine fleck virus</i> (GFkV) <i>Grapevine stunt virus</i> <i>Grapevine vein necrosis virus</i> <i>Grapevine virus B</i> (GVB) (<i>Vitivirus, Flexiviridae</i>) <i>Groundnut chlorotic leaf streak virus</i> <i>Groundnut chlorotic spotting virus</i> <i>Groundnut rosette assistor virus</i> (GRAV) (<i>Luteoviridae,</i></p> | |
|--|--|--|

| | | |
|---|---|--|
| <p>Enamovirus) Groundnut rosette virus (GRV) (<i>Umbravirus</i>) Groundnut eyespot virus (GEV) (<i>Potyviridae, Potyvirus</i>) Guar symptomless virus (GSLV) (<i>Potyviridae, Potyvirus</i>) Guar top necrosis virus Guinea grass mosaic virus (GGMV) (<i>Potyviridae, Potyvirus</i>) Helenium virus S (HVS) (<i>Carlavirus</i>) Helenium virus Y (HVY) (<i>Potyviridae, Potyvirus</i>) Henbane mosaic virus (HBMV) (<i>Potyviridae, Potyvirus</i>) Heracleum latent virus (HLV) (<i>Vitivirus</i>) Hibiscus latent ringspot virus (HLRSV) (<i>Comoviridae, nepovirus</i>) Hibiscus chlorotic ringspot virus (HCRSV) (<i>Tombusviridae, Carmovirus</i>) Hippeastrum mosaic virus Honeysuckle latent virus (LnLV) (<i>Carlavirus</i>) Hop American latent (AHLV) (<i>Carlavirus</i>) Hop latent virus (HpLV) (<i>Carlavirus</i>) Hop mosaic virus (HpMV) (<i>Carlavirus</i>) Hop trefoil cryptic virus 1 (HTCV-1)(<i>Partitiviridae, alphacryptovirus</i>) Hop trefoil cryptic virus 2 (HTCV-2)(<i>Partitiviridae, betacryptovirus</i>) Hop trefoil cryptic virus 3 (HTCV-3) (<i>Partitiviridae, alphacryptovirus</i>) Hop stunt viroid (HpSVd) (<i>Hostuviroid, Pospiviroidae</i>) Hordeum mosaic virus (HoMV) (<i>Potyviridae, Potyvirus</i>) Humulus japonicus virus (HJV) (<i>Bromoviridae, ilarvirus</i>) Hyacinth mosaic virus (HyaMV) (<i>Potyviridae, Potyvirus</i>) Hydrangea mosaic virus (HdMV) (<i>Bromoviridae, ilarvirus</i>) Hydrangea ringspot virus (HRSV) (<i>Potexvirus</i>) Horsegram yellow mosaic virus (HgYMV) (<i>Geminiviridae, Begomovirus</i>) Iris fulva mosaic virus (IFMV) (<i>Potyviridae, Potyvirus</i>) Iris Japanese necrotic ring virus Iris mild mosaic virus (IMMV) (<i>Potyviridae, Potyvirus</i>) Iris severe mosaic virus (ISMV) (<i>Potyviridae, Potyvirus</i>) Impatiens necrotic spot virus (INSV) (<i>Bunyaviridae, Tospovirus</i>) Indian peanut clump virus (IPCV) (<i>Pecluvirus</i>) Indonesian soybean dwarf virus (ISDV) (<i>Luteoviridae, Enamovirus</i>) Iranian maize mosaic virus Jatropha mosaic virus (JMV) (<i>Geminiviridae, bigeminivirus</i>) Johnsongrass mosaic (JGMV) (<i>Potyviridae, Potyvirus</i>) Kalanchoe isometric virus Kalanchoe latent virus (KLV)(<i>Carlavirus</i>) Kalanchoe top-spotting virus (KTSV) (<i>Caulimoviridae, badnavirus</i>) Kennedy yellow mosaic virus (KYMV) (<i>Tymovirus</i>) Kennedy virus Y (KVY) (<i>Potyviridae, Potyvirus</i>) Kyuri green mottle mosaic virus (KGMMV) (<i>Tobamovirus</i>) Konjac mosaic virus (KoMV) (<i>Potyviridae, Potyvirus</i>) Kober stem grooving</p> | <p>Enamovirus) Groundnut rosette virus (GRV) (<i>Umbravirus</i>) Groundnut eyespot virus (GEV) (<i>Potyviridae, Potyvirus</i>) Guar symptomless virus (GSLV) (<i>Potyviridae, Potyvirus</i>) Guar top necrosis virus Guinea grass mosaic virus (GGMV) (<i>Potyviridae, Potyvirus</i>) Helenium virus S (HVS) (<i>Carlavirus</i>) Helenium virus Y (HVY) (<i>Potyviridae, Potyvirus</i>) Henbane mosaic virus (HBMV) (<i>Potyviridae, Potyvirus</i>) Heracleum latent virus (HLV) (<i>Vitivirus</i>) Hibiscus latent ringspot virus (HLRSV) (<i>Comoviridae, nepovirus</i>) Hibiscus chlorotic ringspot virus (HCRSV) (<i>Tombusviridae, Carmovirus</i>) Hippeastrum mosaic virus Honeysuckle latent virus (LnLV) (<i>Carlavirus</i>) Hop American latent (AHLV) (<i>Carlavirus</i>) Hop latent virus (HpLV) (<i>Carlavirus</i>) Hop mosaic virus (HpMV) (<i>Carlavirus</i>) Hop trefoil cryptic virus 1 (HTCV-1)(<i>Partitiviridae, alphacryptovirus</i>) Hop trefoil cryptic virus 2 (HTCV-2)(<i>Partitiviridae, betacryptovirus</i>) Hop trefoil cryptic virus 3 (HTCV-3) (<i>Partitiviridae, alphacryptovirus</i>) Hop stunt viroid (HpSVd) (<i>Hostuviroid, Pospiviroidae</i>) Hordeum mosaic virus (HoMV) (<i>Potyviridae, Potyvirus</i>) Humulus japonicus virus (HJV) (<i>Bromoviridae, ilarvirus</i>) Hyacinth mosaic virus (HyaMV) (<i>Potyviridae, Potyvirus</i>) Hydrangea mosaic virus (HdMV) (<i>Bromoviridae, ilarvirus</i>) Hydrangea ringspot virus (HRSV) (<i>Potexvirus</i>) Horsegram yellow mosaic virus (HgYMV) (<i>Geminiviridae, Begomovirus</i>) Iris fulva mosaic virus (IFMV) (<i>Potyviridae, Potyvirus</i>) Iris Japanese necrotic ring virus Iris mild mosaic virus (IMMV) (<i>Potyviridae, Potyvirus</i>) Iris severe mosaic virus (ISMV) (<i>Potyviridae, Potyvirus</i>) Impatiens necrotic spot virus (INSV) (<i>Bunyaviridae, Tospovirus</i>) Indian peanut clump virus (IPCV) (<i>Pecluvirus</i>) Indonesian soybean dwarf virus (ISDV) (<i>Luteoviridae, Enamovirus</i>) Iranian maize mosaic virus Jatropha mosaic virus (JMV) (<i>Geminiviridae, bigeminivirus</i>) Johnsongrass mosaic (JGMV) (<i>Potyviridae, Potyvirus</i>) Kalanchoe isometric virus Kalanchoe latent virus (KLV)(<i>Carlavirus</i>) Kalanchoe top-spotting virus (KTSV) (<i>Caulimoviridae, badnavirus</i>) Kennedy yellow mosaic virus (KYMV) (<i>Tymovirus</i>) Kennedy virus Y (KVY) (<i>Potyviridae, Potyvirus</i>) Kyuri green mottle mosaic virus (KGMMV) (<i>Tobamovirus</i>) Konjac mosaic virus (KoMV) (<i>Potyviridae, Potyvirus</i>) Kober stem grooving</p> | |
|---|---|--|

| | | |
|---|---|--|
| <p><i>Lamium mild mottle virus</i> (LMMV) (<i>Comoviridae, fabavirus</i>) <i>Lato River virus</i> (LRV) (<i>Tombusviridae, tombusvirus</i>) <i>Leek yellow stripe virus</i> (LYSV) (<i>Potyviridae, potyvirus</i>) <i>Lettuce big-vein virus</i> (LBVV) (<i>Varicosavirus</i>) <i>Lettuce mosaic virus</i> (LMV) (<i>Potyviridae, potyvirus</i>) <i>Lettuce necrotic yellows virus</i> (LNYV) (<i>Rhabdoviridae, cytorhabdovirus</i>) <i>Lettuce speckles mottle virus</i> (LSMV) (<i>Umbravirus</i>) <i>Lilac chlorotic leafspot virus</i> (LCLV) (<i>Capillovirus</i>) <i>Lilac mottle virus</i> (LiMV) (<i>Carlavirus</i>) <i>Lilac ring mottle virus</i> (LRMV) (<i>Bromoviridae, ilarvirus</i>) <i>Lily mottle virus</i> (LMoV) (<i>Potyviridae, potyvirus</i>) <i>Lily virus X</i> (LVX) (<i>Potexvirus</i>) <i>Lettuce infectious yellows virus</i> (LIYV) (<i>Closteroviridae, Crinivirus</i>) <i>Limabean golden mosaic virus</i> (LGMV) (<i>Geminiviridae, Begomovirus</i>) <i>Little cherry virus</i> (LChV) (<i>Closteroviridae, Closterovirus</i>) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) (<i>Comoviridae, Nepovirus</i>) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) (<i>Sobemovirus</i>) <i>Lychnis ringspot virus</i> (LRSV) (<i>Hordeivirus</i>) <i>Maclura mosaic virus</i> (MacMV) (<i>Potyviridae, macluravirus</i>) <i>Maize chlorotic dwarf virus</i> (MCDV) (<i>Sequiviridae, waikavirus</i>) <i>Maize chlorotic mottle virus</i> (MCMV) (<i>Tombusviridae, machlomovirus</i>) <i>Maize dwarf mosaic virus</i> (MDMV) (<i>Potyviridae, potyvirus</i>) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) (<i>Rhabdoviridae, nucleorhabdovirus</i>) <i>Maize rayado fino virus</i> (MRFV) (<i>Marafivirus</i>) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus</i> (MRDV) (<i>Reoviridae, Fijivirus</i>) <i>Maize streak virus</i> (MSV) (<i>Genimiviridae, Mastrevirus</i>) <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae, potyvirus</i>) <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae, potyvirus</i>) <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae, bromovirus</i>) <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae, bigeminivirus</i>) <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae, carmovirus</i>) <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>) <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>) <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>) <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>) <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae, monogeminivirus</i>) <i>Mulberry latent virus</i> (MLV) (<i>Carlavirus</i>)</p> | <p><i>Lamium mild mottle virus</i> (LMMV) (<i>Comoviridae, fabavirus</i>) <i>Lato River virus</i> (LRV) (<i>Tombusviridae, tombusvirus</i>) <i>Leek yellow stripe virus</i> (LYSV) (<i>Potyviridae, potyvirus</i>) <i>Lettuce big-vein virus</i> (LBVV) (<i>Varicosavirus</i>) <i>Lettuce mosaic virus</i> (LMV) (<i>Potyviridae, potyvirus</i>) <i>Lettuce necrotic yellows virus</i> (LNYV) (<i>Rhabdoviridae, cytorhabdovirus</i>) <i>Lettuce speckles mottle virus</i> (LSMV) (<i>Umbravirus</i>) <i>Lilac chlorotic leafspot virus</i> (LCLV) (<i>Capillovirus</i>) <i>Lilac mottle virus</i> (LiMV) (<i>Carlavirus</i>) <i>Lilac ring mottle virus</i> (LRMV) (<i>Bromoviridae, ilarvirus</i>) <i>Lily mottle virus</i> (LMoV) (<i>Potyviridae, potyvirus</i>) <i>Lily virus X</i> (LVX) (<i>Potexvirus</i>) <i>Lettuce infectious yellows virus</i> (LIYV) (<i>Closteroviridae, Crinivirus</i>) <i>Limabean golden mosaic virus</i> (LGMV) (<i>Geminiviridae, Begomovirus</i>) <i>Little cherry virus</i> (LChV) (<i>Closteroviridae, Closterovirus</i>) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) (<i>Comoviridae, Nepovirus</i>) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) (<i>Sobemovirus</i>) <i>Lychnis ringspot virus</i> (LRSV) (<i>Hordeivirus</i>) <i>Maclura mosaic virus</i> (MacMV) (<i>Potyviridae, macluravirus</i>) <i>Maize chlorotic dwarf virus</i> (MCDV) (<i>Sequiviridae, waikavirus</i>) <i>Maize chlorotic mottle virus</i> (MCMV) (<i>Tombusviridae, machlomovirus</i>) <i>Maize dwarf mosaic virus</i> (MDMV) (<i>Potyviridae, potyvirus</i>) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) (<i>Rhabdoviridae, nucleorhabdovirus</i>) <i>Maize rayado fino virus</i> (MRFV) (<i>Marafivirus</i>) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus</i> (MRDV) (<i>Reoviridae, Fijivirus</i>) <i>Maize streak virus</i> (MSV) (<i>Genimiviridae, Mastrevirus</i>) <i>Malvastrum mottle virus</i> <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae, potyvirus</i>) <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae, potyvirus</i>) <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae, bromovirus</i>) <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae, bigeminivirus</i>) <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae, carmovirus</i>) <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>) <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>) <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>) <i>Mimosa mosaic virus</i> <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>) <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae, monogeminivirus</i>) <i>Mulberry latent virus</i> (MLV) (<i>Carlavirus</i>)</p> | |
|---|---|--|

| | | |
|--|--|--|
| <p><i>Mulberry ringspot virus</i> (MRSV)(<i>Comoviridae</i>, <i>nepovirus</i>) <i>Mung bean yellow mosaic virus</i> (MYMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Muskmelon vein necrosis virus</i> (MuVNV)(<i>Carlavirus</i>) <i>Myrobalan latent ringspot virus</i> (MLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Narcissus latent virus</i> (NLV)(<i>Potyviridae</i>, <i>macluravirus</i>) <i>Narcissus mosaic virus</i> (NMV) (<i>Potexvirus</i>) <i>Narcissus yellow stripe virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Natsudaikai dwarf virus</i> (NDV) (<i>Sadwavirus</i>) <i>Neckar River virus</i> (NRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Nerine latent virus</i> (NeLV) (<i>Carlavirus</i>) <i>Nerine virus</i> (NV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Nerine virus X</i> (NVX) (<i>Potexvirus</i>) <i>Northern cereal mosaic virus</i> (NCMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) <i>Oak ringspot virus</i> <i>Oat blue dwarf virus</i> (OBDV) (<i>Marafivirus</i>) <i>Oat golden stripe virus</i> (OGSV) (<i>Furovirus</i>) <i>Oat mosaic virus</i> (OMV)(<i>Potyviridae</i>, <i>bymovirus</i>) <i>Oat necrotic mottle virus</i> (ONMV) (<i>Potyviridae</i>, <i>rymovirus</i>) <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus</i> (OSDV) (<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Okra leaf-curl virus</i>(OLCV) (<i>Geminivirus</i>, <i>bigeminivirus</i>) <i>Okra mosaic virus</i> (OkMV) (<i>Tymovirus</i>) <i>Olive latent ringspot virus</i> (OLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Ononis yellow mosaic virus</i> (OYMV)(<i>Tymovirus</i>) <i>Opuntia Sammons' virus</i> (SOV) (<i>Tobamovirus</i>) <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus</i> (PaSV)(<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Panicum streak virus</i> (PanSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Papaya leaf curl virus</i> (PaLCuV) (<i>Begomovirus</i>, <i>Geminiviridae</i>) <i>Papaya meleira virus</i> (PMeV) <i>Papaya mosaic virus</i> (PapMV) (<i>Potexvirus</i>, <i>Flexiviridae</i>) <i>Paprika mild mottle virus</i> (PaMMV) (<i>Tobamovirus</i>) <i>Parietaria mottle virus</i> (PmoV)(<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus</i> (ParMV) <i>Parsnip yellow fleck virus</i> (PYFV)(<i>Sequiviridae</i>, <i>sequivirus</i>) <i>Paspalum striate mosaic virus</i> (PSMV)(<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Passiflora latent virus</i> (PLV)(<i>Carlavirus</i>) <i>Passiflora South African virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passiflora ringspot virus</i> (PFRSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passionfruit woodiness virus</i> (PWV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passionfruit yellow mosaic virus</i> (PaYMV)(<i>Tymovirus</i>) <i>Patchouli mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Pea early browning virus</i> (PEBV) (<i>Tobravirus</i>) <i>Pea enation mosaic virus-1</i> (PEMV-1) (<i>Luteovirus</i>) <i>Pea enation mosaic virus-2</i> (PEMV-2) (<i>Umbravirus</i>)</p> | <p><i>Mulberry ringspot virus</i> (MRSV)(<i>Comoviridae</i>, <i>nepovirus</i>) <i>Mung bean yellow mosaic virus</i> (MYMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>) <i>Muskmelon vein necrosis virus</i> (MuVNV)(<i>Carlavirus</i>) <i>Myrobalan latent ringspot virus</i> (MLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Narcissus latent virus</i> (NLV)(<i>Potyviridae</i>, <i>macluravirus</i>) <i>Narcissus mosaic virus</i> (NMV) (<i>Potexvirus</i>) <i>Narcissus yellow stripe virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Natsudaikai dwarf virus</i> (NDV) (<i>Sadwavirus</i>) <i>Neckar River virus</i> (NRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>) <i>Nerine latent virus</i> (NeLV) (<i>Carlavirus</i>) <i>Nerine virus</i> (NV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Nerine virus X</i> (NVX) (<i>Potexvirus</i>) <i>Northern cereal mosaic virus</i> (NCMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>) <i>Oak ringspot virus</i> <i>Oat blue dwarf virus</i> (OBDV) (<i>Marafivirus</i>) <i>Oat golden stripe virus</i> (OGSV) (<i>Furovirus</i>) <i>Oat mosaic virus</i> (OMV)(<i>Potyviridae</i>, <i>bymovirus</i>) <i>Oat necrotic mottle virus</i> (ONMV) (<i>Potyviridae</i>, <i>rymovirus</i>) <i>Oat red streak mosaic virus</i> <i>Oat sterile dwarf virus</i> (OSDV) (<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Okra leaf-curl virus</i>(OLCV) (<i>Geminivirus</i>, <i>bigeminivirus</i>) <i>Okra mosaic virus</i> (OkMV) (<i>Tymovirus</i>) <i>Olive latent ringspot virus</i> (OLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>) <i>Ononis yellow mosaic virus</i> (OYMV)(<i>Tymovirus</i>) <i>Opuntia Sammons' virus</i> (SOV) (<i>Tobamovirus</i>) <i>Ornithogalum mosaic virus</i> <i>Pangola stunt virus</i> (PaSV)(<i>Reoviridae</i>, <i>Fijivirus</i>) <i>Panicum streak virus</i> (PanSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Papaya leaf curl virus</i> (PaLCuV) (<i>Begomovirus</i>, <i>Geminiviridae</i>) <i>Papaya meleira virus</i> (PMeV) <i>Papaya mosaic virus</i> (PapMV) (<i>Potexvirus</i>, <i>Flexiviridae</i>) <i>Paprika mild mottle virus</i> (PaMMV) (<i>Tobamovirus</i>) <i>Parietaria mottle virus</i> (PmoV)(<i>Bromoviridae</i>, <i>ilarvirus</i>) <i>Parsnip leafcurl virus</i> <i>Parsnip mosaic virus</i> (ParMV) <i>Parsnip yellow fleck virus</i> (PYFV)(<i>Sequiviridae</i>, <i>sequivirus</i>) <i>Paspalum striate mosaic virus</i> (PSMV)(<i>Geminiviridae</i>, <i>monogeminivirus</i>) <i>Passiflora latent virus</i> (PLV)(<i>Carlavirus</i>) <i>Passiflora South African virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passiflora ringspot virus</i> (PFRSV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passionfruit woodiness virus</i> (PWV) (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Passionfruit yellow mosaic virus</i> (PaYMV)(<i>Tymovirus</i>) <i>Patchouli mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) <i>Pea early browning virus</i> (PEBV) (<i>Tobravirus</i>) <i>Pea enation mosaic virus-1</i> (PEMV-1) (<i>Luteovirus</i>) <i>Pea enation mosaic virus-2</i> (PEMV-2) (<i>Umbravirus</i>)</p> | |
|--|--|--|

| | | |
|---|--|--|
| <p><i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i> <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid (PLMVd)</i> <i>Peach mosaic virus (PMV) (Trichovirus)</i> <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i> <i>Peanut clump virus (PCV) (Pecluvirus)</i> <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i> <i>Pear necrotic spot virus</i> <u><i>Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)</i></u> <i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i> <i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i> <i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i> <i>Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)</i> <i>Plum bark split virus</i> <i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i> <i>Plum rusty blotch</i> <i>Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)</i> <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus (PMTV) (Pomovirus)</i> <i>Potato virus T (PVT) (Trichovirus)</i> <i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i> <i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i> <i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i> <i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i> <i>Potato yellowing virus</i> <i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i> <i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i> <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i> <i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i> <i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i> <i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i> <i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i> <i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i> <i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i> <i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i> <i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i> <i>Strawberry latent ringspot virus (SLRSV) (Sadwavirus)</i> <i>Strawberry veinbanding virus (SVBV) (Caulimoviridae,</i></p> | <p><i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i> <i>Pea mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i> <i>Peanut green mosaic virus (Potyviridae, potyvirus)</i> <i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i> <i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i> <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid (PLMVd)</i> <i>Peach mosaic virus (PMV) (Trichovirus)</i> <i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i> <i>Peanut clump virus (PCV) (Pecluvirus)</i> <i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i> <i>Pear necrotic spot virus</i> <i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i> <i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i> <i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i> <i>Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)</i> <i>Plum bark split virus</i> <i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i> <i>Plum rusty blotch</i> <i>Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)</i> <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus (PMTV) (Pomovirus)</i> <i>Potato virus T (PVT) (Trichovirus)</i> <i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i> <i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i> <i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i> <i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i> <i>Potato yellowing virus</i> <i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i> <i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i> <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i> <i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i> <i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i> <i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i> <i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i> <i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i> <i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i> <i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i> <i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i> <i>Strawberry latent ringspot virus (SLRSV) (Sadwavirus)</i> <i>Strawberry veinbanding virus (SVBV) (Caulimoviridae,</i></p> | |
|---|--|--|

| | | |
|---|---|--|
| <p><i>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</i> <i>Wineberry latent virus (WLV)</i> <i>Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)</i> <i>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</i> <i>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</i> 備註：以上病毒之媒介有害生物亦一併列入管制</p> | <p><i>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</i> <i>Wineberry latent virus (WLV)</i> <i>Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)</i> <i>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</i> <i>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</i> 備註：以上病毒之媒介有害生物亦一併列入管制</p> | |
|---|---|--|