

檔 號：
保存年限：

行政院農業委員會 函

地址：10014臺北市南海路37號
承辦人：陳晟鐘
電話：02-33436411

受文者：行政院農業委員會動植物防疫檢疫局基隆分局

發文日期：中華民國101年7月26日

發文字號：農授防字第1011490756號

速別：最速件

密等及解密條件或保密期限：

附件：「中華民國輸入植物或植物產品檢疫規定」勘誤表、更正函掃描檔(1490756A00_ATTCH1.pdf)

主旨：檢送「中華民國輸入植物或植物產品檢疫規定」、乙、有條件輸入植物或植物產品之檢疫條件第10點有害生物病毒類清單勘誤表，請查照更正。

說明：旨揭「中華民國輸入植物或植物產品檢疫規定」部分規定業經本會中華民國101年7月20日農防字第1011490677號公告修正在案。

正本：行政院公報編印中心（請刊登公報）

副本：立法院(含附件)、行政院法規會(含附件)、中華民國常駐世界貿易組織代表團(含附件)、本會法規會(含附件)、本會秘書室(含附件)、本會資訊中心(請刊登網站)(含附件)、臺北市航空貨運承攬商業同業公會(含附件)、財政部關稅總局(含附件)、財政部基隆關稅局(含附件)、財政部臺北關稅局(含附件)、財政部臺中關稅局(含附件)、財政部高雄關稅局(含附件)、經濟部國際貿易局(含附件)、基隆市報驗商業同業公會(含附件)、基隆市報關商業同業公會(含附件)、臺北市進出口商業同業公會(含附件)、臺北市報關商業同業公會(含附件)、臺中縣報關商業同業公會(含附件)、高雄市進出口商業同業公會(含附件)、高雄市報關商業同業公會(含附件)、花蓮縣報關商業同業公會(含附件)、臺灣省進出口商業同業公會聯合會(含附件)、本會動植物防疫檢疫局(含附件)、本會動植物防疫檢疫局基隆分局(含附件)、本會動植物防疫檢疫局新竹分局(含附件)、本會動植物防疫檢疫局臺中分局(含附件)、本會動植物防疫檢疫局高雄分局(含附件)

2012-07-26
14:08:18章

正本

發文方式：電子交換（第一類，不加密）

檔 號：
保存年限：

行政院農業委員會 函

10051
臺北市中正區濟南路1段2之2號6樓

地址：10014臺北市南海路37號
承辦人：陳晟鐘
電話：02-33436411

受文者：行政院公報編印中心

發文日期：中華民國101年7月26日

發文字號：農授防字第1011490756號

速別：最速件

密等及解密條件或保密期限：

附件：「中華民國輸入植物或植物產品檢疫規定」勘誤表、更正函掃描檔

主旨：檢送「中華民國輸入植物或植物產品檢疫規定」、乙、有條件輸入植物或植物產品之檢疫條件第10點有害生物病毒類清單勘誤表，請 查照更正。

說明：旨揭「中華民國輸入植物或植物產品檢疫規定」部分規定業經本會中華民國101年7月20日農防字第1011490677號公告修正在案



正本：行政院公報編印中心（請刊登公報）

副本：立法院、行政院法規會、中華民國常駐世界貿易組織代表團、本會法規會、本會秘書室、本會資訊中心（請刊登網站）、臺北市航空貨運承攬商業同業公會、財政部關稅總局、財政部基隆關稅局、財政部臺北關稅局、財政部臺中關稅局、財政部高雄關稅局、經濟部國際貿易局、基隆市報驗商業同業公會、基隆市報關商業同業公會、臺北市進出口商業同業公會、臺北市報關商業同業公會、臺中縣報關商業同業公會、高雄市進出口商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、臺灣省進出口商業同業公會聯合會、本會動植物防疫檢疫局、本會動植物防疫檢疫局基隆分局、本會動植物防疫檢疫局新竹分局、本會動植物防疫檢疫局臺中分局、本會動植物防疫檢疫局高雄分局（均含附件）

主任委員 陳保基

本案授權動植物防疫檢疫局代行

中華民國輸入植物或植物產品檢疫規定、乙、有條件輸入植物或植物產品之檢疫條件

第十點有害生物病毒類清單勘誤表

更正後文字	原列文字
<p>病毒類 (464種)</p> <p><i>Abutilon mosaic virus (AbMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Ageratum yellow vein virus (AYVV)</i> (Geminiviridae, Begomovirus)</p> <p><i>African cassava mosaic virus (ACMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Agropyron mosaic virus (AgMV)</i> (Potyviridae, Bymovirus)</p> <p><i>Alfalfa cryptic virus 1 (ACV-1)</i> (Partitiviridae, alphacryptovirus)</p> <p><i>Alfalfa enation virus</i></p> <p><i>Alfalfa mosaic virus (AIMV)</i> (Bromoviridae, alfamovirus)</p> <p><i>Alsike clover vein mosaic virus</i></p> <p><i>Alstroemeria mosaic virus (ALMV)</i> (Potyviridae, potyvirus)</p> <p><i>Amaranthus leaf mottle virus (AmLMV)</i> (Potyviridae, potyvirus)</p> <p><i>American plum line pattern virus (APLPV)</i> (Bromoviridae, Ilarvirus)</p> <p><i>Andean potato latent virus (APLV)</i> (Tymovirus)</p> <p><i>Andean potato mottle virus (APMoV)</i> (Comoviridae, Comovirus)</p> <p><i>Anthoxanthum latent blanching virus (ALBV)</i> (Hordeivirus)</p> <p><i>Anthriscus yellows virus (AYV)</i> (Sequiviridae, waikavirus)</p> <p><i>Apple chat fruit disease</i></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i> (Trichovirus, Flexiviridae)</p> <p><i>Apple dimple fruit viroid (ADFVd)</i> (Apscaviroid, Pospiviroidae)</p> <p><i>Apple mosaic virus (ApMV)</i> (Bromoviridae, Ilarvirus)</p> <p><i>Apple scar skin viroid (ASSVd)</i> (Pospiviroidae, Apscaviroid)</p> <p><i>Apple stem grooving virus (ASGV)</i> (Capillovirus, Flexiviridae)</p> <p><i>Apple stem pitting virus (ASPV)</i> (Foveavirus, Flexiviridae)</p> <p><i>Arabis mosaic virus (ArMV)</i> (Comoviridae, Nepovirus)</p> <p><i>Araujia mosaic virus (ArjMV)</i> (Potyviridae, potyvirus)</p> <p><i>Arracacha Virus A (AVA)</i> (Comoviridae, Nepovirus)</p> <p><i>Arracacha Virus B (AVB)</i> (Comoviridae, Nepovirus)</p> <p><i>Arracacha Virus Y (AVY)</i> (Potyviridae, potyvirus)</p> <p><i>Artichoke Italian latent virus (AILV)</i> (Comoviridae, nepovirus)</p> <p><i>Artichoke latent virus (ArLV)</i> (Potyviridae, potyvirus)</p> <p><i>Artichoke mottled crinkle virus (AMCV)</i> (Tombusviridae, Tombusvirus)</p> <p><i>Artichoke yellow ringspot virus (AYRSV)</i> (Comoviridae, Nepovirus)</p> <p><i>Asparagus virus 1 (AV-1)</i> (Potyviridae, potyvirus)</p> <p><i>Asparagus virus 2 (AV-2)</i> (Bromoviridae, ilarvirus)</p> <p><i>Asparagus virus 3 (AV-3)</i> (Potexvirus)</p> <p><i>Banana bunchy top virus (BBTV)</i> (Nanovirus)</p> <p><i>Barley mild mosaic virus (BaMMV)</i> (Potyviridae, bymovirus)</p> <p><i>Barley mosaic virus (BBV)</i></p> <p><i>Barley yellow dwarf virus-GPV (BYDV-GPV)</i> (Luteovirus)</p> <p><i>Barley yellow mosaic virus (BaYMV)</i> (Potyviridae, Bymovirus)</p> <p><i>Barley yellow striate mosaic virus (BYSMV)</i> (Rhabdoviridae, Cytorhabdovirus)</p> <p><i>Bean calico mosaic virus (BCaMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Bean common mosaic virus</i> (Potyviridae, potyvirus)</p> <p><i>Bean golden mosaic virus (BGMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Bean leaf roll virus (BLRV)</i> (Luteoviridae, luteovirus)</p> <p><i>Bean mild mosaic virus (BMMV)</i> (Tombusviridae, carmovirus)</p> <p><i>Bean pod mottle virus (BPMV)</i> (Comoviridae, comovirus)</p> <p><i>Bean rugose mosaic virus (BRMV)</i> (Comoviridae, comovirus)</p> <p><i>Bean southern mosaic virus (SBMV)</i> (sobemovirus)</p> <p><i>Bean yellow vein banding virus (BYV/BV)</i> (Umbravirus)</p> <p><i>Beet distortion mosaic virus</i></p> <p><i>Beet mild yellowing virus (BMYV)</i> (Luteoviridae, luteovirus)</p> <p><i>Beet mosaic virus (BtMV)</i> (Potyviridae, potyvirus)</p> <p><i>Beet soil-borne virus (BSBV)</i> (Pomovirus)</p> <p><i>Beet western yellows virus (BWYV)</i> (Luteoviridae, luteovirus)</p> <p><i>Beet yellows virus (BYV)</i> (Closteroviridae, closterovirus)</p> <p><i>Beet yellow stunt virus (BYSV)</i> (Closteroviridae, closterovirus)</p> <p><i>Beet curly top virus (BCTV)</i> (Geminiviridae, Curtomovirus)</p> <p><i>Beet leaf curl virus (BLCV)</i> (Rhabdoviridae)</p> <p><i>Beet necrotic yellow vein virus (BNYVV)</i> (Benyvirus)</p> <p><i>Belladonna mottle virus (BeMV)</i> (Tymovirus)</p>	<p>病毒類 (465種)</p> <p><i>Abutilon mosaic virus (AbMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Ageratum yellow vein virus (AYVV)</i> (Geminiviridae, Begomovirus)</p> <p><i>African cassava mosaic virus (ACMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Agropyron mosaic virus (AgMV)</i> (Potyviridae, Bymovirus)</p> <p><i>Alfalfa cryptic virus 1 (ACV-1)</i> (Partitiviridae, alphacryptovirus)</p> <p><i>Alfalfa enation virus</i></p> <p><i>Alfalfa mosaic virus (AIMV)</i> (Bromoviridae, alfamovirus)</p> <p><i>Alsike clover vein mosaic virus</i></p> <p><i>Alstroemeria mosaic virus (ALMV)</i> (Potyviridae, potyvirus)</p> <p><i>Amaranthus leaf mottle virus (AmLMV)</i> (Potyviridae, potyvirus)</p> <p><i>American plum line pattern virus (APLPV)</i> (Bromoviridae, Ilarvirus)</p> <p><i>Andean potato latent virus (APLV)</i> (Tymovirus)</p> <p><i>Andean potato mottle virus (APMoV)</i> (Comoviridae, Comovirus)</p> <p><i>Anthoxanthum latent blanching virus (ALBV)</i> (Hordeivirus)</p> <p><i>Anthriscus yellows virus (AYV)</i> (Sequiviridae, waikavirus)</p> <p><i>Apple chat fruit disease</i></p> <p><i>Apple chlorotic leaf spot virus (ACLSV)</i> (Trichovirus, Flexiviridae)</p> <p><i>Apple dimple fruit viroid (ADFVd)</i> (Apscaviroid, Pospiviroidae)</p> <p><i>Apple mosaic virus (ApMV)</i> (Bromoviridae, Ilarvirus)</p> <p><i>Apple scar skin viroid (ASSVd)</i> (Pospiviroidae, Apscaviroid)</p> <p><i>Apple stem grooving virus (ASGV)</i> (Capillovirus, Flexiviridae)</p> <p><i>Apple stem pitting virus (ASPV)</i> (Foveavirus, Flexiviridae)</p> <p><i>Arabis mosaic virus (ArMV)</i> (Comoviridae, Nepovirus)</p> <p><i>Araujia mosaic virus (ArjMV)</i> (Potyviridae, potyvirus)</p> <p><i>Arracacha Virus A (AVA)</i> (Comoviridae, Nepovirus)</p> <p><i>Arracacha Virus B (AVB)</i> (Comoviridae, Nepovirus)</p> <p><i>Arracacha Virus Y (AVY)</i> (Potyviridae, potyvirus)</p> <p><i>Artichoke Italian latent virus (AILV)</i> (Comoviridae, nepovirus)</p> <p><i>Artichoke latent virus (ArLV)</i> (Potyviridae, potyvirus)</p> <p><i>Artichoke mottled crinkle virus (AMCV)</i> (Tombusviridae, Tombusvirus)</p> <p><i>Artichoke yellow ringspot virus (AYRSV)</i> (Comoviridae, Nepovirus)</p> <p><i>Asparagus virus 1 (AV-1)</i> (Potyviridae, potyvirus)</p> <p><i>Asparagus virus 2 (AV-2)</i> (Bromoviridae, ilarvirus)</p> <p><i>Asparagus virus 3 (AV-3)</i> (Potexvirus)</p> <p><i>Banana bunchy top virus (BBTV)</i> (Nanovirus)</p> <p><i>Barley mild mosaic virus (BaMMV)</i> (Potyviridae, bymovirus)</p> <p><i>Barley mosaic virus (BBV)</i></p> <p><i>Barley yellow dwarf virus-GPV (BYDV-GPV)</i> (Luteovirus)</p> <p><i>Barley yellow mosaic virus (BaYMV)</i> (Potyviridae, Bymovirus)</p> <p><i>Barley yellow striate mosaic virus (BYSMV)</i> (Rhabdoviridae, Cytorhabdovirus)</p> <p><i>Bean calico mosaic virus (BCaMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Bean common mosaic virus</i> (Potyviridae, potyvirus)</p> <p><i>Bean golden mosaic virus (BGMV)</i> (Geminiviridae, Begomovirus)</p> <p><i>Bean leaf roll virus (BLRV)</i> (Luteoviridae, luteovirus)</p> <p><i>Bean mild mosaic virus (BMMV)</i> (Tombusviridae, carmovirus)</p> <p><i>Bean pod mottle virus (BPMV)</i> (Comoviridae, comovirus)</p> <p><i>Bean rugose mosaic virus (BRMV)</i> (Comoviridae, comovirus)</p> <p><i>Bean southern mosaic virus (SBMV)</i> (sobemovirus)</p> <p><i>Bean yellow vein banding virus (BYV/BV)</i> (Umbravirus)</p> <p><i>Beet distortion mosaic virus</i></p> <p><i>Beet mild yellowing virus (BMYV)</i> (Luteoviridae, luteovirus)</p> <p><i>Beet mosaic virus (BtMV)</i> (Potyviridae, potyvirus)</p> <p><i>Beet soil-borne virus (BSBV)</i> (Pomovirus)</p> <p><i>Beet western yellows virus (BWYV)</i> (Luteoviridae, luteovirus)</p> <p><i>Beet yellows virus (BYV)</i> (Closteroviridae, closterovirus)</p> <p><i>Beet yellow stunt virus (BYSV)</i> (Closteroviridae, closterovirus)</p> <p><i>Beet curly top virus (BCTV)</i> (Geminiviridae, Curtomovirus)</p> <p><i>Beet leaf curl virus (BLCV)</i> (Rhabdoviridae)</p> <p><i>Beet necrotic yellow vein virus (BNYVV)</i> (Benyvirus)</p> <p><i>Belladonna mottle virus (BeMV)</i> (Tymovirus)</p>

<i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i>	<i>Bermuda grass etched-line virus (BELV) (Marafivirus)</i>
<i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i>	<i>Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)</i>
<i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i>	<i>Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)</i>
<i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i>	<i>Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)</i>
<i>Black raspberry latent ilarvirus</i>	<i>Black raspberry latent ilarvirus</i>
<i>Black raspberry necrosis virus (BRNV)</i>	<i>Black raspberry necrosis virus (BRNV)</i>
<i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i>	<i>Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)</i>
<i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i>	<i>Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)</i>
<i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i>	<i>Blueberry necrotic shock virus (BIShV) (ilarvirus)</i>
<i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i>	<i>Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)</i>
<i>Blueberry scorch virus (BBScV) (carlavirus)</i>	<i>Blueberry scorch virus (BBScV) (carlavirus)</i>
<i>Blueberry shoestring virus (BSSV) (sobemovirus)</i>	<i>Blueberry shoestring virus (BSSV) (sobemovirus)</i>
<i>Broad bean B virus</i>	<i>Broad bean B virus</i>
<i>Broad bean necrosis virus (BBNV) (Pomovirus)</i>	<i>Broad bean necrosis virus (BBNV) (Pomovirus)</i>
<i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i>	<i>Broad bean severe chlorosis virus (Closteroviridae, closterovirus)</i>
<i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i>	<i>Broad bean stain virus (BBSV) (Comoviridae, comovirus)</i>
<i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i>	<i>Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)</i>
<i>Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)</i>	<i>Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)</i>
<i>Broad bean yellow ringspot virus</i>	<i>Broad bean yellow ringspot virus</i>
<i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i>	<i>Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)</i>
<i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i>	<i>Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)</i>
<i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i>	<i>Brome mosaic virus (BMV) (Bromoviridae, bromovirus)</i>
<i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i>	<i>Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)</i>
<i>Burdock mosaic virus</i>	<i>Burdock mosaic virus</i>
<i>Burdock mottle virus</i>	<i>Burdock mottle virus</i>
<i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i>	<i>Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)</i>
<i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i>	<i>Cacao necrosis virus (CNV) (Comoviridae, nepovirus)</i>
<i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i>	<i>Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)</i>
<i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i>	<i>Cacao yellow mosaic virus (CYMV) (Tymovirus)</i>
<i>Cactus virus (CV-2) (Carlavirus)</i>	<i>Cactus virus (CV-2) (Carlavirus)</i>
<i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i>	<i>Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)</i>
<i>Caper latent virus (CapLV) (Carlavirus)</i>	<i>Caper latent virus (CapLV) (Carlavirus)</i>
<i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i>	<i>Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)</i>
<i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i>	<i>Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)</i>
<i>Carnation cryptic virus I (CCV-1) (Partitiviridae, alphacryptovirus)</i>	<i>Carnation cryptic virus I (CCV-1) (Partitiviridae, alphacryptovirus)</i>
<i>Carnation etched ring virus (CERV) (Caulimoviridae, caulimovirus)</i>	<i>Carnation etched ring virus (CERV) (Caulimoviridae, caulimovirus)</i>
<i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i>	<i>Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)</i>
<i>Carnation latent virus (CLV) (Carlavirus)</i>	<i>Carnation latent virus (CLV) (Carlavirus)</i>
<i>Carnation mottle virus (CarMV) (Carmovirus)</i>	<i>Carnation mottle virus (CarMV) (Carmovirus)</i>
<i>Carnation necrotic fleck virus (CNFV) (Closteroviridae, closterovirus)</i>	<i>Carnation necrotic fleck virus (CNFV) (Closteroviridae, closterovirus)</i>
<i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i>	<i>Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)</i>
<i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i>	<i>Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)</i>
<i>Carrot latent virus (CiLV) (Rhabdoviridae, nucleorhabdovirus)</i>	<i>Carrot latent virus (CiLV) (Rhabdoviridae, nucleorhabdovirus)</i>
<i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i>	<i>Carrot mottle mimic virus (CmoMV) (Umbravirus)</i>
<i>Carrot mottle virus (CMoV) (Umbravirus)</i>	<i>Carrot mottle virus (CMoV) (Umbravirus)</i>
<i>Carrot red leaf virus (CiRLV) (Luteoviridae, luteovirus)</i>	<i>Carrot red leaf virus (CiRLV) (Luteoviridae, luteovirus)</i>
<i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i>	<i>Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)</i>
<i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i>	<i>Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)</i>
<i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i>	<i>Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)</i>
<i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i>	<i>Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)</i>
<i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i>	<i>Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)</i>
<i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i>	<i>Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)</i>
<i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i>	<i>Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)</i>
<i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i>	<i>Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)</i>
<i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i>	<i>Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)</i>
<i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i>	<i>Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)</i>
<i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i>	<i>Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)</i>
<i>Cowpea stunt virus (Luteovirus)</i>	<i>Cowpea stunt virus (Luteovirus)</i>
<i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i>	<i>Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)</i>
<i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i>	<i>Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)</i>
<i>Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)</i>	<i>Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)</i>
<i>Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)</i>	<i>Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)</i>
<i>Cassava virus X (CsVX) (Potexvirus)</i>	<i>Cassava virus X (CsVX) (Potexvirus)</i>
<i>Cassia mosaic virus</i>	<i>Cassia mosaic virus</i>
<i>Cassia ringspot virus</i>	<i>Cassia ringspot virus</i>
<i>Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)</i>	<i>Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)</i>

<p><i>Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)</i> <i>Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)</i> <i>Celery mosaic virus (CeMV) (Potyviridae, potyvirus)</i> <i>Cereal northern mosaic virus (NCMV) (cytorhabdovirus)</i> <i>Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)</i> <i>Cassava common mosaic virus (CsCMV) (Potexvirus)</i> <i>Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)</i> <i>Cherry green ring mottle virus (CGRMV) (Foveavirus)</i> <i>Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)</i> <i>Cherry mottle leaf virus (CMLV) (Trichovirus)</i> <i>Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)</i> <i>Cherry virus A (CVA) (Capillovirus)</i> <i>Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)</i> <i>Chickpea distortion mosaic virus (Potyviridae, potyvirus)</i> <i>Chicory virus (ChVX) (potexvirus)</i> <i>Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)</i> <i>Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)</i> <i>Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)</i> <i>Chrysanthemum virus B (CVB) (Carlavirus)</i> <i>Citrus blight disease</i> <i>Citrus leprosis virus (CiLV) (Rhabdoviridae)</i> <i>Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)</i> <i>Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)</i> <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus (CSD- associated virus) (Marafivirus, Tymoviridae)</i> <i>Citrus variegation virus (CVV) (Bromoviridae, ilarvirus)</i> <i>Clitoria yellow vein virus (CYVV) (Tymovirus)</i> <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crimum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i></p>	<p><i>Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)</i> <i>Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)</i> <i>Celery mosaic virus (CeMV) (Potyviridae, potyvirus)</i> <i>Cereal northern mosaic virus (NCMV) (cytorhabdovirus)</i> <i>Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)</i> <i>Cassava common mosaic virus (CsCMV) (Potexvirus)</i> <i>Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)</i> <i>Cherry green ring mottle virus (CGRMV) (Foveavirus)</i> <i>Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)</i> <i>Cherry mottle leaf virus (CMLV) (Trichovirus)</i> <i>Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)</i> <i>Cherry virus A (CVA) (Capillovirus)</i> <i>Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)</i> <i>Chickpea distortion mosaic virus (Potyviridae, potyvirus)</i> <i>Chicory virus (ChVX) (potexvirus)</i> <i>Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)</i> <i>Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)</i> <i>Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)</i> <i>Chrysanthemum virus B (CVB) (Carlavirus)</i> <i>Citrus blight disease</i> <i>Citrus leprosis virus (CiLV) (Rhabdoviridae)</i> <i>Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)</i> <i>Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)</i> <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus (CSD- associated virus) (Marafivirus, Tymoviridae)</i> <i>Citrus variegation virus (CVV) (Bromoviridae, ilarvirus)</i> <i>Clitoria yellow vein virus (CYVV) (Tymovirus)</i> <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus (WTV) (Phytoreovirus)</i> <i>Clover yellow mosaic virus (CIYMV) (potexvirus)</i> <i>Clover yellows virus (CYV) (Closteroviridae, closterovirus)</i> <i>Clover yellow vein virus (CIYVV) (Potyviridae, potyvirus)</i> <i>Cocksfoot mottle virus (CoMV) (Sobemovirus)</i> <i>Coconut foliar decay virus (CFDV) (Nanavirus)</i> <i>Commelina diffusa virus (Potyviridae, potyvirus)</i> <i>Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)</i> <i>Commelina virus X (ComVX) (potexvirus)</i> <i>Commelina yellow mottle virus (ComYMV) (Caulimoviridae, badnavirus)</i> <i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae, bigeminivirus)</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crimum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus)</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i></p>
--	--

<i>Daphne virus X (DVX) (Potexvirus)</i>	<i>Daphne virus X (DVX) (Potexvirus)</i>
<i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i>	<i>Daphne virus Y (DVY) (Potyviridae, potyvirus)</i>
<i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i>	<i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i>
<i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i>	<i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i>
<i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i>	<i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i>
<i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i>	<i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i>
<i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i>	<i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i>
<i>Datura distortion virus</i>	<i>Datura distortion virus</i>
<i>Datura enation mosaic virus</i>	<i>Datura enation mosaic virus</i>
<i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i>	<i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i>
<i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i>	<i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i>
<i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i>	<i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i>
<i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i>	<i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i>
<i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i>	<i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i>
<i>Dioscorea alata virus (Potyviridae, potyvirus)</i>	<i>Dioscorea alata virus (Potyviridae, potyvirus)</i>
<i>Dioscorea bacilliform virus (DBV) ((Caulimoviridae, badnavirus)</i>	<i>Dioscorea bacilliform virus (DBV) ((Caulimoviridae, badnavirus)</i>
<i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i>	<i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i>
<i>Dodonaea yellows-associated virus</i>	<i>Dodonaea yellows-associated virus</i>
<i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)</i>	<i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)</i>
<i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>	<i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>
<i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i>	<i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i>
<i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)</i>	<i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)</i>
<i>Elderberry virus (EV)(Carlavirus 1)</i>	<i>Elderberry virus (EV)(Carlavirus 1)</i>
<i>Epirus cherry virus (EpCV) (Ourmiavirus)</i>	<i>Epirus cherry virus (EpCV) (Ourmiavirus)</i>
<i>Erysimum latent virus (ErLV) (Tymovirus)</i>	<i>Erysimum latent virus (ErLV) (Tymovirus)</i>
	<u><i>Dulcamara mottle virus (DuMV) (Tymovirus)</i></u>
<i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>	<i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>
<i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i>	<i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i>
<i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i>	<i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i>
<i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i>	<i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i>
<i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i>	<i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i>
<i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i>	<i>Faba bean necrotic yellows virus (FBNYV) (Nanovirus)</i>
<i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i>	<i>Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)</i>
<u><i>Fig virus S (FVS) (Carlavirus)</i></u>	
<u><i>Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)</i></u>	
<u><i>Foxtail mosaic virus (FoMV) (Potexvirus)</i></u>	
<u><i>Frangipani mosaic virus (FrMV) (Tobamovirus)</i></u>	
<u><i>French bean mosaic virus</i></u>	
<u><i>Freesia leaf necrosis virus (FLNV) (Varicosavirus)</i></u>	
<u><i>Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)</i></u>	
<u><i>Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)</i></u>	
<u><i>Glycine mosaic virus (GMV) (Comoviridae, Comovirus)</i></u>	
<u><i>Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)</i></u>	
<u><i>Grapevine asteroid mosaic virus</i></u>	
<u><i>Grapevine berry inner necrosis virus (GINV) (Trichovirus)</i></u>	
<u><i>Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)</i></u>	
<u><i>Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)</i></u>	
<u><i>Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)</i></u>	
<u><i>Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)</i></u>	
<u><i>Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)</i></u>	
<u><i>Grapevine fleck virus (GFkV)</i></u>	
<u><i>Grapevine stunt virus</i></u>	
<u><i>Grapevine vein necrosis virus</i></u>	
<u><i>Grapevine virus B (GVB) (Vitivirus, Flexiviridae)</i></u>	
<u><i>Groundnut chlorotic leaf streak virus</i></u>	
<u><i>Groundnut chlorotic spotting virus</i></u>	
<u><i>Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)</i></u>	
<u><i>Groundnut rosette virus (GRV) (Umbravirus)</i></u>	
<u><i>Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)</i></u>	
<u><i>Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)</i></u>	
<u><i>Guar top necrosis virus</i></u>	
<u><i>Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)</i></u>	
<u><i>Helenium virus S (HVS) (Carlavirus)</i></u>	
<u><i>Helenium virus Y (HVY) (Potyviridae, Potyvirus)</i></u>	
<u><i>Henbane mosaic virus (HMV) (Potyviridae, Potyvirus)</i></u>	
	<i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i>
	<i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i>
	<i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i>
	<i>Datura distortion virus</i>
	<i>Datura enation mosaic virus</i>
	<i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i>
	<i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i>
	<i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i>
	<i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i>
	<i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i>
	<i>Dioscorea alata virus (Potyviridae, potyvirus)</i>
	<i>Dioscorea bacilliform virus (DBV) ((Caulimoviridae, badnavirus)</i>
	<i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i>
	<i>Dodonaea yellows-associated virus</i>
	<i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)</i>
	<i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>
	<i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i>

<i>Heracleum latent virus (HLV) (Vitivirus)</i>	<i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)</i>
<i>Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus)</i>	<i>Elderberry virus (EV)(Carlavirus 1)</i>
<i>Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)</i>	<i>Epirus cherry virus (EpCV) (Ourmiavirus)</i>
<i>Honeysuckle latent virus (LnLV) (Carlavirus)</i>	<i>Erysimum latent virus (ErLV) (Tymovirus)</i>
<i>Hop American latent (AHLV) (Carlavirus)</i>	<i>Dulcamara mottle virus (DuMV) (Tymovirus)</i>
<i>Hop latent virus (HpLV) (Carlavirus)</i>	<i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>
<i>Hop mosaic virus (HpMV) (Carlavirus)</i>	<i>Elm mottle virus (EMoV) (Bromoviridae, ilarvirus)</i>
<i>Hop trefoil cryptic virus 1 (HTCV-1)(Partitiviridae, alphacryptovirus)</i>	<i>European wheat striate mosaic virus (EWSMV) (Tenuivirus)</i>
<i>Hop trefoil cryptic virus 2 (HTCV-2)(Partitiviridae, betacryptovirus)</i>	<i>Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)</i>
<i>Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)</i>	<i>Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)</i>
<i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i>	<i>Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)</i>
<i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i>	<i>Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)</i>
<i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i>	<i>Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)</i>
<i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i>	<i>Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)</i>
<i>Hydrangea mosaic virus (HaMV) (Bromoviridae, ilarvirus)</i>	<i>Hydrangea mosaic virus (HaMV) (Bromoviridae, ilarvirus)</i>
<i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i>	<i>Hydrangea ringspot virus (HRSV) (Potexvirus)</i>
<i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i>	<i>Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)</i>
<i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i>	<i>Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)</i>
<i>Iris Japanese necrotic ring virus</i>	<i>Iris Japanese necrotic ring virus</i>
<i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i>	<i>Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)</i>
<i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i>	<i>Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)</i>
<i>Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)</i>	<i>Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)</i>
<i>Indian peanut clump virus (IPCv) (Pechivirus)</i>	<i>Indian peanut clump virus (IPCv) (Pechivirus)</i>
<i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i>	<i>Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)</i>
<i>Iranian maize mosaic virus</i>	<i>Iranian maize mosaic virus</i>
<i>Jatropha mosaic virus (JMv) (Geminiviridae, bigeminivirus)</i>	<i>Jatropha mosaic virus (JMv) (Geminiviridae, bigeminivirus)</i>
<i>Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)</i>	<i>Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)</i>
<i>Kalanchoe isometric virus</i>	<i>Kalanchoe isometric virus</i>
<i>Kalanchoe latent virus (KLV)(Carlavirus)</i>	<i>Kalanchoe latent virus (KLV)(Carlavirus)</i>
<i>Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)</i>	<i>Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)</i>
<i>Kennedya yellow mosaic virus (KYMV) (Tymovirus)</i>	<i>Kennedya yellow mosaic virus (KYMV) (Tymovirus)</i>
<i>Kennedya virus Y (KYV) (Potyviridae, Potyvirus)</i>	<i>Kennedya virus Y (KYV) (Potyviridae, Potyvirus)</i>
<i>Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)</i>	<i>Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)</i>
<i>Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)</i>	<i>Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)</i>
<i>Kober stem grooving</i>	<i>Kober stem grooving</i>
<i>Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)</i>	<i>Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)</i>
<i>Lato River virus (LRV) (Tombusviridae, tombusvirus)</i>	<i>Lato River virus (LRV) (Tombusviridae, tombusvirus)</i>
<i>Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)</i>	<i>Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)</i>
<i>Lettuce big-vein virus (LBVV) (Varicosavirus)</i>	<i>Lettuce big-vein virus (LBVV) (Varicosavirus)</i>
<i>Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)</i>	<i>Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)</i>
<i>Lettuce necrotic yellows virus (LNYV)(Rhabdoviridae, cytorhabdovirus)</i>	<i>Lettuce necrotic yellows virus (LNYV)(Rhabdoviridae, cytorhabdovirus)</i>
<i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i>	<i>Lettuce speckles mottle virus (LSMV) (Umbravirus)</i>
<i>Lilac chlorotic leafspot virus (LCLV)(Capillovirus)</i>	<i>Lilac chlorotic leafspot virus (LCLV)(Capillovirus)</i>
<i>Lilac mottle virus (LiMV) (Carlavirus)</i>	<i>Lilac mottle virus (LiMV) (Carlavirus)</i>
<i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i>	<i>Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)</i>
<i>Lily mottle virus (LMoV) (Potyviridae, potyvirus)</i>	<i>Lily mottle virus (LMoV) (Potyviridae, potyvirus)</i>
<i>Lily virus X (LVX) (Potexvirus)</i>	<i>Lily virus X (LVX) (Potexvirus)</i>
<i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i>	<i>Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)</i>
<i>Limbean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i>	<i>Limbean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)</i>
<i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i>	<i>Little cherry virus (LChV) (Closteroviridae, Closterovirus)</i>
<i>LN33 stem grooving</i>	<i>LN33 stem grooving</i>
<i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i>	<i>Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)</i>
<i>Lucerne vein yellowing virus</i>	<i>Lucerne vein yellowing virus</i>
<i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i>	<i>Lucerne transient streak virus (LTSV) (Sobemovirus)</i>
<i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i>	<i>Lychnis ringspot virus (LRSV) (Hordeivirus)</i>
<i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i>	<i>Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)</i>
<i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i>	<i>Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)</i>
<i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i>	<i>Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)</i>
<i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i>	<i>Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)</i>
<i>Maize line virus</i>	<i>Maize line virus</i>
<i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i>	<i>Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)</i>
<i>Maize rayado fino virus (MRFV) (Marafivirus)</i>	<i>Maize rayado fino virus (MRFV) (Marafivirus)</i>
<i>Maize white line mosaic virus (MWLMV)</i>	<i>Maize white line mosaic virus (MWLMV)</i>
<i>Maize mottle/chlorotic stunt virus</i>	<i>Maize mottle/chlorotic stunt virus</i>
<i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i>	<i>Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)</i>
<i>Maize streak virus (MSV) (Geminiviridae, Mastrevirus)</i>	<i>Maize streak virus (MSV) (Geminiviridae, Mastrevirus)</i>
<i>Malvastrum mottle virus</i>	<i>Malvastrum mottle virus</i>

<i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i>	<i>Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)</i>
<i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i>	<i>Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)</i>
<i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i>	<i>Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)</i>
<i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i>	<i>Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)</i>
<i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i>	<i>Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)</i>
<i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i>	<i>Melon Ourmia virus (OuMV) (Ourmiavirus)</i>
<i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i>	<i>Melon rugose mosaic virus (MRMV) (Tymovirus)</i>
<i>Milk vetch dwarf virus (MDV) (Nanovirus)</i>	<i>Milk vetch dwarf virus (MDV) (Nanovirus)</i>
<i>Mimosa mosaic virus</i>	<i>Mimosa mosaic virus</i>
<i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i>	<i>Mirabilis mosaic virus (MiMV) (Caulimovirus)</i>
<i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i>	<i>Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)</i>
<i>Mulberry latent virus (MLV) (Carlavirus)</i>	<i>Mulberry latent virus (MLV) (Carlavirus)</i>
<i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i>	<i>Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)</i>
<i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i>	<i>Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)</i>
<i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i>	<i>Muskmelon vein necrosis virus (MuVNV) (Carlavirus)</i>
<i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i>	<i>Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)</i>
<i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i>	<i>Narcissus latent virus (NLV) (Potyviridae, macluravirus)</i>
<i>Narcissus mosaic virus (NMV) (Potexvirus)</i>	<i>Narcissus mosaic virus (NMV) (Potexvirus)</i>
<i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i>	<i>Narcissus yellow stripe virus (Potyviridae, potyvirus)</i>
<i>Natsudaikai dwarf virus (NDV) (Sadwavirus)</i>	<i>Natsudaikai dwarf virus (NDV) (Sadwavirus)</i>
<i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i>	<i>Neckar River virus (NRV) (Tombusviridae, tombusvirus)</i>
<i>Nerine latent virus (NeLV) (Carlavirus)</i>	<i>Nerine latent virus (NeLV) (Carlavirus)</i>
<i>Nerine virus (NV) (Potyviridae, potyvirus)</i>	<i>Nerine virus (NV) (Potyviridae, potyvirus)</i>
<i>Nerine virus X(NVX) (Potexvirus)</i>	<i>Nerine virus X(NVX) (Potexvirus)</i>
<i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i>	<i>Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)</i>
<i>Oak ringspot virus</i>	<i>Oak ringspot virus</i>
<i>Oat blue dwarf virus (OBDV) (Marafivirus)</i>	<i>Oat blue dwarf virus (OBDV) (Marafivirus)</i>
<i>Oat golden stripe virus (OGSV) (Furovirus)</i>	<i>Oat golden stripe virus (OGSV) (Furovirus)</i>
<i>Oat mosaic virus (OMV) (Potyviridae, bymovirus)</i>	<i>Oat mosaic virus (OMV) (Potyviridae, bymovirus)</i>
<i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i>	<i>Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)</i>
<i>Oat red streak mosaic virus</i>	<i>Oat red streak mosaic virus</i>
<i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i>	<i>Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)</i>
<i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i>	<i>Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)</i>
<i>Okra mosaic virus (OkMV) (Tymovirus)</i>	<i>Okra mosaic virus (OkMV) (Tymovirus)</i>
<i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i>	<i>Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)</i>
<i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i>	<i>Ononis yellow mosaic virus (OYMV) (Tymovirus)</i>
<i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i>	<i>Opuntia Sammons' virus (SOV) (Tobamovirus)</i>
<i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i>	<i>Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)</i>
<i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i>	<i>Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)</i>
<i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i>	<i>Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)</i>
<i>Papaya meleira virus (PMeV)</i>	<i>Papaya meleira virus (PMeV)</i>
<i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i>	<i>Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)</i>
<i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i>	<i>Paprika mild mottle virus (PaMMV) (Tobamovirus)</i>
<i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i>	<i>Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)</i>
<i>Parsnip leafcurl virus</i>	<i>Parsnip leafcurl virus</i>
<i>Parsnip mosaic virus (ParMV)</i>	<i>Parsnip mosaic virus (ParMV)</i>
<i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i>	<i>Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)</i>
<i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i>	<i>Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)</i>
<i>Passiflora latent virus (PLV) (Carlavirus)</i>	<i>Passiflora latent virus (PLV) (Carlavirus)</i>
<i>Passiflora South African virus (Potyviridae, potyvirus)</i>	<i>Passiflora South African virus (Potyviridae, potyvirus)</i>
<i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i>	<i>Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)</i>
<i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i>	<i>Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)</i>
<i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i>	<i>Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)</i>
<i>Patchouli mosaic virus (Potyviridae, potyvirus)</i>	<i>Patchouli mosaic virus (Potyviridae, potyvirus)</i>
<i>Pea early browning virus (PEBV) (Tobravirus)</i>	<i>Pea early browning virus (PEBV) (Tobravirus)</i>
<i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i>	<i>Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)</i>
<i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i>	<i>Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)</i>
<i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i>	<i>Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)</i>
<i>Pea mosaic virus (Potyviridae, potyvirus)</i>	<i>Pea mosaic virus (Potyviridae, potyvirus)</i>
<i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i>	<i>Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)</i>
<i>Peanut green mosaic virus (Potyviridae, potyvirus)</i>	<i>Peanut green mosaic virus (Potyviridae, potyvirus)</i>
<i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i>	<i>Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)</i>
<i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i>	<i>Peanut yellow spot virus (PeYMV) (Tospovirus)</i>
<i>Peach American mosaic virus</i>	<i>Peach American mosaic virus</i>
<i>Peach latent mosaic viroid (PLMVd)</i>	<i>Peach latent mosaic viroid (PLMVd)</i>
<i>Peach mosaic virus (PMV) (Trichovirus)</i>	<i>Peach mosaic virus (PMV) (Trichovirus)</i>
<i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i>	<i>Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)</i>

<i>Peanut clump virus (PCV) (Pechivirus)</i>	<i>Peanut clump virus (PCV) (Pechivirus)</i>
<i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i>	<i>Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)</i>
<i>Pear necrotic spot virus</i>	<i>Pear necrotic spot virus</i>
<i>Pepino mosaic virus (PepMV) (Flexiviridae, Potexvirus)</i>	<i>Pepino mosaic virus (PepMV) (Flexiviridae, Potexvirus)</i>
<i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i>	<i>Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)</i>
<i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i>	<i>Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)</i>
<i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i>	<i>Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)</i>
<i>Plantago asiatica mosaic virus</i>	<i>Plantago asiatica mosaic virus</i>
<i>Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)</i>	<i>Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)</i>
<i>Plum bark split virus</i>	<i>Plum bark split virus</i>
<i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i>	<i>Plum pox virus (PPV) (Potyviridae, Potyvirus)</i>
<i>Plum rusty blotch</i>	<i>Plum rusty blotch</i>
<i>Potato black ringspot virus (PBRV) (Comoviridae, Nepovirus)</i>	<i>Potato black ringspot virus (PBRV) (Comoviridae, Nepovirus)</i>
<i>Potato deforming mosaic virus</i>	<i>Potato deforming mosaic virus</i>
<i>Potato mop-top virus (PMTV) (Pomovirus)</i>	<i>Potato mop-top virus (PMTV) (Pomovirus)</i>
<i>Potato spindle tuber viroid (PSTVd) (Pospiviroidae, Pospiviroid)</i>	<i>Potato spindle tuber viroid (PSTVd) (Pospiviroidae, Pospiviroid)</i>
<i>Potato virus T (PVT) (Trichovirus)</i>	<i>Potato virus T (PVT) (Trichovirus)</i>
<i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i>	<i>Potato virus U (PVU) (Comoviridae, Nepovirus)</i>
<i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i>	<i>Potato virus V (PVV) (Potyviridae, Potyvirus)</i>
<i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i>	<i>Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)</i>
<i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i>	<i>Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)</i>
<i>Potato yellowing virus</i>	<i>Potato yellowing virus</i>
<i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i>	<i>Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)</i>
<i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i>	<i>Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)</i>
<i>Raspberry leaf curl virus</i>	<i>Raspberry leaf curl virus</i>
<i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i>	<i>Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)</i>
<i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i>	<i>Red clover mottle virus (RCMV) (Comoviridae, Comovirus)</i>
<i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i>	<i>Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)</i>
<i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i>	<i>Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)</i>
<i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i>	<i>Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)</i>
<i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i>	<i>Rice yellow mottle virus (RYMV) (Sobemovirus)</i>
<i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i>	<i>Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)</i>
<i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i>	<i>Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)</i>
<i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i>	<i>Squash mosaic virus (SqMV) (Comoviridae, Comovirus)</i>
<i>Strawberry latent ringspot virus (SLRSV) (Sadvavirus)</i>	<i>Strawberry latent ringspot virus (SLRSV) (Sadvavirus)</i>
<i>Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)</i>	<i>Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)</i>
<i>Sugarcane yellow leaf virus (ScYLV) (Pterovirus, Luteoviridae)</i>	<i>Sugarcane yellow leaf virus (ScYLV) (Pterovirus, Luteoviridae)</i>
<i>Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)</i>	<i>Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)</i>
<i>Tobacco rattle virus (TRV) (Tobravirus)</i>	<i>Tobacco rattle virus (TRV) (Tobravirus)</i>
<i>Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)</i>	<i>Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)</i>
<i>Tobacco mosaic virus (TMV) (Tobamovirus)</i>	<i>Tobacco mosaic virus (TMV) (Tobamovirus)</i>
<i>Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)</i>	<i>Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)</i>
<i>Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)</i>	<i>Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)</i>
<i>Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)</i>	<i>Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)</i>
<i>Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)</i>	<i>Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)</i>
<i>Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)</i>	<i>Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)</i>
<i>Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)</i>	<i>Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)</i>
<i>Ullucus virus C (UVC) (Comoviridae, comovirus)</i>	<i>Ullucus virus C (UVC) (Comoviridae, comovirus)</i>
<i>Ullucus mild mottle virus (UMMV) (Tobamovirus)</i>	<i>Ullucus mild mottle virus (UMMV) (Tobamovirus)</i>
<i>Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)</i>	<i>Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)</i>
<i>Urd bean leaf crinkle virus</i>	<i>Urd bean leaf crinkle virus</i>
<i>Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)</i>	<i>Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)</i>
<i>Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)</i>	<i>Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)</i>
<i>Vanilla necrosis virus (Potyviridae, potyvirus)</i>	<i>Vanilla necrosis virus (Potyviridae, potyvirus)</i>
<i>Velvet tobacco mottle virus (VTMoV) (Sobemovirus)</i>	<i>Velvet tobacco mottle virus (VTMoV) (Sobemovirus)</i>
<i>Viola mottle virus (VMV) (Potexvirus)</i>	<i>Viola mottle virus (VMV) (Potexvirus)</i>
<i>Voandzeia distortion mosaic virus (Potyviridae, potyvirus)</i>	<i>Voandzeia distortion mosaic virus (Potyviridae, potyvirus)</i>
<i>Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)</i>	<i>Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)</i>
<i>Watercress yellow spot virus (WYSV)</i>	<i>Watercress yellow spot virus (WYSV)</i>
<i>Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)</i>	<i>Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)</i>
<i>Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)</i>	<i>Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)</i>
<i>Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)</i>	<i>Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)</i>
<i>Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)</i>	<i>Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)</i>

<p>Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)</p> <p>Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)</p> <p>Wheat soil-borne mosaic virus (SBWMV) (Furovirus)</p> <p>Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)</p> <p>Wheat spindle streak mosaic virus (WSSMV) (Potyviridae, bymovirus)</p> <p>Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)</p> <p>White clover mosaic virus (WCIMV) (Potexvirus)</p> <p>Wild cucumber mosaic virus (WCMV) (Tymovirus)</p> <p>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</p> <p>Wineberry latent virus (WLV)</p> <p>Wisteria vein mosaic virus (WV MV) (Potyviridae, Potyvirus)</p> <p>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</p> <p>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</p> <p>備註：以上病毒之媒介有害生物亦一併列入管制</p>	<p>Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)</p> <p>Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)</p> <p>Wheat soil-borne mosaic virus (SBWMV) (Furovirus)</p> <p>Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)</p> <p>Wheat spindle streak mosaic virus (WSSMV) (Potyviridae, bymovirus)</p> <p>Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)</p> <p>White clover mosaic virus (WCIMV) (Potexvirus)</p> <p>Wild cucumber mosaic virus (WCMV) (Tymovirus)</p> <p>Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)</p> <p>Wineberry latent virus (WLV)</p> <p>Wisteria vein mosaic virus (WV MV) (Potyviridae, Potyvirus)</p> <p>Yam mosaic virus (YMV) (Potyviridae, Potyvirus)</p> <p>Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)</p> <p>備註：以上病毒之媒介有害生物亦一併列入管制</p>
--	--