


檔 號：  
保存年限：

## 行政院農業委員會 公告

發文日期：中華民國110年11月8日  
發文字號：農授防字第1101495349A號



主旨：修正「中華民國輸入植物或植物產品檢疫規定」部分規定，  
並自即日生效。

依據：植物防疫檢疫法第十四條第一項。

公告事項：附修正「中華民國輸入植物或植物產品檢疫規定」部分  
規定1份。

主任委員 陳吉仲

# 中華民國輸入植物或植物產品檢疫規定部分規定 修正規定

甲、禁止輸入之植物或植物產品

依據：植物防疫檢疫法第十四條第一項第一款規定。

一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：

植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）
32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒（ <i>Capsicum annuum</i> ） (2) 菸草（ <i>Nicotiana tabacum</i> ） (3) 茄子（ <i>Solanum melongena</i> ）	<b>亞洲及太平洋地區</b> (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 <b>非洲</b> (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 <b>歐洲</b> (30) 歐洲各個國家、地區 (荷蘭除外) <b>北美</b> (31) 加拿大（卑詩省除外） (32) 美國 <b>中南美</b> (33) 安地卡及巴布達	菸草露菌病 （ <i>Peronospora tabacina</i> Adam.）

	(34) 阿根廷 (35) 巴哈馬 (36) 巴貝多 (37) 貝里斯 (38) 巴西 (39) 智利 (40) 哥倫比亞 (41) 哥斯大黎加 (42) 古巴 (43) 多米尼克 (44) 多明尼加 (45) 薩爾瓦多 (46) 格瑞那達 (47) 瓜地馬拉 (48) 海地 (49) 宏都拉斯 (50) 牙買加 (51) 墨西哥 (52) 尼加拉瓜 (53) 巴拿馬 (54) 波多黎各 (55) 聖克里斯多福 (56) 聖露西亞 (57) 聖文森及格瑞那丁 (58) 千里達及托巴哥 (59) 烏拉圭 (60) 委內瑞拉	
--	---	--

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款、第三款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
37.植物名稱及其部位	亞洲及太平洋地區	梨花枯病	1.應檢附輸出國植物檢疫機關（構）簽發之植物檢疫證明書，證明經田間檢疫未罹染
I. 下列繁殖用生植株（種子除外）：	(1)阿富汗	（ <i>Pseudomonas syringae</i> pv. <i>syringae</i> ）	<i>Pseudomonas syringae</i> pv. <i>syringae</i> ，或於輸出前經實驗室檢測未罹染
(1)黃秋葵 ( <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> )	(2)亞塞拜然 (3)澳大利亞 (4)孟加拉 (5)白俄羅斯 (6)中國大陸		<i>Pseudomas syringae</i> pv. <i>syringae</i> ，否則銷燬或退運。
(2)烏頭屬 ( <i>Aconitum</i> spp.)	(7)喬治亞 (8)印度		2.日本產梨接穗依「日本產梨接穗輸入檢疫條件」辦理輸入。
(3)臺灣羊桃 ( <i>Actinidia chinensis</i> )	(9)伊朗 (10)以色列 (11)日本		3.中國大陸產梨接穗依
(4)奇異果 ( <i>Actinidia deliciosa</i> )	(12)北韓 (13)南韓		

(5) 赤楊屬之一種 ( <i>Alnus glutinosa</i> )	(14) 吉爾吉斯	「中國大陸產梨接穗輸入檢疫條件」辦理輸入。
(6) 槲木屬 ( <i>Aralia</i> spp.)	(15) 黎巴嫩	
(7) 漿果鵝屬 ( <i>Arbutus</i> spp.)	(16) 紐西蘭	
(8) 歐洲白樺 ( <i>Betula pendula</i> )	(17) 俄羅斯聯邦	
(9) 旋花科之一種 ( <i>Calystegia sepium</i> )	(18) 巴基斯坦	
(10) 番椒 ( <i>Capsicum annuum</i> )	(19) 斯里蘭卡	
(11) 紅花( <i>Carthamus tinctorius</i> )	(20) 泰國	
(12) 矢車菊屬之一種 ( <i>Centaurea stoebe</i> )	(21) 土耳其	
(13) 野菊 ( <i>Chrysanthemum indicum</i> )	(22) 烏茲別克 非洲	
(14) 樟樹 ( <i>Cinnamomum camphora</i> )	(23) 阿爾及利亞	
(15) 柑橘屬 ( <i>Citrus</i> spp.)	(24) 埃及	
(16) 阿拉比卡咖啡 ( <i>Coffea arabica</i> )	(25) 衣索比亞	
(17) 胡瓜 ( <i>Cucumis sativus</i> )	(26) 肯亞	
(18) 南瓜屬 ( <i>Cucurbita</i> spp.)	(27) 賴索托	
(19) 瓜爾豆 ( <i>Cyamopsis tetragonoloba</i> )	(28) 利比亞	
(20) 榲桲 ( <i>Cydonia oblonga</i> )	(29) 馬拉威	
(21) 大理花 ( <i>Dahlia pinnata</i> )	(30) 摩洛哥	
(22) 瑞香 ( <i>Daphne odora</i> )	(31) 奈及利亞	
	(32) 南非	
	(33) 坦尚尼亞	
	(34) 突尼西亞	
	(35) 烏干達	
	(36) 辛巴威 歐洲	
	(37) 奧地利	
	(38) 比利時	
	(39) 波士尼亞赫塞哥維納	
	(40) 保加利亞	
	(41) 賽普勒斯	
	(42) 捷克	
	(43) 丹麥	
	(44) 法國	
	(45) 德國	
	(46) 希臘	
	(47) 匈牙利	
	(48) 愛爾蘭	
	(49) 義大利	
	(50) 拉脫維亞	
	(51) 立陶宛	

(23) 柿 ( <i>Diospyros kaki</i> )	(52) 馬其頓		
(24) 連翹屬之一種 ( <i>Forsythia intermedia</i> )	(53) 摩爾多瓦		
(25) 金柑屬 ( <i>Fortunella</i> spp.)	(54) 荷蘭		
(26) 歐洲草莓 ( <i>Fragaria vesca</i> )	(55) 波蘭		
(27) 大豆 ( <i>Glycine max</i> )	(56) 葡萄牙		
(28) 木槿屬 ( <i>Hibiscus</i> spp.)	(57) 羅馬尼亞		
(29) 大麥 ( <i>Hordeum vulgare</i> )	(58) 塞爾維亞		
(30) 胡桃 ( <i>Juglans regia</i> )	(59) 斯洛維尼亞		
(31) 白花鵲豆 ( <i>Lablab purpureus</i> )	(60) 西班牙		
(32) 女貞屬之一種 ( <i>Ligustrum ovalifolium</i> )	(61) 瑞典		
(33) 荔枝 ( <i>Litchi chinensis</i> )	(62) 瑞士		
(34) 木蘭屬 ( <i>Magnolia</i> spp.)	(63) 英國		
(35) 欖果 ( <i>Mangifera indica</i> )	(64) 烏克蘭		
(36) 蘋果 ( <i>Malus domestica</i> )	北美		
(37) 虎爪豆 ( <i>Mucuna pruriens</i> )	(65) 加拿大		
(38) 芭蕉屬之一種 ( <i>Musa paradisiaca</i> )	(66) 墨西哥		
(39) 歐洲夾竹桃 ( <i>Nerium oleander</i> )	(67) 美國		
(40) 菸草 ( <i>Nicotiana tabacum</i> )	中南美		
(41) 橄欖 ( <i>Olea europaea</i> )	(68) 阿根廷		
(42) 稻	(69) 巴貝多		
	(70) 巴西		
	(71) 智利		
	(72) 薩爾瓦多		
	(73) 瓜地馬拉		
	(74) 宏都拉斯		
	(75) 巴拿馬		
	(76) 波多黎各		
	(77) 烏拉圭		
	(78) 委內瑞拉		

<p>(<i>Oryza sativa</i>)</p> <p>(43) 百香果</p> <p>(<i>Passiflora edulis</i>)</p> <p>(44) 酪梨</p> <p>(<i>Persea americana</i>)</p> <p>(45) 花豆</p> <p>(<i>Phaseolus</i> <i>coccineus</i>)</p> <p>(46) 菜豆</p> <p>(<i>Phaseolus lunatus</i>)</p> <p>(47) 敏豆</p> <p>(<i>Phaseolus vulgaris</i>)</p> <p>(48) 山梅花屬</p> <p>(<i>Philadelphus</i> spp.)</p> <p>(49) 放射松</p> <p>(<i>Pinus radiata</i>)</p> <p>(50) 胡椒</p> <p>(<i>Piper nigrum</i>)</p> <p>(51) 豌豆</p> <p>(<i>Pisum sativum</i>)</p> <p>(52) 楊屬</p> <p>(<i>Populus</i> spp.)</p> <p>(53) 李屬</p> <p>(<i>Prunus</i> spp.)</p> <p>(54) 梨屬</p> <p>(<i>Pyrus</i> spp.)</p> <p>(55) 杜鵑花屬</p> <p>(<i>Rhododendron</i> spp.)</p> <p>(56) 薔薇屬</p> <p>(<i>Rosa</i> spp.)</p> <p>(57) 柳屬</p> <p>(<i>Salix</i> spp.)</p> <p>(58) 樹番茄</p> <p>(<i>Solanum betaceum</i> = <i>Cyphomandra</i> <i>betacea</i>)</p> <p>(59) 番茄</p> <p>(<i>Solanum</i> <i>lycopersicum</i> = <i>Lycopersium</i>)</p>			
--	--	--	--

<p><i>esculentum</i>)</p> <p>(60) 高粱</p> <p><i>(Sorghum bicolor)</i></p> <p>(61) 小麥</p> <p><i>(Triticum aestivum)</i></p> <p>(62) 油桐</p> <p><i>(Vernicia fordii=</i> <i>Aleurites fordii)</i></p> <p>(63) 蠶豆屬</p> <p><i>(Vicia spp.)</i></p> <p>(64) 豇豆屬</p> <p><i>(Vigna spp.)</i></p> <p>(65) 葡萄屬</p> <p><i>(Vitis spp.)</i></p> <p>(66) 玉米</p> <p><i>(Zea mays)</i></p> <p>II. 下列繁植用種子：</p> <p>(1) 瓜爾豆</p> <p><i>(Cyamopsis tet-rago</i> <i>noloba)</i></p> <p>(2) 大豆</p> <p><i>(Glycine max)</i></p> <p>(3) 白花鵲豆</p> <p><i>(Lablab purpureus)</i></p> <p>(4) 稻</p> <p><i>(Oryza sativa)</i></p> <p>(5) 花豆</p> <p><i>(Phaseolus</i> <i>coccineus)</i></p> <p>(6) 菜豆</p> <p><i>(Phaseolus lunatus)</i></p> <p>(7) 敏豆</p> <p><i>(Phaseolus vulgaris)</i></p> <p>(8) 豌豆</p> <p><i>(Pisum sativum)</i></p> <p>(9) 高粱</p> <p><i>(Sorghum bicolor)</i></p> <p>(10) 小麥</p> <p><i>(Triticum aestivum)</i></p> <p>(11) 蠶豆屬</p> <p><i>(Vicia spp.)</i></p>			
---	--	--	--

<p>(12)豇豆屬 (<i>Vigna</i> spp.)</p>			
<p>38.下列繁殖用生植株 (種子除外):</p> <p>(1) 長葉桉 (<i>Acacia longifolia</i>)</p> <p>(2) 槭屬 (<i>Acer</i> spp.)</p> <p>(3) 加州七葉樹 (<i>Aesculus californica</i>)</p> <p>(4) 加州赤楊 (<i>Alnus rhombifolia</i>)</p> <p>(5) 樹山葡 (<i>Ampelopsis arborea</i>)</p> <p>(6) 艾屬之一種 (<i>Artemisia douglasiana</i>)</p> <p>(7) 雀麥屬 (<i>Bromus</i> spp.)</p> <p>(8) 美人蕉屬 (<i>Canna</i> spp.)</p> <p>(9) 美洲紫珠 (<i>Callicarpa americana</i>)</p> <p>(10) 長山核桃 (<i>Carya illinoensis</i>)</p> <p>(11) 長春花 (<i>Catharanthus roseus</i>)</p> <p>(12) 紫荊屬之一種 (<i>Cercis occidentalis</i>)</p> <p>(13) 白藜 (<i>Chenopodium quinoa</i>)</p> <p>(14) 柑桔屬 (<i>Citrus</i> spp.)</p> <p>(15) 咖啡屬 (<i>Coffea</i> spp.)</p> <p>(16) 胡蘿蔔 (<i>Daucus carota</i> var. <i>sativa</i>)</p> <p>(17) 金露花 (<i>Duranta repens</i>)</p> <p>(18) 無花果</p>	<p><b>亞洲及太平洋地區</b></p> <p>(1) 伊朗</p> <p>(2) 土耳其</p> <p><b>歐洲</b></p> <p>(3) 義大利</p> <p>(4) 西班牙</p> <p><b>北美</b></p> <p>(5) 美國</p> <p>(6) 加拿大</p> <p><b>中南美</b></p> <p>(7) 阿根廷</p> <p>(8) 巴西</p> <p>(9) 哥斯大黎加</p> <p>(10) 巴拉圭</p> <p>(11) 委內瑞拉</p>	<p><i>Xylella fastidiosa</i></p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明於輸出前經實驗室檢測未罹染 <i>Xylella fastidiosa</i> 否則銷燬或退運。</p>



<p>(<i>Ficus carica</i>)</p> <p>(19) 金柑屬</p> <p>(<i>Fortunella</i> spp.)</p> <p>(20) 加州草莓</p> <p>(<i>Fragaria californica</i>)</p> <p>(21) 雙瓣白蠟</p> <p>(<i>Fraxinus dipetala</i>)</p> <p>(22) 倒掛金鐘</p> <p>(<i>Fuchsia magellanica</i>)</p> <p>(23) 銀杏</p> <p>(<i>Ginkgo biloba</i>)</p> <p>(24) 常春藤</p> <p>(<i>Hedera helix</i>)</p> <p>(25) 加州冬青樹</p> <p>(<i>Heteromeles</i> <i>arbutifolia</i>)</p> <p>(26) 大麥</p> <p>(<i>Hordeum vulgare</i>)</p> <p>(27) 圓錐鏽球</p> <p>(<i>Hydrangea</i> <i>paniculata</i>)</p> <p>(28) 藍花楹屬之一種</p> <p>(<i>Jacaranda</i> <i>mimosifolia</i>)</p> <p>(29) 圓柏屬之一種</p> <p>(<i>Juniperus ashei</i>)</p> <p>(30) 紫薇</p> <p>(<i>Lagerstroemia</i> <i>indica</i>)</p> <p>(31) 香豌豆屬</p> <p>(<i>Lathyrus</i> spp.)</p> <p>(32) 甜楓</p> <p>(<i>Liquidambar</i> <i>styraciflua</i>)</p> <p>(33) 黑麥草</p> <p>(<i>Lolium multiflorum</i>)</p> <p>(34) 金銀花</p> <p>(<i>Lonicera japonica</i>)</p> <p>(35) 洋玉蘭</p> <p>(<i>Magnolia grandiflora</i>)</p> <p>(36) 薄荷屬</p> <p>(<i>Mentha</i> spp.)</p> <p>(37) 桑</p> <p>(<i>Morus alba</i>)</p> <p>(38) 夾竹桃</p> <p>(<i>Nerium oleander</i>)</p> <p>(39) 橄欖</p>			
---	--	--	--

<p>(<i>Olea europaea</i>)</p> <p>(40) 五葉地錦</p> <p>(<i>Parthenocissus quinquefolia</i>)</p> <p>(41) 天竺葵</p> <p>(<i>Pelargonium hortorum</i>)</p> <p>(42) 厚葉海桐</p> <p>(<i>Pittosporum crassifolium</i>)</p> <p>(43) 美國梧桐</p> <p>(<i>Platanus occidentalis</i>)</p> <p>(44) 酪梨</p> <p>(<i>Persea americana</i>)</p> <p>(45) 枸橘屬</p> <p>(<i>Poncirus</i> spp.)</p> <p>(46) 李屬</p> <p>(<i>Prunus</i> spp.)</p> <p>(47) 櫟屬</p> <p>(<i>Quercus</i> spp.)</p> <p>(48) 加州薔薇</p> <p>(<i>Rosa californica</i>)</p> <p>(49) 迷迭香</p> <p>(<i>Rosmarinus officinalis</i>)</p> <p>(50) 懸鉤子屬</p> <p>(<i>Rubus</i> spp.)</p> <p>(51) 接骨木</p> <p>(<i>Sambucus canadensis</i>)</p> <p>(52) 高粱</p> <p>(<i>Sorghum vulgare</i>)</p> <p>(53) 丁香</p> <p>(<i>Syringa vulgaris</i>)</p> <p>(54) 三葉草屬</p> <p>(<i>Trifolium</i> spp.)</p> <p>(55) 榆屬</p> <p>(<i>Ulmus</i> spp.)</p> <p>(56) 加州月桂</p> <p>(<i>Umbellularia californica</i>)</p> <p>(57) 越桔屬</p> <p>(<i>Vaccinium</i> spp.)</p> <p>(58) 蠶豆</p> <p>(<i>Vicia faba</i>)</p> <p>(59) 日日春</p> <p>(<i>Vinca major</i>)</p> <p>(60) 葡萄屬</p>			
--	--	--	--

( <i>Vitis</i> spp.)			
39.下列繁殖用生植株： (1)西洋芹 ( <i>Apium graveolens</i> ) (2)辣根 ( <i>Armoracia rusticana</i> ) (3)甜菜 ( <i>Beta vulgaris</i> ) (4)胡瓜 ( <i>Cucumis sativas</i> ) (5)紅藜 ( <i>Chenopodium giganteum</i> = <i>C. album</i> subsp. <i>amaranticolor</i> ) (6)白藜 ( <i>Chenopodium quinoa</i> ) (7)胡蘿蔔 ( <i>Daucus carota</i> ) (8)康乃馨 ( <i>Dianthus caryophyllus</i> ) (9)豆科 ( <i>Fabaceae</i> ) (10)連翹 ( <i>Forsythia suspense</i> ) (11)草莓 ( <i>Fragaria</i> × <i>ananassa</i> ) (12)唐菖蒲 ( <i>Gladiolus hybridus</i> ) (13)蛇麻 ( <i>Humulus lupulus</i> ) (14)萵苣 ( <i>Lactuca sativa</i> ) (15)百合屬 ( <i>Lilium</i> spp.) (16)水仙屬 ( <i>Narcissus</i> spp.) (17)橄欖 ( <i>Olea europaea</i> ) (18)矮牽牛屬 ( <i>Petunia</i> spp.) (19)敏豆 ( <i>Phaseolus vulgaris</i> )	<b>亞洲及太平洋地區</b> (1) 澳大利亞 (2) 日本 (3) 印度 (4) 伊朗 (5) 哈薩克 (6) 黎巴嫩 (7) 紐西蘭 (8) 敘利亞 (9) 俄羅斯聯邦 (10) 土耳其 (11) 烏克蘭 <b>非洲</b> (12) 埃及 (13) 南非 <b>歐洲</b> (14) 奧地利 (15) 比利時 (16) 保加利亞 (17) 白俄羅斯 (18) 捷克 (19) 丹麥 (20) 法國 (21) 德國 (22) 挪威 (23) 克羅埃西亞 (24) 匈牙利 (25) 愛爾蘭 (26) 義大利 (27) 盧森堡 (28) 拉脫維亞 (29) 摩爾達維亞 (30) 蒙特內哥羅	南芥嵌紋病毒 ( <i>Arabis mosaic virus</i> (Nepovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。

(20)甜櫻桃 ( <i>Prunus avium</i> ) (21)杏 ( <i>Prunus armeniaca</i> ) (22)歐洲酸櫻桃 ( <i>Prunus cerasus</i> ) (23)歐洲李 ( <i>Prunus domestica</i> ) (24)扁桃 ( <i>Prunus dulcis</i> ) (25)桂櫻 ( <i>Prunus laurocerasus</i> ) (26)桃 ( <i>Prunus persica</i> ) (27)大黃 ( <i>Rheum palmatum</i> ) (28)薔薇屬 ( <i>Rosa spp.</i> ) (29)覆盆子 ( <i>Rubus idaeus</i> ) (30)西洋接骨木 ( <i>Sambucus nigra</i> ) (31)白花苜蓿 ( <i>Trifolium repens</i> ) (32)馬鞭草屬 ( <i>Verbena spp.</i> ) (33)葡萄 ( <i>Vitis vinifera</i> )	(31) 荷蘭 (32) 波蘭 (33) 羅馬尼亞 (34) 科索沃 (35) 塞爾維亞 (36) 斯洛維尼亞 (37) 西班牙 (38) 瑞典 (39) 瑞士 (40) 芬蘭 (41) 英國 (42) 烏克蘭 <b>北美</b> (43) 加拿大 (44) 墨西哥 (45) 美國 <b>中南美</b> (46) 智利		
50.下列繁殖用生植株 (種子除外): (1) 無花果 ( <i>Ficus carica</i> )	<b>亞洲及太平洋地區</b> (1) 澳大利亞 (2) 中國大陸 (3) 伊朗 (4) 以色列 (5) 日本 (6) 約旦 (7) 黎巴嫩 (8) 紐西蘭 (9) 敘利亞 (10) 土耳其 <b>非洲</b> (11) 阿爾及利亞 (12) 突尼西亞 <b>歐洲</b> (13) 克羅埃西亞 (14) 希臘 (15) 義大利 (16) 塞爾維亞	無花果嵌紋病毒 ( <i>Fig mosaic virus</i> (Emaravirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未染無花果嵌紋病毒,或於輸出前經實驗室檢測未染無花果嵌紋病毒,否則銷燬或退運。

	(17) 西班牙 (18) 英國 <b>北美</b> (19) 加拿大 (20) 美國 <b>中南美</b> (21) 波多黎各		
51. 下列繁殖用生植株 (種子除外): (1) 烏頭屬 ( <i>Aconitum</i> spp.) (2) 百合水仙屬 ( <i>Alstroemeria</i> spp.) (3) 白頭翁屬 ( <i>Anemone</i> spp.) (4) 金魚草屬 ( <i>Antirrhinum</i> spp.) (5) 花生 ( <i>Arachis hypogaea</i> ) (6) 臺灣山蘇花 ( <i>Asplenium nidus</i> ) (7) 秋海棠屬 ( <i>Begonia</i> spp.) (8) 寒丁子屬 ( <i>Bouvardia</i> spp.) (9) 翠菊屬 ( <i>Callistephus</i> spp.) (10) 番椒屬 ( <i>Capsicum</i> spp.) (11) 菊苣 ( <i>Cichorium endivia</i> ) (12) 菊屬 ( <i>Chrysanthemum</i> spp. = <i>Dendranthema</i> spp.) (13) 鯨魚花屬 ( <i>Columnea</i> spp.) (14) 胡瓜 ( <i>Cucumis sativus</i> ) (15) 仙客來 ( <i>Cyclamen persicum</i> ) (16) 大理花屬 ( <i>Dahlia</i> spp.) (17) 石斛蘭屬 ( <i>Dendrobium</i> spp.) (18) 洋桔梗 ( <i>Eustoma grandiflorum</i> ) (19) 紫芳草 ( <i>Exacum affine</i> )	<b>亞洲及太平洋地區</b> (1) 中國大陸 (2) 伊朗 (3) 以色列 (4) 日本 (5) 紐西蘭 <b>非洲</b> (6) 烏干達 <b>歐洲</b> (7) 奧地利 (8) 比利時 (9) 保加利亞 (10) 捷克 (11) 法國 (12) 德國 (13) 匈牙利 (14) 義大利 (15) 馬其頓 (16) 荷蘭 (17) 波蘭 (18) 葡萄牙 (19) 斯洛維尼亞 (20) 西班牙 (21) 英國 (22) 烏克蘭 <b>北美</b> (23) 加拿大 (24) 墨西哥 (25) 美國 <b>中南美</b> (26) 智利 (27) 哥斯大黎加	鳳仙花壞疽斑點病毒( <i>Impatiens necrotic spot virus</i> , Tospovirus)	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未染鳳仙花壞疽斑點病毒,或於輸出前經實驗室檢測未染鳳仙花壞疽斑點病毒,否則銷燬或退運。

<p>(20) 八角金盤 (<i>Fatsia japonica</i>)</p> <p>(21) 唐菖蒲屬 (<i>Gladiolus</i> spp.)</p> <p>(22) 大丁草屬 (<i>Gerbera</i> spp.)</p> <p>(23) 蜘蛛百合屬 (<i>Hymenocallis</i> spp.)</p> <p>(24) 鳳仙花屬 (<i>Impatiens</i> spp.)</p> <p>(25) 萵苣 (<i>Lactuca sativa</i>)</p> <p>(26) 補血草屬 (<i>Limonium</i> spp.)</p> <p>(27) 山梗菜屬 (<i>Lobelia</i> spp.)</p> <p>(28) 囊距花屬 (<i>Nemesia</i> spp.)</p> <p>(29) 菸草 (<i>Nicotiana tabacum</i>)</p> <p>(30) 羅勒 (<i>Ocimum basilicum</i>)</p> <p>(31) 蝴蝶蘭屬 (<i>Phalaenopsis</i> spp.)</p> <p>(32) 墨西哥酸漿 (<i>Physalis ixocarpa</i>)</p> <p>(33) 海桐花屬 (<i>Pittosporum</i> spp.)</p> <p>(34) 櫻草屬 (<i>Primula</i> spp.)</p> <p>(35) 毛茛屬 (<i>Ranunculus</i> spp.)</p> <p>(36) 懸鈎子屬 (<i>Rubus</i> spp.)</p> <p>(37) 長生草屬 (<i>Sempervivum</i> spp.)</p> <p>(38) 瓜葉菊 (<i>Senecio cruentus</i>)</p> <p>(39) 大岩桐 (<i>Sinningia speciosa</i> = <i>Gloxinia speciosa</i>)</p> <p>(40) 番茄 (<i>Solanum lycopersicum</i> = <i>Lycopersicum esculentum</i>)</p> <p>(41) 馬鈴薯 (<i>Solanum tuberosum</i>)</p> <p>(42) 苞葉芋屬 (<i>Spathiphyllum</i> spp.)</p> <p>(43) 菠菜 (<i>Spinacea oleracea</i>)</p>			
---	--	--	--

= <i>Spinacia oleracea</i> ) (44) 萵苣莖草 ( <i>Valerianella olitoria</i> ) (45) 海芋 ( <i>Zantedeschia aethiopica</i> )			
52.下列繁殖用生植株 (種子除外): (1) 蘭科 (Orchidaceae)	<b>亞洲及太平洋地區</b> (1) 中國大陸 (2) 日本 (3) 南韓 (4) 澳大利亞 <b>非洲</b> (5) 南非 <b>歐洲</b> (6) 德國 (7) 丹麥 <b>北美</b> (8) 美國 <b>中南美</b> (9) 巴西 (10) 哥倫比亞 (11) 哥斯大黎加	蘭花斑點病毒 ( <i>Orchid fleck virus</i> )	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫未染蘭花斑點病毒，或於輸出前經實驗室檢測未染蘭花斑點病毒，否則銷燬或退運。

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群(Taxa)有害生物採取檢疫處理措施。

#### 昆蟲類(342 種)

*Acalolepta cervina*

*Acanthoscelides obtectus*

*Acanthoscelides pallidipennis*

*Acleris gloverana*

*Acleris variana*

*Acrogonia terminalis*

*Acrolepiopsis assectella*

*Acropolitis rudisana*

*Adelges tsugae*

*Adoxophyes orana*

*Aeolesthes sarta*

*Aeolothrips fasciatus*

*Aethina tumida*  
*Affirmaspis socotrana*  
*Agrilus mali*  
*Amorbia emigratella*  
*Anaphothrips obscurus*  
*Anastrepha grandis*  
*Anastrepha striata*  
*Anastrepha suspensa*  
*Anchastus swezeyi*  
*Anomala sulcatula*  
*Anthonomus bisignifer*  
*Anthonomus eugenii*  
*Anthonomus grandis*  
*Aonidiella lauretorum*  
*Aonidiella orientalis*  
*Aonidiella tinerfinensis*  
*Aphis fabae*  
*Aphis sedi*  
*Apis mellifera capensis*  
*Apis mellifera scutellata*  
*Archips micaceanus*  
*Argyrotaenia ljugiana*  
*Artitropa comus*  
*Aspidiotus nerii*  
*Aspidiotus spinosus*  
*Asterolecanium spp.*  
*Bactrocera albistrigata*  
*Bactrocera aquilonis*  
*Bactrocera cucumis*  
*Bactrocera decipiens*  
*Bactrocera diversa*  
*Bactrocera fascialis*  
*Bactrocera frauenfeldi*  
*Bactrocera jarvisi*  
*Bactrocera kirki*  
*Bactrocera latifrons*  
*Bactrocera melanota*  
*Bactrocera musae*  
*Bactrocera neohumeralis*  
*Bactrocera occipitalis*  
*Bactrocera oleae*  
*Bactrocera passiflorae*



*Bactrocera psidii*  
*Bactrocera trivialis*  
*Bactrocera tuberculata*  
*Bactrocera umbrosa*  
*Bagrada hilaris*  
*Bactrocera xanthodes*  
*Bemisia cordylinidis*  
*Blitopertha orientalis*  
*Brachycaudus cardui*  
*Brachycaudus persicae*  
*Brachycerus spp.*  
*Brachydactyla discoidea*  
*Bruchophagus roddi*  
*Bruchus pisorum*  
*Bruchus rufimanus*  
*Bulbifer homeorhynchus*  
*Cacoecimorpha pronubana*  
*Cacopsylla chinensis*  
*Cacyreus marshalli*  
*Callipogon relictus*  
*Callosobruchus analis*  
*Callosobruchus phaseoli*  
*Camponotus floridanus*  
*Camponotus herculeanus*  
*Camponotus kiusiuensis*  
*Camponotus noveboracensis*  
*Camponotus obscuripes*  
*Camponotus pennsylvanicus*  
*Capitophorus horni*  
*Capua tortrix*  
*Cataenococcus hispidus*  
*Catamacta lotinana*  
*Ceratitis spp.*  
*Chaetanaphothrips signipennis*  
*Chalcophora japonica*  
*Choristoneura conflictana*  
*Choristoneura fumiferana*  
*Choristoneura occidentalis*  
*Choristoneura rosaceana*  
*Chrysomphalus diversicolor*  
*Chrysomphalus pinnulifer*  
*Cilaeopeplus swezeyi*

*Coccidohystrix insolita*  
*Coccus spp.*  
*Conoderus eveillardii*  
*Conoderus rufangulus*  
*Conopia hector*  
*Conotrachelus aguacatae*  
*Contarinia maculipennis*  
*Contarinia nasturtii*  
*Contarinia sorghicola*  
*Coptotermes curvignathus*  
*Copturus aguacatae*  
*Crematogaster matsumurai*  
*Crematogaster teranishii*  
*Cryptophlebia leucotreta*  
*Cryptorhynchus lapathi*  
*Curculio davidi*  
*Curculio elephas*  
*Curculio nucum*  
*Cydia latiferreana*  
*Cydia splendana*  
*Dacus bivittatus*  
*Dacus vertebrates*  
*Daktulosphaira vitifoliae*  
*Dasineura mali*  
*Dendroctonus adjunctus*  
*Dendroctonus ponderosae*  
*Dendroctonus rufipennis*  
*Dendrolimus sibiricus*  
*Delia antique*  
*Delia platura*  
*Diabrotica barberi*  
*Diabrotica speciosa*  
*Diabrotica undecimpunctata*  
*Diabrotica virgifera virgifera*  
*Diaprepes abbreviatus*  
*Diaspidiotus gigas*  
*Diaspidiotus ostreaeformis*  
*Diaspidiotus pyri*  
*Diatraea saccharalis*  
*Dilobopterus costalimai*  
*Dociostaurus maroccanus*  
*Draeculacephala minerva*

*Dreyfusia piceae*  
*Drosophila suzukii*  
*Dryocoetes confuses*  
*Dryocosmus kuriphilus*  
*Dysmicoccus nesophilus*  
*Dyspessa ulula*  
*Earias vittella*  
*Echinothrips americanus*  
*Elytroteinus subtruncatus*  
*Epiphyas postvittana*  
*Epitrix cucumeris*  
*Epitrix tuberis*  
*Eriosoma lanigerum*  
*Eublemma rufimixta*  
*Eucalymnatus tessellatus*  
*Euproctis chrysorrhoea*  
*Eurytoma laricis*  
*Eustalodes anthivora*  
*Exosoma lusitanica*  
*Frankliniella spp.*  
*Furcaspis oceanica*  
*Glaucothrips glaucus*  
*Gnathotrichus sulcatus*  
*Gonipterus gibberus*  
*Graphocephala atropunctata*  
*Grapholita funebrana*  
*Grapholita inopinata*  
*Grapholita molesta*  
*Grapholita packardi*  
*Grapholita prunivora*  
*Heilipus lauri*  
*Helicoverpa zea*  
*Hemiberlesia cyanophylli*  
*Hemiberlesia palmae*  
*Hemimene juliana*  
*Hesperophanes campestris*  
*Heterobostrychus aequalis*  
*Heteronychus arator*  
*Holotrichia mindanaona*  
*Homalodisca coagulata*  
*Howardia biclavis*  
*Hylastes ater*

*Hylurgopinus rufipes*  
*Hyphantria cunea*  
*Hypothenemus hampei*  
*Insulaspis orsoni*  
*Ips calligraphus*  
*Ips confusus*  
*Ips grandicollis*  
*Ips lecontei*  
*Ips pini*  
*Ips plastographus*  
*Ips typographus*  
*Iridomyrmex cordatus*  
*Iridomyrmex humilis* = *Linepithema humile*  
*Ischnaspis longirostris*  
*Kandyosilis cochleata*  
*Kytorhinus immixtus*  
*Laspeyresia* spp.  
*Lepidosaphes salicina*  
*Lepidosaphes tokionis*  
*Leptocybe invasa*  
*Leucoptera malifoliella*  
*Limonius californicus*  
*Liposcelis decolor*  
*Listroderes subcinctus*  
*Listronotus bonariensis*  
*Lobesia botrana*  
*Locusta migratoria*  
*Lopholeucaspis cockerelli*  
*Lymantria dispar*  
*Lymantria monacha*  
*Macrosiphum euphorbiae*  
*Malacosoma americanum*  
*Malacosoma disstria*  
*Margarodes prieskaensis*  
*Margarodes vredendalensis*  
*Matsucoccus matsumurae*  
*Mayetiola destructor*  
*Megalometis chilensis*  
*Melanaspis corticosa*  
*Melanaspis elaeagni*  
*Melanaspis nigropunctata*  
*Melanotus communis*

*Metamasius* spp.  
*Monochamus* spp.  
*Mudaria luteileprosa*  
*Mudaria magniplaga*  
*Mycetaspis personata*  
*Mycetaspis sphaerioides*  
*Myzus ornatus*  
*Nasutitermes corniger*  
*Naupactus xanthographus*  
*Nemorimyza maculosa*  
*Neomaskellia bergii*  
*Neoselenaspidus silvaticus*  
*Nipaecoccus nipae*  
*Nomadacris septemfasciata*  
*Nysius vinitor*  
*Oncometopia fascialis*  
*Operophtera brumata*  
*Opogona sacchari*  
*Opuntiaspis carinata*  
*Orgyia antiqua*  
*Orgyia pseudotsugata*  
*Orthezia insignis*  
*Oryctes monoceros*  
*Ostrinia nubilalis*  
*Otiorhynchus ligustici*  
*Oulema melanopus*  
*Oviticoccus agavium*  
*Pammene fasciana*  
*Paralipsa gularis*  
*Paranthrene tabaniformis*  
*Paraputo hispidus*  
*Parthenolecanium corni*  
*Pectinophora scutigera*  
*Perileucoptera coffeella*  
*Phalaenoides glycinae*  
*Phenacaspis tangana*  
*Phenacoccus manihoti*  
*Phyllophaga* spp.  
*Pinnaspis dracaenae*  
*Pinnaspis strachani*  
*Pissodes nemorensis*  
*Pissodes strobi*

*Pissodes terminalis*  
*Pogonomyrmex occidentalis*  
*Prays endocarpa*  
*Premnotrypes latithorax*  
*Premnotrypes suturicallus*  
*Premnotrypes vorax*  
*Proeulia* spp.  
*Promecothea cumingii*  
*Prostephanus truncatus*  
*Proterhinus vestitus*  
*Pseudischnaspis bowreyi*  
*Pseudaulacaspis dendrobii*  
*Pseudococcus* spp.  
*Pterandrus* spp.  
*Ptilodactyla exotica*  
*Pulvinaria urbicola*  
*Pulvinaria vitis*  
*Rhagoletis cerasi*  
*Rhagoletis cingulata*  
*Rhagoletis fausta*  
*Rhagoletis indifferens*  
*Rhagoletis mendax*  
*Rhizoecus amorphophalli*  
*Rhizoecus floridanus*  
*Rhizoecus simplex*  
*Rhodogastria carneola*  
*Rhynchophorus palmarum*  
*Rondotia menciaana*  
*Sahlbergella singularis*  
*Sardia pluto*  
*Scirtothrips aurantii*  
*Scirtothrips citri*  
*Schistocerca gregaria*  
*Scolytus morawitzi*  
*Scolytus multistriatus*  
*Scolytus scolytus*  
*Scyphophorus acupunctatus*  
*Selenaspidus antsingyi*  
*Selenaspidus littoralis*  
*Sesamia cretica*  
*Sirex noctilio*  
*Sitophilus granarius*

*Sminthurus viridis*  
*Solenopsis invicta*  
*Solenopsis richteri*  
*Solenopsis richteri* × *Solenopsis*  
*Solenopsis xyloni*  
*Sphaeraspis vitis*  
*Spilonota lechriaspis*  
*Spilonota pyrusicola*  
*Spodoptera eridania*  
*Spodoptera frugiperda*  
*Spodoptera littoralis*  
*Stenoma catenifer*  
*Taeniothrips samdensis*  
*Tecia solanivora*  
*Tessaratomya papillosa*  
*Tetropium castaneum*  
*Tetropium fuscum*  
*Tetropium gracilicorne*  
*Thrips* spp.  
*Tomicus piniperda*  
*Toxotrypana curvicauda*  
*Trioza erytreae*  
*Trogoderma granarium*  
*Unaspis citri*  
*Urocerus japonicus*  
*Voraspis tangana*  
*Wasmannia auropunctata*  
*Xyleborus affinis*  
*Xyleborus ferrugineus*  
*Xyleborus rugatus*  
*Xylopsocus capucinus*  
*Xylotrechus altaicus*  
*Xyphon* (formerly *Carneocephala*) *fulgida*  
*Yponomeuta malinellus*  
*Zabrotes subfasciatus*  
*Zonocerus elegans*

#### 真菌類（82 種）

*Alternaria gaisen*  
*Anisogramma anomala*  
*Apiosporina morbosa*  
*Atropellis piniphila*

*Botryosphaeria laricina*  
*Calonectria ilicicola*  
*Ceratocystis fagacearum*  
*Ceratocystis fimbriata*  
*Chrysomyxa abietis*  
*Chrysomyxa ledi*  
*Ciborinia camelliae*  
*Colletotrichum coccodes*  
*Cronartium coleosporioides*  
*Cronartium flaccidum*  
*Cronartium quercuum* f. sp. *fusiforme*  
*Cronartium himalayense*  
*Cronartium kamtschaticum*  
*Cronartium quercuum*  
*Cryphonectria parasitica*  
*Cylindrocarpon destructans*  
*Cytospora* sp.  
*Diaporthe phaseolorum*  
*Diaporthe tanakae*  
*Diaporthe vaccinii*  
*Didymella ligulicola*  
*Elsinoe australis*  
*Endocronartium harknessii*  
*Entyloma holwayi* H. & P. Sydow  
*Eutypa lata*  
*Fusarium subglutinans*  
*Fusarium oxysporum* f. sp.  
*Gaeumannomyces graminis*  
*Gibberella circinata*  
*Gremmeniella abietina*  
*Gymnosporangium asiaticum*  
*Gymnosporangium clavipes*  
*Gymnosporangium fuscum*  
*Gymnosporangium globosum*  
*Gymnosporangium yamadae*  
*Hymenoscyphus pseudoalbidus*  
*Lachnellula willkommii*  
*Leptosphaeria maculans*  
*Leptosphaeria nodorum*  
*Macrophomina phaseolina*  
*Marasmiellus scandens*  
*Melampsora farlowii*



*Monilinia fructigena*  
*Nectria galligena*  
*Nectria mauritiicola*  
*Nectriella pironii*  
*Ophiostoma novo-ulmi*  
*Ophiostoma ulmi*  
*Ophiostoma wagneri*  
*Peronosclerospora maydis*  
*Peronosclerospora sacchari*  
*Phoma andigena*  
*Phoma exigua* var. *foveata*  
*Phoma tracheiphila*  
*Phomopsis viticola*  
*Phomopsis vitimegaspora*  
*Phomopsis vitimegasora*  
*Phymatotrichopsis omnivora*  
*Phytophthora fragariae*  
*Puccinia gladioli*  
*Puccinia mcleanii*  
*Puccinia pittieriana*  
*Rigidoporus lignosus*  
*Sclerotium cepivorum*  
*Stagonosporopsis chrysanthemi* (無性世代：*Didymella ligulicola*)  
*Septoria lycopersici*  
*Stenocarpella maydis*  
*Thecaphora solani*  
*Tilletia barclayana*  
*Tilletia indica*  
*Trachysphaera fructigena*  
*Uredo dioscoreae-alatae*  
*Uredo gladioli-buettneri*  
*Urocystis agropyri*  
*Urocystis tritici*  
*Ustilago scitaminea*  
*Verticillium alboatrum*  
*Verticillium dahliae*

#### 病毒類 (466 種)

*Abutilon mosaic virus* (AbMV) (*Geminiviridae*, *Begomovirus*)  
*Ageratum yellow vein virus* (AYVV) (*Geminiviridae*, *Begomovirus*)  
*African cassava mosaic virus* (ACMV) (*Geminiviridae*, *Begomovirus*)  
*Agropyron mosaic virus* (AgMV) (*Potyviridae*, *Bymovirus*)

*Alfalfa cryptic virus 1* (ACV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (*Bromoviridae*, *alfamovirus*)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (*Potyviridae*, *potyvirus*)  
*Amaranthus leaf mottle virus* (AmLMV) (*Potyviridae*, *potyvirus*)  
*American plum line pattern virus* (APLPV) (*Bromoviridae*, *Ilarvirus*)  
*Andean potato latent virus* (APLV) (*Tymovirus*)  
*Andean potato mottle virus* (APMoV) (*Comoviridae*, *Comovirus*)  
*Anthoxanthum latent blanching virus* (ALBV) (*Hordeivirus*)  
*Anthriscus yellows virus* (AYV) (*Sequiviridae*, *waikavirus*)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (*Trichovirus*, *Flexiviridae*)  
*Apple dimple fruit viroid* (ADFVd) (*Apscaviroid*, *Pospiviroidae*)  
*Apple mosaic virus* (ApMV) (*Bromoviridae*, *Ilarvirus*)  
*Apple scar skin viroid* (ASSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Apple stem grooving virus* (ASGV) (*Capillovirus*, *Flexiviridae*)  
*Apple stem pitting virus* (ASPV) (*Foveavirus*, *Flexiviridae*)  
*Araujia mosaic virus* (ArjMV) (*Potyviridae*, *potyvirus*)  
*Arracacha Virus A* (AVA) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus B* (AVB) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus Y* (AVY) (*Potyviridae*, *potyvirus*)  
*Artichoke Italian latent virus* (AILV) (*Comoviridae*, *nepovirus*)  
*Artichoke latent virus* (ArLV) (*Potyviridae*, *potyvirus*)  
*Artichoke mottled crinkle virus* (AMCV) (*Tombusviridae*, *Tombusvirus*)  
*Artichoke yellow ringspot virus* (AYRSV) (*Comoviridae*, *Nepovirus*)  
*Asparagus virus 1* (AV-1) (*Potyviridae*, *potyvirus*)  
*Asparagus virus 2* (AV-2) (*Bromoviridae*, *ilarvirus*)  
*Asparagus virus 3* (AV-3) (*Potexvirus*)  
*Banana bunchy top virus* (BBTV) (*Nanovirus*)  
*Barley mild mosaic virus* (BaMMV) (*Potyviridae*, *bymovirus*)  
*Barley mosaic virus* (BBV)  
*Barley yellow dwarf virus-GPV* (BYDV-GPV) (*Luteovirus*)  
*Barley yellow mosaic virus* (BaYMV) (*Potyviridae*, *Bymovirus*)  
*Barley yellow striate mosaic virus* (BYSMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Bean calico mosaic virus* (BCaMV) (*Geminiviridae*, *Begomovirus*)  
*Bean common mosaic virus* (*Potyviridae*, *potyvirus*)  
*Bean golden mosaic virus* (BGMV) (*Geminiviridae*, *Begomovirus*)  
*Bean leaf roll virus* (BLRV) (*Luteoviridae*, *luteovirus*)  
*Bean mild mosaic virus* (BMMV) (*Tombusviridae*, *carmovirus*)  
*Bean pod mottle virus* (BPMV) (*Comoviridae*, *comovirus*)  
*Bean rugose mosaic virus* (BRMV) (*Comoviridae*, *comovirus*)

*Bean southern mosaic virus (SBMV) (sobemovirus)*  
*Bean yellow vein banding virus (BYVBV) (Umbravirus)*  
*Beet distortion mosaic virus*  
*Beet mild yellowing virus (BMV) (Luteoviridae, luteovirus)*  
*Beet mosaic virus (BtMV) (Potyviridae, potyvirus)*  
*Beet soil-borne virus (BSBV) (Pomovirus)*  
*Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)*  
*Beet yellows virus (BYV) (Closteroviridae, closterovirus)*  
*Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)*  
*Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)*  
*Beet leaf curl virus (BLCV) (Rhabdoviridae)*  
*Beet necrotic yellow vein virus (BNYVV) (Benyvirus)*  
*Belladonna mottle virus (BeMV) (Tymovirus)*  
*Bermuda grass etched-line virus (BELV) (Marafivirus)*  
*Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)*  
*Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)*  
*Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)*  
*Black raspberry latent ilarvirus*  
*Black raspberry necrosis virus (BRNV)*  
*Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)*  
*Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)*  
*Blueberry necrotic shock virus (BlShV) (ilarvirus)*  
*Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)*  
*Blueberry scorch virus (BBSV) (carlavirus)*  
*Blueberry shoestring virus (BSSV) (sobemovirus)*  
*Broad bean B virus*  
*Broad bean necrosis virus (BBNV) (Pomovirus)*  
*Broad bean severe chlorosis virus (Closteroviridae, closterovirus)*  
*Broad bean stain virus (BBSV) (Comoviridae, comovirus)*  
*Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)*  
*Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)*  
*Broad bean yellow ringspot virus*  
*Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)*  
*Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Brome mosaic virus (BMV) (Bromoviridae, bromovirus)*  
*Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)*  
*Burdock mosaic virus*  
*Burdock mottle virus*  
*Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)*  
*Cacao necrosis virus (CNV) (Comoviridae, nepovirus)*  
*Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)*  
*Cacao yellow mosaic virus (CYMV) (Tymovirus)*

*Cactus virus (CV-2) (Carlavirus)*  
*Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)*  
*Caper latent virus (CapLV) (Carlavirus)*  
*Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)*  
*Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)*  
*Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)*  
*Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)*  
*Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)*  
*Carnation latent virus (CLV) (Carlavirus)*  
*Carnation mottle virus (CarMV) (Carmovirus)*  
*Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)*  
*Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)*  
*Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)*  
*Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)*  
*Carrot mottle mimic virus (CmoMV) (Umbravirus)*  
*Carrot mottle virus (CMoV) (Umbravirus)*  
*Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)*  
*Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)*  
*Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)*  
*Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)*  
*Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)*  
*Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)*  
*Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)*  
*Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)*  
*Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)*  
*Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)*  
*Cowpea stunt virus (Luteovirus)*  
*Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)*  
*Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)*  
*Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)*  
*Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)*  
*Cassava virus X (CsVX) (Potexvirus)*  
*Cassia mosaic virus*  
*Cassia ringspot virus*  
*Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)*  
*Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)*  
*Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)*  
*Celery mosaic virus (CeMV) (Potyviridae, potyvirus)*  
*Cereal northern mosaic virus (NCMV) (cytorhabdovirus)*  
*Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)*

*Cassava common mosaic virus* (CsCMV) (*Potexvirus*)  
*Cereal chlorotic mosaic virus* (CCMoV) (*Rhabdoviridae*)  
*Cherry green ring mottle virus* (CGRMV) (*Foveavirus*)  
*Cherry leaf roll virus* (CLRV) (*Comoviridae, Nepovirus*)  
*Cherry mottle leaf virus* (CMLV) (*Trichovirus*)  
*Cherry rasp leaf virus* (CRLV) (*Comoviridae, Nepovirus*)  
*Cherry virus A* (CVA) (*Capillovirus*)  
*Chickpea bushy dwarf virus* (CpBDV) (*Potyviridae, potyvirus*)  
*Chickpea distortion mosaic virus* (*Potyviridae, potyvirus*)  
*Chicory virus* (ChVX) (*potexvirus*)  
*Chicory yellow mottle virus* (ChYMV) (*Comoviridae, nepovirus*)  
*Chino del tomate virus* (CdTV) (*Geminiviridae, bigeminivirus*)  
*Chloris striate mosaic virus* (CSMV) (*Geminiviridae, monogeminivirus*)  
*Chrysanthemum virus B* (CVB) (*Carlavirus*)  
*Citrus blight disease*  
*Citrus leprosis virus* (CiLV) (*Rhabdoviridae*)  
*Citrus yellow mosaic virus* (CiYMV) (*Caulimoviridae, Badnavirus*)  
*Citrus leaf rugose virus* (CiLRV) (*Rhabdoviridae, ilarvirus*)  
*Citrus ringspot virus*  
*Citrus sudden death-associated virus* (CSD- associated virus) (*Marafivirus, Tymoviridae*)  
*Citrus variegation virus* (CVV) (*Bromoviridae, ilarvirus*)  
*Clitoria yellow vein virus* (CYVV) (*Tymovirus*)  
*Clover mild mosaic virus*  
*Clover wound tumor virus* (WTV) (*Phytoreovirus*)  
*Clover yellow mosaic virus* (CIYMV) (*potexvirus*)  
*Clover yellows virus* (CYV) (*Closteroviridae, closterovirus*)  
*Clover yellow vein virus* (CIYVV) (*Potyviridae, potyvirus*)  
*Cocksfoot mottle virus* (CoMV) (*Sobemovirus*)  
*Coconut foliar decay virus* (CFDV) (*Nanavirus*)  
*Commelina diffusa virus* (*Potyviridae, potyvirus*)  
*Commelina mosaic virus* (ComMV) (*Potyviridae, potyvirus*)  
*Commelina virus X* (ComVX) (*potexvirus*)  
*Commelina yellow mottle virus* (ComYMV) (*Caulimoviridae, badnavirus*)  
*Cocksfoot mild mosaic virus* (CoMV) (*Sobemovirus*)  
*Cocoa mottle leaf virus*  
*Cocoa necrosis virus* (CoNV) (*Comoviridae, Nepovirus*)  
*Cocoa swollen shoot virus* (CSSV) (*Caulimoviridae, Badnavirus*)  
*Cocoa yellow mosaic virus*  
*Colombian datura virus* (CDV) (*Potyviridae, Potyvirus*)  
*Coriander feathery red vein virus* (CFRVV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Cotton leaf curl virus* (CLCuV) (*Geminiviridae, Begomovirus*)  
*Cotton leaf crumple virus* (CLCrV) (*Geminiviridae, bigeminivirus*)

*Cowpea mild mottle virus* (CPMMV) (*Carlavirus*)  
*Crimson clover latent virus* (CCLV) (*Comoviridae, nepovirus*)  
*Crinum mosaic virus* (CriMV) (*Potyviridae, potyvirus*)  
*Croton yellow vein mosaic virus* (CYVMV) (*Geminiviridae, bigeminivirus*)  
*Cucumber green mottle mosaic virus* (CGMMV) (*Tobamovirus*)  
*Cucumber leaf spot virus* (CLSV) (*Tombusviridae, carmovirus*)  
*Cucumber mosaic virus subgroup II* (CMV-II) (*Bromoviridae, Cucumovirus*)  
*Cucumber necrosis virus* (CuNV) (*Tombusviridae, tombusvirus*)  
*Cucumber soil-borne virus* (CuSBV) (*Tombusviridae, carmovirus*)  
*Cucumber vein yellowing virus* (CVYV)  
*Cucurbit chlorotic yellows virus* (CCYC) (*Closteroviridae, Crinivirus*)  
*Cycas necrotic stunt virus* (CNSV) (*Comoviridae, nepovirus*)  
*Cymbidium ringspot virus* (CymRSV) (*Tombusviridae, tombusvirus*)  
*Cynodon chlorotic streak virus*  
*Cynosurus mottle virus* (CnMoV) (*Sobemovirus*)  
*Dahlia mosaic virus* (DMV) (*Caulimoviridae, caulimovirus*)  
*Dandelion latent virus* (DaLV) (*Carlavirus*)  
*Dandelion yellow mosaic virus* (DaYMV) (*Sequiviridae, sequivirus*)  
*Daphne virus X* (DVX) (*Potexvirus*)  
*Daphne virus Y* (DYY) (*Potyviridae, potyvirus*)  
*Datura Colombian virus* (CDV) (*Potyviridae, potyvirus*)  
*Datura distortion mosaic virus* (DDMV) (*Potyviridae, potyvirus*)  
*Datura necrosis virus* (DNV) (*Potyviridae, potyvirus*)  
*Datura shoestring virus* (DSTV) (*Potyviridae, potyvirus*)  
*Datura yellow vein virus* (DYVV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Datura distortion virus*  
*Datura enation mosaic virus*  
*Dendrobium mosaic virus* (DeMV) (*Potyviridae, potyvirus*)  
*Desmodium mosaic virus* (DesMV) (*Potyviridae, potyvirus*)  
*Desmodium yellow mottle virus* (DYMV) (*Tymovirus*)  
*Digitaria streak virus* (DSV) (*Geminiviridae, monogeminivirus*)  
*Digitaria striate mosaic* (DiSMV) (*Geminiviridae, monogeminivirus*)  
*Dioscorea alata virus* (*Potyviridae, potyvirus*)  
*Dioscorea bacilliform virus* (DBV) (*Caulimoviridae, badnavirus*)  
*Dioscorea green banding mosaic virus* (*Potyviridae, potyvirus*)  
*Dodonaea yellows-associated virus*  
*Dolichos yellow mosaic virus* (DoMYV) (*Geminiviridae, bigeminivirus*)  
*Dulcamara mottle virus* (DuMV) (*Tymovirus*)  
*Eggplant green mosaic virus* (EGMV) (*Potyviridae, potyvirus*)  
*Eggplant mottled dwarf virus* (EMDV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Elderberry virus* (EV) (*Carlavirus 1*)  
*Epirus cherry virus* (EpCV) (*Ourmiavirus*)

*Erysimum latent virus* (ErLV) (*Tymovirus*)  
*Echinochloa ragged stunt virus* (ERSV) (*Reoviridae*, *Oryzavirus*)  
*Elm mottle virus* (EMoV) (*Bromoviridae*, *Ilarvirus*)  
*European wheat striate mosaic virus* (EWSMV) (*Tenuivirus*)  
*Euphorbia mosaic virus* (EuMV) (*Geminiviridae*, *bigeminivirus*)  
*Euphorbia ringspot virus* (EuRV) (*Potyviridae*, *potyvirus*)  
*Faba bean necrotic yellows virus* (FBNYV) (*Nanovirus*)  
*Festuca leaf streak virus* (FLSV) (*Rhabdoviridae*, *cytorhabdovirus*)  
*Fig virus S* (FVS) (*Carlavirus*)  
*Figwort mosaic virus* (FMV) (*Caulimoviridae*, *caulimovirus*)  
*Foxtail mosaic virus* (FoMV) (*Potexvirus*)  
*Frangipani mosaic virus* (FrMV) (*Tobamovirus*)  
*French bean mosaic virus*  
*Freesia leaf necrosis virus* (FLNV) (*Varicosavirus*)  
*Freesia mosaic virus* (FreMV) (*Potyviridae*, *Potyvirus*)  
*Galinsoga mosaic virus* (GaMV) (*Tombusviridae*, *carmovirus*)  
*Glycine mosaic virus* (GMV) (*Comoviridae*, *Comovirus*)  
*Grapevine Algerian latent virus* (GALV) (*Tombusviridae*, *Tombusvirus*)  
*Grapevine asteroid mosaic virus*  
*Grapevine berry inner necrosis virus* (GINV) (*Trichovirus*)  
*Grapevine Bulgarian latent virus* (GBLV) (*Comoviridae*, *Nepovirus*)  
*Grapevine chrome mosaic virus* (GCMV) (*Comoviridae*, *Nepovirus*)  
*Grapevine leafroll-associated virus 1* (GLRAV-1) (*Closteroviridae*, *Ampelovirus*)  
*Grapevine stem pitting associated closterovirus* (*Closteroviridae*, *Closterovirus*)  
*Grapevine Tunisian ringspot virus* (GTRSV) (*Comoviridae*, *Nepovirus*)  
*Grapevine fanleaf virus* (GFLV) (*Comoviridae*, *nepovirus*)  
*Grapevine fleck virus* (GFkV)  
*Grapevine stunt virus*  
*Grapevine vein necrosis virus*  
*Grapevine virus A* (GVA) (*Betaflexiviridae*, *Vitivirus*)  
*Grapevine virus B* (GVB) (*Vitivirus*, *Flexiviridae*)  
*Grapevine yellow speckle viroid* (GYSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Groundnut chlorotic leaf streak virus*  
*Groundnut chlorotic spotting virus*  
*Groundnut rosette assistor virus* (GRAV) (*Luteoviridae*, *Enamovirus*)  
*Groundnut rosette virus* (GRV) (*Umbravirus*)  
*Groundnut eyespot virus* (GEV) (*Potyviridae*, *Potyvirus*)  
*Guar symptomless virus* (GSLV) (*Potyviridae*, *Potyvirus*)  
*Guar top necrosis virus*  
*Guinea grass mosaic virus* (GGMV) (*Potyviridae*, *Potyvirus*)  
*Helenium virus S* (HVS) (*Carlavirus*)  
*Helenium virus Y* (HVV) (*Potyviridae*, *Potyvirus*)

*Henbane mosaic virus* (HBMV) (*Potyviridae*, *Potyvirus*)  
*Heracleum latent virus* (HLV) (*Vitivirus*)  
*Hibiscus latent ringspot virus* (HLRSV) (*Comoviridae*, *nepovirus*)  
*Hibiscus chlorotic ringspot virus* (HCRSV) (*Tombusviridae*, *Carmovirus*)  
*Hippeastrum mosaic virus*  
*Honeysuckle latent virus* (LnLV) (*Carlavirus*)  
*Hop American latent* (AHLV) (*Carlavirus*)  
*Hop latent virus* (HpLV) (*Carlavirus*)  
*Hop mosaic virus* (HpMV) (*Carlavirus*)  
*Hop trefoil cryptic virus 1* (HTCV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Hop trefoil cryptic virus 2* (HTCV-2) (*Partitiviridae*, *betacryptovirus*)  
*Hop trefoil cryptic virus 3* (HTCV-3) (*Partitiviridae*, *alphacryptovirus*)  
*Hop stunt viroid* (HpSVd) (*Hostuviroid*, *Pospiviroidae*)  
*Hordeum mosaic virus* (HoMV) (*Potyviridae*, *Potyvirus*)  
*Humulus japonicus virus* (HJV) (*Bromoviridae*, *ilarvirus*)  
*Hyacinth mosaic virus* (HyaMV) (*Potyviridae*, *Potyvirus*)  
*Hydrangea mosaic virus* (HdMV) (*Bromoviridae*, *ilarvirus*)  
*Hydrangea ringspot virus* (HRSV) (*Potexvirus*)  
*Horsegram yellow mosaic virus* (HgYMV) (*Geminiviridae*, *Begomovirus*)  
*Iris fulva mosaic virus* (IFMV) (*Potyviridae*, *Potyvirus*)  
*Iris Japanese necrotic ring virus*  
*Iris mild mosaic virus* (IMMV) (*Potyviridae*, *Potyvirus*)  
*Iris severe mosaic virus* (ISMV) (*Potyviridae*, *Potyvirus*)  
*Indian peanut clump virus* (IPCV) (*Pecluvirus*)  
*Indonesian soybean dwarf virus* (ISDV) (*Luteoviridae*, *Enamovirus*)  
*Iranian maize mosaic virus*  
*Jatropha mosaic virus* (JMV) (*Geminiviridae*, *bigeminivirus*)  
*Johnsongrass mosaic* (JGMV) (*Potyviridae*, *Potyvirus*)  
*Kalanchoe isometric virus*  
*Kalanchoe latent virus* (KLV) (*Carlavirus*)  
*Kalanchoe top-spotting virus* (KTSV) (*Caulimoviridae*, *badnavirus*)  
*Kennedya yellow mosaic virus* (KYMV) (*Tymovirus*)  
*Kennedya virus Y* (KVY) (*Potyviridae*, *Potyvirus*)  
*Kyuri green mottle mosaic virus* (KGMMV) (*Tobamovirus*)  
*Konjac mosaic virus* (KoMV) (*Potyviridae*, *Potyvirus*)  
*Kober stem grooving*  
*Lamium mild mottle virus* (LMMV) (*Comoviridae*, *fabavirus*)  
*Lato River virus* (LRV) (*Tombusviridae*, *tombusvirus*)  
*Leek yellow stripe virus* (LYSV) (*Potyviridae*, *potyvirus*)  
*Lettuce big-vein virus* (LBVV) (*Varicosavirus*)  
*Lettuce mosaic virus* (LMV) (*Potyviridae*, *potyvirus*)  
*Lettuce necrotic yellows virus* (LNYV) (*Rhabdoviridae*, *cytorhabdovirus*)



*Lettuce speckles mottle virus (LSMV) (Umbravirus)*  
*Lilac chlorotic leafspot virus (LCLV) (Capillovirus)*  
*Lilac mottle virus (LiMV) (Carlavirus)*  
*Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)*  
*Lily mottle virus (LMoV) (Potyviridae, potyvirus)*  
*Lily virus X (LVX) (Potexvirus)*  
*Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)*  
*Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)*  
*Little cherry virus (LChV) (Closteroviridae, Closterovirus)*  
*LN33 stem grooving*  
*Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)*  
*Lucerne vein yellowing virus*  
*Lucerne transient streak virus (LTSV) (Sobemovirus)*  
*Lychnis ringspot virus (LRSV) (Hordeivirus)*  
*Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)*  
*Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)*  
*Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)*  
*Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)*  
*Maize line virus*  
*Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)*  
*Maize rayado fino virus (MRFV) (Marafivirus)*  
*Maize white line mosaic virus (MWLMV)*  
*Maize mottle/chlorotic stunt virus*  
*Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)*  
*Maize streak virus (MSV) (Geminiviridae, Mastrevirus)*  
*Malvastrum mottle virus*  
*Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)*  
*Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)*  
*Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)*  
*Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)*  
*Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)*  
*Melon Ourmia virus (OuMV) (Ourmiavirus)*  
*Melon rugose mosaic virus (MRMV) (Tymovirus)*  
*Milk vetch dwarf virus (MDV) (Nanovirus)*  
*Mimosa mosaic virus*  
*Mirabilis mosaic virus (MiMV) (Caulimovirus)*  
*Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)*  
*Mulberry latent virus (MLV) (Carlavirus)*  
*Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)*  
*Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)*  
*Muskmelon vein necrosis virus (MuVNV) (Carlavirus)*  
*Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)*

*Narcissus latent virus* (NLV) (*Potyviridae*, *macluravirus*)  
*Narcissus mosaic virus* (NMV) (*Potexvirus*)  
*Narcissus yellow stripe virus* (*Potyviridae*, *potyvirus*)  
*Natsudaikai dwarf virus* (NDV) (*Sadwavirus*)  
*Neckar River virus* (NRV) (*Tombusviridae*, *tombusvirus*)  
*Nerine latent virus* (NeLV) (*Carlavirus*)  
*Nerine virus* (NV) (*Potyviridae*, *potyvirus*)  
*Nerine virus X* (NVX) (*Potexvirus*)  
*Northern cereal mosaic virus* (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Oak ringspot virus*  
*Oat blue dwarf virus* (OBDV) (*Marafivirus*)  
*Oat golden stripe virus* (OGSV) (*Furovirus*)  
*Oat mosaic virus* (OMV) (*Potyviridae*, *bymovirus*)  
*Oat necrotic mottle virus* (ONMV) (*Potyviridae*, *ymovirus*)  
*Oat red streak mosaic virus*  
*Oat sterile dwarf virus* (OSDV) (*Reoviridae*, *Fijivirus*)  
*Okra leaf-curl virus* (OLCV) (*Geminivirus*, *bigeminivirus*)  
*Okra mosaic virus* (OkMV) (*Tymovirus*)  
*Olive latent ringspot virus* (OLRSV) (*Comoviridae*, *nepovirus*)  
*Ononis yellow mosaic virus* (OYMV) (*Tymovirus*)  
*Opuntia Sammons' virus* (SOV) (*Tobamovirus*)  
*Ornithogalum mosaic virus*  
*Pangola stunt virus* (PaSV) (*Reoviridae*, *Fijivirus*)  
*Panicum streak virus* (PanSV) (*Geminiviridae*, *monogeminivirus*)  
*Papaya leaf curl virus* (PaLCuV) (*Begomovirus*, *Geminiviridae*)  
*Papaya meleira virus* (PMeV)  
*Papaya mosaic virus* (PapMV) (*Potexvirus*, *Flexiviridae*)  
*Paprika mild mottle virus* (PaMMV) (*Tobamovirus*)  
*Parietaria mottle virus* (PmoV) (*Bromoviridae*, *ilarvirus*)  
*Parsnip leafcurl virus*  
*Parsnip mosaic virus* (ParMV)  
*Parsnip yellow fleck virus* (PYFV) (*Sequiviridae*, *sequivirus*)  
*Paspalum striate mosaic virus* (PSMV) (*Geminiviridae*, *monogeminivirus*)  
*Passiflora latent virus* (PLV) (*Carlavirus*)  
*Passiflora South African virus* (*Potyviridae*, *potyvirus*)  
*Passiflora ringspot virus* (PFRSV) (*Potyviridae*, *potyvirus*)  
*Passionfruit woodiness virus* (PWV) (*Potyviridae*, *potyvirus*)  
*Passionfruit yellow mosaic virus* (PaYMV) (*Tymovirus*)  
*Patchouli mosaic virus* (*Potyviridae*, *potyvirus*)  
*Pea early browning virus* (PEBV) (*Tobravirus*)  
*Pea enation mosaic virus-1* (PEMV-1) (*Luteovirus*)  
*Pea enation mosaic virus-2* (PEMV-2) (*Umbravirus*)

*Pea mild mosaic virus* (PmiMV) (*Comoviridae*, *comovirus* )  
*Pea mosaic virus* (*Potyviridae*, *potyvirus*)  
*Peanut chlorotic streak virus* (PCSV) (*Caulimoviridae*, *caulimovirus*)  
*Peanut green mosaic virus* (*Potyviridae*, *potyvirus*)  
*Peanut stunt virus* (PSV) (*Bromoviridae*, *cucumovirus*)  
*Peanut yellow spot virus* (PeYMV) (*Tospovirus*)  
*Peach American mosaic virus*  
*Peach latent mosaic viroid* (PLMVd)  
*Peach mosaic virus* (PMV) (*Trichovirus*)  
*Peach rosette mosaic virus* (PRMV) (*Comoviridae*, *Nepovirus*)  
*Peanut clump virus* (PCV) (*Pecluvirus*)  
*Pear blister canker viroid* (PBCVd) (*Pospiviroidae*, *Apscaviriod*)  
*Pear necrotic spot virus*  
*Pineapple bacilliform virus* (PBV) (*Badnavirus*, *Caulimoviridae*)  
*Pineapple mealybug wilt-associated virus-1* (PMWaV-1) (*Ampelovirus*, *Closteroviridae*)  
*Pineapple mealybug wilt-associated virus-2* (PMWaV-2) (*Ampelovirus*, *Closteroviridae*)  
*Plum American line pattern virus* (APLPV) (*Ilarvirus*, *Bromoviridae*)  
*Plum bark split virus*  
*Plum pox virus* (PPV) (*Potyviridae*, *Potyvirus*)  
*Plum rusty blotch*  
*Potato black ringspot virus* (PBRSV) (*Comoviridae*, *Nepovirus*)  
*Potato deforming mosaic virus*  
*Potato mop-top virus* (PMTV) (*Pomovirus*)  
*Potato virus T* (PVT) (*Trichovirus*)  
*Potato virus U* (PVU) (*Comoviridae*, *Nepovirus*)  
*Potato virus V* (PVV) (*Potyviridae*, *Potyvirus*)  
*Potato yellow dwarf virus* (PYDV) (*Rhabdoviridae*, *Nucleorhabdovirus*)  
*Potato yellow vein virus* (PYVV) (*Closteroviridae*, *Crinivirus*)  
*Potato yellowing virus*  
*Prune dwarf virus* (PDV) (*Bromoviridae*, *Ilarvirus*)  
*Prunus necrotic ringspot virus* (PNRSV) (*Bromoviridae*, *Ilarvirus*)  
*Raspberry leaf curl virus*  
*Raspberry ringspot virus* (RpRSV) (*Comoviridae*, *Nepovirus*)  
*Red clover mottle virus* (RCMV) (*Comoviridae*, *Comovirus*)  
*Rice gall dwarf virus* (RGDV) (*Reoviridae*, *Phytoreovirus*)  
*Rice tungro bacilliform virus* (RTBV) (*Caulimoviridae*, *Rice tungro bacilliform-like virus*)  
*Rice tungro spherical virus* (RTSV) (*Sequiviridae*, *Waikavirus*)  
*Rice yellow mottle virus* (RYMV) (*Sobemovirus*)  
*Rupestris stem pitting-associated virus* (*Foveavirus*, *Flexiviridae*)  
*Squash leaf curl virus* (SLCV) (*Geminiviridae*, *Begomovirus*)  
*Squash mosaic virus* (SqMV) (*Comoviridae*, *Comovirus*)  
*Strawberry latent ringspot virus* (SLRSV) (*Sadwavirus*)

*Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)*  
*Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)*  
*Tobacco rattle virus (TRV) (Tobravirus)*  
*Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)*  
*Tobacco mosaic virus (TMV) (Tobamovirus)*  
*Tobacco necrosis virus*  
*Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)*  
*Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)*  
*Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)*  
*Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)*  
*Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)*  
*Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)*  
*Tulip breaking virus*  
*Ullucus virus C (UVC) (Comoviridae, comovirus)*  
*Ullucus mild mottle virus (UMMV) (Tobamovirus)*  
*Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)*  
*Urd bean leaf crinkle virus*  
*Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)*  
*Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)*  
*Vanilla necrosis virus (Potyviridae, potyvirus)*  
*Velvet tobacco mottle virus (VTMoV) (Sobemovirus)*  
*Viola mottle virus (VMV) (Potexvirus)*  
*Voandzeia distortion mosaic virus (Potyviridae, potyvirus)*  
*Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)*  
*Watercress yellow spot virus (WYSV)*  
*Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)*  
*Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)*  
*Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)*  
*Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)*  
*Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)*  
*Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)*  
*Wheat soil-borne mosaic virus (SBWMV) (Furovirus)*  
*Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)*  
*Wheat spindle streak mosaic virus (WSSMV) (Potyvirida, bymovirus)*  
*Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)*  
*White clover mosaic virus (WCIMV) (Potexvirus)*  
*Wild cucumber mosaic virus (WCMV) (Tymovirus)*  
*Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)*  
*Wineberry latent virus (WLV)*  
*Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)*  
*Yam mosaic virus (YMV) (Potyviridae, Potyvirus)*  
*Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)*

備註：以上病毒之媒介有害生物亦一併列入管制

# 中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十一點輸入貨品使用之木質包裝材料檢疫條件第二點、第三點

二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：

(一) 溴化甲烷(Methyl bromide,  $\text{CH}_3\text{Br}$ )燻蒸：最低溫度不得低於  $10^\circ\text{C}$ ，燻蒸時間最少應為 24 小時。

溫度	24 小時間濃度時間積 $\text{CT}(\text{g.h}/\text{m}^3)$	處理 24 小時後最低濃度( $\text{g}/\text{m}^3$ )
$21^\circ\text{C}$ 以上	650	24
$16^\circ\text{C}$ 以上，未達 $21^\circ\text{C}$	800	28
$10^\circ\text{C}$ 以上，未達 $16^\circ\text{C}$	900	32

符合上表之燻蒸劑量範例如下：

溫度	劑量 ( $\text{g}/\text{m}^3$ )	最低濃度( $\text{g}/\text{m}^3$ )		
		2 小時	4 小時	24 小時
$21^\circ\text{C}$ 以上	48	36	31	24
$16^\circ\text{C}$ 以上，未達 $21^\circ\text{C}$	56	42	36	28
$10^\circ\text{C}$ 以上，未達 $16^\circ\text{C}$	64	48	42	32

(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到  $56^\circ\text{C}$ ，處理三十分鐘以上。

(三) 射頻加熱處理(Heat treatment using dielectric heating)：以微波或無線電波加熱木質包裝材中心及表面溫度達到  $60^\circ\text{C}$ ，處理一分鐘以上。


(四) 硫酰氟(Sulphuryl fluoride,  $\text{SO}_2\text{F}_2$ )燻蒸：最低溫度不得低於  $20^\circ\text{C}$ ，燻蒸時間最少應為 24 小時。

溫度及時間	濃度時間積 $\text{CT}(\text{g.h}/\text{m}^3)$	處理後最低濃度( $\text{g}/\text{m}^3$ )
$30^\circ\text{C}$ 以上處理 24 小時	1400	41
$20^\circ\text{C}$ 以上，未達 $30^\circ\text{C}$ 處理 48 小時	3000	29

符合上表之燻蒸劑量範例如下：

溫度	劑量 ( $\text{g}/\text{m}^3$ )	最低濃度( $\text{g}/\text{m}^3$ )						
		0.5 小時	2 小時	4 小時	12 小時	24 小時	36 小時	48 小時
$30^\circ\text{C}$ 以上	82	87	78	73	58	41	-	-
$20^\circ\text{C}$ 以上，未達 $30^\circ\text{C}$	120	124	112	104	82	58	41	29

三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



標記說明：

1. IPPC：《國際植物保護公約》的英文縮寫符號
2. XX：國際標準化組織(ISO)規定的 2 個字母國家編號
3. 000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號
4. YY：國際植物保護公約所採用的批准措施，如溴化甲烷熏蒸-MB；熱處理-HT；射頻加熱-DH 及硫醯氟熏蒸-SF

中華民國輸入植物或植物產品檢疫規定部分規定修正對照表

修 正 規 定			現 行 規 定			說 明
甲、禁止輸入之植物或植物產品 依據：植物防疫檢疫法第十四條第一項第一款規定。 一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：			甲、禁止輸入之植物或植物產品 依據：植物防疫檢疫法第十四條第一項第一款規定。 一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：			本檢疫規定加拿大卑詩省應採一致名稱，爰修正國家地區欄(31)，英屬哥倫比亞省修正為卑詩省。
植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）	植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）	
32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒（ <i>Capsicum annuum</i> ） (2) 菸草（ <i>Nicotiana tabacum</i> ） (3) 茄子（ <i>Solanum melongena</i> ）	<b>亞洲及太平洋地區</b> (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 <b>非洲</b> (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 <b>歐洲</b> (30) 歐洲各個國家、地區（荷蘭除外） <b>北美</b> (31) 加拿大（ <u>卑詩省</u> 除外）	菸草露菌病（ <i>Peronospora tabacina</i> Adam.）	32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒（ <i>Capsicum annuum</i> ） (2) 菸草（ <i>Nicotiana tabacum</i> ） (3) 茄子（ <i>Solanum melongena</i> ）	<b>亞洲及太平洋地區</b> (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 <b>非洲</b> (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 <b>歐洲</b> (30)歐洲各個國家、地區（荷蘭除外） <b>北美</b> (31) 加拿大（英屬哥	菸草露菌病（ <i>Peronospora tabacina</i> Adam.）	




us)	(7)喬治亞		<i>syringae</i> ，或於輸出前經實驗室檢測未罹染 <i>Pseudomas</i>	us)	(7)喬治亞		<i>syringae</i> ，或於輸出前經實驗室檢測未罹染 <i>Pseudomas</i>	
(2)烏頭屬	(8)印度		<i>syringae</i> pv.	(2)烏頭屬	(8)印度		<i>syringae</i> pv.	
( <i>Aconitum</i>	(9)伊朗		<i>syringae</i> ，否則銷燬或退運。	( <i>Aconitum</i>	(9)伊朗		<i>syringae</i> ，否則銷燬或退運。	
spp.)	(10) 以色列		2. 日本產梨接穗依「日本產梨接穗輸入檢疫條件」辦理輸入。	spp.)	(10) 以色列		2. 日本產梨接穗依「日本產梨接穗輸入檢疫條件」辦理輸入。	
(3)臺灣羊桃	(11) 日本		3. 中國大陸產梨接穗依「中國大陸產梨接穗輸入檢疫條件」辦理輸入。	(3)臺灣羊桃	(11) 日本		3. 中國大陸產梨接穗依「中國大陸產梨接穗輸入檢疫條件」辦理輸入。	
( <i>Actinidia</i>	(12) 北韓			( <i>Actinidia</i>	(12) 北韓			
<i>chinensis</i> )	(13) 南韓			<i>chinensis</i> )	(13) 南韓			
(4)奇異果	(14) 吉爾吉斯			(4)奇異果	(14) 吉爾吉斯			
( <i>Actinidia</i>	(15) 黎巴嫩			( <i>Actinidia</i>	(15) 黎巴嫩			
<i>deliciosa</i> )	(16) 紐西蘭			<i>deliciosa</i> )	(16) 紐西蘭			
(5)赤楊屬之一種	(17) 俄羅斯聯邦			(5)赤楊屬之一種	(17) 俄羅斯聯邦			
( <i>Alnus</i>	(18) 巴基斯坦			( <i>Alnus</i>	(18) 巴基斯坦			
<i>glutinosa</i> )	(19) 斯里蘭卡			<i>glutinosa</i> )	(19) 斯里蘭卡			
(6)椶木屬	(20) 泰國			(6)椶木屬	(20) 泰國			
( <i>Aralia</i> spp.)	(21) 土耳其			( <i>Aralia</i> spp.)	(21) 土耳其			
(7)漿果鵝屬	(22) 烏茲別克			(7)漿果鵝屬	(22) 烏茲別克			
( <i>Arbutus</i> spp.)	非洲			( <i>Arbutus</i> spp.)	非洲			
(8)歐洲白樺	(23) 阿爾及利亞			(8)歐洲白樺	(23) 阿爾及利亞			
( <i>Betula pendula</i>	(24) 埃及			( <i>Betula pendula</i>	(24) 埃及			
)	(25) 衣索比亞			)	(25) 衣索比亞			
(9)旋花科之一種	(26) 肯亞			(9)旋花科之一種	(26) 肯亞			
( <i>Calystegia</i>	(27) 賴索托			( <i>Calystegia</i>	(27) 賴索托			
<i>sepium</i> )	(28) 利比亞			<i>sepium</i> )	(28) 利比亞			
(10)番椒	(29) 馬拉威			(10)番椒	(29) 馬拉威			
( <i>Capsicum</i>	(30) 摩洛哥			( <i>Capsicum</i>	(30) 摩洛哥			
<i>annuum</i> )	(31) 奈及利亞			<i>annuum</i> )	(31) 奈及利亞			
(11)紅花	(32) 南非			(11)紅花	(32) 南非			
( <i>Carthamus</i>	(33) 坦尚尼亞			( <i>Carthamus</i>	(33) 坦尚尼亞			
<i>tinctorius</i> )	(34) 突尼西亞			<i>tinctorius</i> )	(34) 突尼西亞			
(12)矢車菊屬之一種	(35) 烏干達			(12)矢車菊屬之一種	(35) 烏干達			
( <i>Centaurea</i>	(36) 辛巴威			( <i>Centaurea</i>	(36) 辛巴威			
<i>stoebe</i> )	歐洲			<i>stoebe</i> )	歐洲			
(13)野菊	(37) 奧地利			(13)野菊	(37) 奧地利			
( <i>Chrysanthemum</i>	(38) 比利時			( <i>Chrysanthemum</i>	(38) 比利時			
<i>indicum</i> )	(39) 波士尼亞赫塞哥維納			<i>indicum</i> )	(39) 波士尼亞赫塞哥維納			
(14)樟樹	(40) 保加利亞			(14)樟樹	(40) 保加利亞			
( <i>Cinnamomum</i>	(41) 賽普勒斯			( <i>Cinnamomum</i>	(41) 賽普勒斯			
<i>camphora</i> )	(42) 捷克			<i>camphora</i> )	(42) 捷克			
(15)柑橘屬	(43) 丹麥			(15)柑橘屬	(43) 丹麥			
( <i>Citrus</i> spp.)	(44) 法國			( <i>Citrus</i> spp.)	(44) 法國			

(16)阿拉比卡咖啡 ( <i>Coffea arabica</i> )	(45) 德國 (46) 希臘 (47) 匈牙利			(16)阿拉比卡咖啡 ( <i>Coffea arabica</i> )	(45) 德國 (46) 希臘 (47) 匈牙利			
(17)胡瓜 ( <i>Cucumis sativus</i> )	(48) 愛爾蘭 (49) 義大利 (50) 拉脫維亞			(17)胡瓜 ( <i>Cucumis sativus</i> )	(48) 愛爾蘭 (49) 義大利 (50) 拉脫維亞			
(18)南瓜屬 ( <i>Cucurbita</i> spp.)	(51) 立陶宛 (52) 馬其頓			(18)南瓜屬 ( <i>Cucurbita</i> spp.)	(51) 立陶宛 (52) 馬其頓			
(19)瓜爾豆 ( <i>Cyamopsis te-t ragonoloba</i> )	(53) 摩爾多瓦 (54) 荷蘭 (55) 波蘭			(19)瓜爾豆 ( <i>Cyamopsis te-t ragonoloba</i> )	(53) 摩爾多瓦 (54) 荷蘭 (55) 波蘭			
(20)榲桲 ( <i>Cydonia oblonga</i> )	(56) 葡萄牙 (57) 羅馬尼亞 (58) 塞爾維亞			(20)榲桲 ( <i>Cydonia oblonga</i> )	(56) 葡萄牙 (57) 羅馬尼亞 (58) 塞爾維亞			
(21)大理花 ( <i>Dahlia pinnata</i> )	(59) 斯洛維尼亞 (60) 西班牙 (61) 瑞典			(21)大理花 ( <i>Dahlia pinnata</i> )	(59) 斯洛維尼亞 (60) 西班牙 (61) 瑞典			
(22)瑞香 ( <i>Daphne odora</i> )	(62) 瑞士 (63) 英國 (64) 烏克蘭			(22)瑞香 ( <i>Daphne odora</i> )	(62) 瑞士 (63) 英國 (64) 烏克蘭			
(23)柿 ( <i>Diospyros kaki</i> )	北美 (65) 加拿大 (66) 墨西哥			(23)柿 ( <i>Diospyros kaki</i> )	北美 (65) 加拿大 (66) 墨西哥			
(24)連翹屬之一種 ( <i>Forsythia intermedia</i> )	(67) 美國 中南美 (68) 阿根廷 (69) 巴貝多			(24)連翹屬之一種 ( <i>Forsythia intermedia</i> )	(67) 美國 中南美 (68) 阿根廷 (69) 巴貝多			
(25)金柑屬 ( <i>Fortunella</i> spp.)	(70) 巴西 (71) 智利 (72) 薩爾瓦多			(25)金柑屬 ( <i>Fortunella</i> spp.)	(70) 巴西 (71) 智利 (72) 薩爾瓦多			
(26)歐洲草莓 ( <i>Fragaria vesca</i> )	(73) 瓜地馬拉 (74) 宏都拉斯 (75) 巴拿馬			(26)歐洲草莓 ( <i>Fragaria vesca</i> )	(73) 瓜地馬拉 (74) 宏都拉斯 (75) 巴拿馬			
(27)大豆 ( <i>Glycine max</i> )	(76) 波多黎各 (77) 烏拉圭			(27)大豆 ( <i>Glycine max</i> )	(76) 波多黎各 (77) 烏拉圭			
(28)木槿屬 ( <i>Hibiscus</i> spp.)	(78) 委內瑞拉			(28)木槿屬 ( <i>Hibiscus</i> spp.)	(78) 委內瑞拉			
(29)大麥 ( <i>Hordeum vulgare</i> )				(29)大麥 ( <i>Hordeum vulgare</i> )				
(30)胡桃				(30)胡桃				

( <i>Juglans regia</i> )				( <i>Juglans regia</i> )				
(31) 白花鵲豆				(31) 白花鵲豆				
( <i>Lablab purpureus</i> )				( <i>Lablab purpureus</i> )				
(32) 女貞屬之一種				(32) 女貞屬之一種				
( <i>Ligustrum ovalifolium</i> )				( <i>Ligustrum ovalifolium</i> )				
(33) 荔枝				(33) 荔枝				
( <i>Litchi chinensis</i> )				( <i>Litchi chinensis</i> )				
(34) 木蘭屬				(34) 木蘭屬				
( <i>Magnolia</i> spp.)				( <i>Magnolia</i> spp.)				
(35) 檬果				(35) 檬果				
( <i>Mangifera indica</i> )				( <i>Mangifera indica</i> )				
(36) 蘋果				(36) 蘋果				
( <i>Malus domestica</i> )				( <i>Malus domestica</i> )				
(37) 虎爪豆				(37) 虎爪豆				
( <i>Mucuna pruriens</i> )				( <i>Mucuna pruriens</i> )				
(38) 芭蕉屬之一種				(38) 芭蕉屬之一種				
( <i>Musa paradisiaca</i> )				( <i>Musa paradisiaca</i> )				
(39) 歐洲夾竹桃				(39) 歐洲夾竹桃				
( <i>Nerium oleander</i> )				( <i>Nerium oleander</i> )				
(40) 菸草				(40) 菸草				
( <i>Nicotiana tabacum</i> )				( <i>Nicotiana tabacum</i> )				
(41) 橄欖				(41) 橄欖				
( <i>Olea europaea</i> )				( <i>Olea europaea</i> )				
(42) 稻				(42) 稻				
( <i>Oryza sativa</i> )				( <i>Oryza sativa</i> )				
(43) 百香果				(43) 百香果				
( <i>Passiflora edulis</i> )				( <i>Passiflora edulis</i> )				
(44) 酪梨				(44) 酪梨				

(Persea americana)				(Persea americana)				
(45) 花豆				(45) 花豆				
(Phaseolus coccineus)				(Phaseolus coccineus)				
(46) 菜豆				(46) 菜豆				
(Phaseolus lunatus)				(Phaseolus lunatus)				
(47) 敏豆				(47) 敏豆				
(Phaseolus vulgaris)				(Phaseolus vulgaris)				
(48) 山梅花屬				(48) 山梅花屬				
(Philadelphus spp.)				(Philadelphus spp.)				
(49) 放射松				(49) 放射松				
(Pinus radiata)				(Pinus radiata)				
(50) 胡椒				(50) 胡椒				
(Piper nigrum)				(Piper nigrum)				
(51) 豌豆				(51) 豌豆				
(Pisum sativum)				(Pisum sativum)				
(52) 楊屬				(52) 楊屬				
(Populus spp.)				(Populus spp.)				
(53) 李屬				(53) 李屬				
(Prunus spp.)				(Prunus spp.)				
(54) 梨屬				(54) 梨屬				
(Pyrus spp.)				(Pyrus spp.)				
(55) 杜鵑花屬				(55) 杜鵑花屬				
(Rhododendron spp.)				(Rhododendron spp.)				
(56) 薔薇屬				(56) 薔薇屬				
(Rosa spp.)				(Rosa spp.)				
(57) 柳屬				(57) 柳屬				
(Salix spp.)				(Salix spp.)				
(58) 樹番茄				(58) 樹番茄				
(Solanum betaceum =				(Solanum betaceum =				
Cyphomandra				Cyphomandra				
betacea)				betacea)				
(59) 番茄				(59) 番茄				
(Solanum lycopersicum				(Solanum lycopersicum				

<div><div>=<i>Lycopersium</i> <i>esculentum</i>)</div><div>(60) 高粱</div><div>(<i>Sorghum</i> <i>bicolor</i>)</div><div>(61) 小麥</div><div>(<i>Triticum</i> <i>aestivum</i>)</div><div>(62) 油桐</div><div>(<i>Vernicia</i> <i>fordii</i>= <i>Aleurites</i> <i>fordii</i>)</div><div>(63) 蠶豆屬</div><div>(<i>Vicia</i> spp.)</div><div>(64) 豇豆屬</div><div>(<i>Vigna</i> spp.)</div><div>(65) 葡萄屬</div><div>(<i>Vitis</i> spp.)</div><div>(66) 玉米</div><div>(<i>Zea mays</i>)</div><div>II. 下列繁殖用種子：</div><div>(1) 瓜爾豆</div><div>(<i>Cyamopsis tet-</i> <i>ragonoloba</i>)</div><div>(2) 大豆</div><div>(<i>Glycine max</i>)</div><div>(3) 白花鵲豆</div><div>(<i>Lablab</i> <i>purpureus</i>)</div><div>(4) 稻</div><div>(<i>Oryza sativa</i>)</div><div>(5) 花豆</div><div>(<i>Phaseolus</i> <i>coccineus</i>)</div><div>(6) 菜豆</div><div>(<i>Phaseolus</i> <i>lunatus</i>)</div><div>(7) 敏豆</div><div>(<i>Phaseolus</i> <i>vulgaris</i>)</div></div>				<div><div>=<i>Lycopersium</i> <i>esculentum</i>)</div><div>(60) 高粱</div><div>(<i>Sorghum</i> <i>bicolor</i>)</div><div>(61) 小麥</div><div>(<i>Triticum</i> <i>aestivum</i>)</div><div>(62) 油桐</div><div>(<i>Vernicia</i> <i>fordii</i>= <i>Aleurites</i> <i>fordii</i>)</div><div>(63) 蠶豆屬</div><div>(<i>Vicia</i> spp.)</div><div>(64) 豇豆屬</div><div>(<i>Vigna</i> spp.)</div><div>(65) 葡萄屬</div><div>(<i>Vitis</i> spp.)</div><div>(66) 玉米</div><div>(<i>Zea mays</i>)</div><div>II. 下列繁殖用種子：</div><div>(1) 瓜爾豆</div><div>(<i>Cyamopsis tet-</i> <i>ragonoloba</i>)</div><div>(2) 大豆</div><div>(<i>Glycine max</i>)</div><div>(3) 白花鵲豆</div><div>(<i>Lablab</i> <i>purpureus</i>)</div><div>(4) 稻</div><div>(<i>Oryza sativa</i>)</div><div>(5) 花豆</div><div>(<i>Phaseolus</i> <i>coccineus</i>)</div><div>(6) 菜豆</div><div>(<i>Phaseolus</i> <i>lunatus</i>)</div><div>(7) 敏豆</div><div>(<i>Phaseolus</i> <i>vulgaris</i>)</div></div>				
--	--	--	--	--	--	--	--	--

(8) 豌豆 ( <i>Pisum sativum</i> ) (9)高粱 ( <i>Sorghum bicolor</i> ) (10)小麥 ( <i>Triticum aestivum</i> ) (11)蠶豆屬 ( <i>Vicia</i> spp.) (12)豇豆屬 ( <i>Vigna</i> spp.)				(8) 高粱 ( <i>Sorghum bicolor</i> ) (9) 小麥 ( <i>Triticum aestivum</i> ) (10) 蠶豆屬 ( <i>Vicia</i> spp.) (11) 豇豆屬 ( <i>Vigna</i> spp.)				
38.下列繁殖用生植株 (種子除外): (1) 長葉栲 ( <i>Acacia longifolia</i> ) (2) 槭屬 ( <i>Acer</i> spp.) (3) 加州七葉樹 ( <i>Aesculus californica</i> ) (4) 加州赤楊 ( <i>Alnus rhombifolia</i> ) (5) 樹山葡 ( <i>Ampelopsis arborea</i> ) (6) 艾屬之一種 ( <i>Artemisia douglasiana</i> ) (7) 雀麥屬 ( <i>Bromus</i> spp.) (8) 美人蕉屬 ( <i>Canna</i> spp.) (9) 美洲紫珠 ( <i>Callicarpa americana</i> ) (10) 長山核桃 ( <i>Carya illinoensis</i> ) (11) 長春花 ( <i>Catharanthus roseus</i> )	亞洲及太平洋地區 (1) 伊朗 (2) 土耳其 歐洲 (3) 義大利 (4) 西班牙 北美 (5) 美國 (6) 加拿大 中南美 (7) 阿根廷 (8) 巴西 (9) 哥斯大黎加 (10) 巴拉圭 (11) 委內瑞拉	<i>Xylella fastidiosa</i>	應檢附輸出國植物 檢疫機關（構）簽 發之植物檢疫證明 書，證明於輸出前 經實驗室檢測未罹 染 <i>Xylella fastidiosa</i> 否則銷燬 或退運。	38.下列繁殖用生植株 (種子除外): (1) 長葉栲 ( <i>Acacia longifolia</i> ) (2) 槭屬 ( <i>Acer</i> spp.) (3) 加州七葉樹 ( <i>Aesculus californica</i> ) (4) 加州赤楊 ( <i>Alnus rhombifolia</i> ) (5) 樹山葡 ( <i>Ampelopsis arborea</i> ) (6) 艾屬之一種 ( <i>Artemisia douglasiana</i> ) (7) 雀麥屬 ( <i>Bromus</i> spp.) (8) 美人蕉屬 ( <i>Canna</i> spp.) (9) 美洲紫珠 ( <i>Callicarpa americana</i> ) (10) 長山核桃 ( <i>Carya illinoensis</i> ) (11) 長春花 ( <i>Catharanthus roseus</i> )	亞洲及太平洋地區 (1) 伊朗 (2) 土耳其 歐洲 (3) 義大利 北美 (4) 美國 (5) 加拿大 中南美 (6) 阿根廷 (7) 巴西 (8) 哥斯大黎加 (9) 巴拉圭 (10) 委內瑞拉	<i>Xylella fastidiosa</i>	應檢附輸出國植物 檢疫機關（構）簽 發之植物檢疫證明 書，證明於輸出前 經實驗室檢測未罹 染 <i>Xylella fastidiosa</i> 否則銷燬 或退運。	依風險評估及查詢科學文獻結果，增列紫薇 及越桔屬為本項有害生物寄主，西班牙為疫 區，爰修正名稱及其部位欄，以及國家或地 區欄，予以增列，另序號配合調整。

(12) 紫荊屬之一種 ( <i>Cercis occidentalis</i> )				(12) 紫荊屬之一種 ( <i>Cercis occidentalis</i> )				
(13) 白藜 ( <i>Chenopodium quinoa</i> )				(13) 白藜 ( <i>Chenopodium quinoa</i> )				
(14) 柑桔屬 ( <i>Citrus</i> spp.)				(14) 柑桔屬 ( <i>Citrus</i> spp.)				
(15) 咖啡屬 ( <i>Coffea</i> spp.)				(15) 咖啡屬 ( <i>Coffea</i> spp.)				
(16) 胡蘿蔔 ( <i>Daucus carota</i> var. <i>sativa</i> )				(16) 胡蘿蔔 ( <i>Daucus carota</i> var. <i>sativa</i> )				
(17) 金露花 ( <i>Duranta repens</i> )				(17) 金露花 ( <i>Duranta repens</i> )				
(18) 無花果 ( <i>Ficus carica</i> )				(18) 無花果 ( <i>Ficus carica</i> )				
(19) 金柑屬 ( <i>Fortunella</i> spp.)				(19) 金柑屬 ( <i>Fortunella</i> spp.)				
(20) 加州草莓 ( <i>Fragaria californica</i> )				(20) 加州草莓 ( <i>Fragaria californica</i> )				
(21) 雙瓣白蠟 ( <i>Fraxinus dipetala</i> )				(21) 雙瓣白蠟 ( <i>Fraxinus dipetala</i> )				
(22) 倒掛金鐘 ( <i>Fuchsia magellanica</i> )				(22) 倒掛金鐘 ( <i>Fuchsia magellanica</i> )				
(23) 銀杏 ( <i>Ginkgo biloba</i> )				(23) 銀杏 ( <i>Ginkgo biloba</i> )				
(24) 常春藤 ( <i>Hedera helix</i> )				(24) 常春藤 ( <i>Hedera helix</i> )				
(25) 加州冬青樹 ( <i>Heteromeles arbutifolia</i> )				(25) 加州冬青樹 ( <i>Heteromeles arbutifolia</i> )				
(26) 大麥 ( <i>Hordeum vulgare</i> )				(26) 大麥 ( <i>Hordeum vulgare</i> )				
(27) 圓錐繡球 ( <i>Hydrangea paniculata</i> )				(27) 圓錐繡球 ( <i>Hydrangea paniculata</i> )				
(28) 藍花楹屬之一種 ( <i>Jacaranda mimosifolia</i> )				(28) 藍花楹屬之一種 ( <i>Jacaranda mimosifolia</i> )				
(29) 圓柏屬之一種				(29) 圓柏屬之一種				



<div>(<i>Juniperus ashei</i>)</div> <div>(30) 紫薇</div> <div>(<i>Lagerstroemia indica</i>)</div> <div>(31) 香豌豆屬</div> <div>(<i>Lathyrus</i> spp.)</div> <div>(32) 甜楓</div> <div>(<i>Liquidambar styraciflua</i>)</div> <div>(33) 黑麥草</div> <div>(<i>Lolium multiflorum</i>)</div> <div>(34) 金銀花</div> <div>(<i>Lonicera japonica</i>)</div> <div>(35) 洋玉蘭</div> <div>(<i>Magnolia grandiflora</i>)</div> <div>(36) 薄荷屬</div> <div>(<i>Mentha</i> spp.)</div> <div>(37) 桑</div> <div>(<i>Morus alba</i>)</div> <div>(38) 夾竹桃</div> <div>(<i>Nerium oleander</i>)</div> <div>(39) 橄欖</div> <div>(<i>Olea europaea</i>)</div> <div>(40) 五葉地錦</div> <div>(<i>Parthenocissus quinquefolia</i>)</div> <div>(41) 天竺葵</div> <div>(<i>Pelargonium hortorum</i>)</div> <div>(42) 厚葉海桐</div> <div>(<i>Pittosporum crassifolium</i>)</div> <div>(43) 美國梧桐</div> <div>(<i>Platanus occidentalis</i>)</div> <div>(44) 酪梨</div> <div>(<i>Persea americana</i>)</div> <div>(45) 枸橘屬</div> <div>(<i>Poncirus</i> spp.)</div> <div>(46) 李屬</div> <div>(<i>Prunus</i> spp.)</div>					<div>(<i>Juniperus ashei</i>)</div> <div>(30) 香豌豆屬</div> <div>(<i>Lathyrus</i> spp.)</div> <div>(31) 甜楓</div> <div>(<i>Liquidambar styraciflua</i>)</div> <div>(32) 黑麥草</div> <div>(<i>Lolium multiflorum</i>)</div> <div>(33) 金銀花</div> <div>(<i>Lonicera japonica</i>)</div> <div>(34) 洋玉蘭</div> <div>(<i>Magnolia grandiflora</i>)</div> <div>(35) 薄荷屬</div> <div>(<i>Mentha</i> spp.)</div> <div>(36) 桑</div> <div>(<i>Morus alba</i>)</div> <div>(37) 夾竹桃</div> <div>(<i>Nerium oleander</i>)</div> <div>(38) 橄欖</div> <div>(<i>Olea europaea</i>)</div> <div>(39) 五葉地錦</div> <div>(<i>Parthenocissus quinquefolia</i>)</div> <div>(40) 天竺葵</div> <div>(<i>Pelargonium hortorum</i>)</div> <div>(41) 厚葉海桐</div> <div>(<i>Pittosporum crassifolium</i>)</div> <div>(42) 美國梧桐</div> <div>(<i>Platanus occidentalis</i>)</div> <div>(43) 酪梨</div> <div>(<i>Persea americana</i>)</div> <div>(44) 枸橘屬</div> <div>(<i>Poncirus</i> spp.)</div> <div>(45) 李屬</div> <div>(<i>Prunus</i> spp.)</div> <div>(46) 櫟屬</div> <div>(<i>Quercus</i> spp.)</div> <div>(47) 加州薔薇</div>				
---	--	--	--	--	--	--	--	--	--

<div>(47) 櫟屬 (<i>Quercus</i> spp.)</div> <div>(48) 加州薔薇 (<i>Rosa californica</i>)</div> <div>(49) 迷迭香 (<i>Rosmarinus officinalis</i>)</div> <div>(50) 懸鈎子屬 (<i>Rubus</i> spp.)</div> <div>(51) 接骨木 (<i>Sambucus canadensis</i>)</div> <div>(52) 高粱 (<i>Sorghum vulgare</i>)</div> <div>(53) 丁香 (<i>Syringa vulgaris</i>)</div> <div>(54) 三葉草屬 (<i>Trifolium</i> spp.)</div> <div>(55) 榆屬 (<i>Ulmus</i> spp.)</div> <div>(56) 加州月桂 (<i>Umbellularia californica</i>)</div> <div>(57) 越桔屬 (<i>Vaccinium</i> spp.)</div> <div>(58) 蠶豆 (<i>Vicia faba</i>)</div> <div>(59) 日日春 (<i>Vinca major</i>)</div> <div>(60) 葡萄屬 (<i>Vitis</i> spp.)</div>					<div>(<i>Rosa californica</i>)</div> <div>(48) 迷迭香 (<i>Rosmarinus officinalis</i>)</div> <div>(49) 懸鈎子屬 (<i>Rubus</i> spp.)</div> <div>(50) 接骨木 (<i>Sambucus canadensis</i>)</div> <div>(51) 高粱 (<i>Sorghum vulgare</i>)</div> <div>(52) 丁香 (<i>Syringa vulgaris</i>)</div> <div>(53) 三葉草屬 (<i>Trifolium</i> spp.)</div> <div>(54) 榆屬 (<i>Ulmus</i> spp.)</div> <div>(55) 加州月桂 (<i>Umbellularia californica</i>)</div> <div>(56) 蠶豆 (<i>Vicia faba</i>)</div> <div>(57) 日日春 (<i>Vinca major</i>)</div> <div>(58) 葡萄屬 (<i>Vitis</i> spp.)</div>				
39.下列繁殖用生植株： <div>(1) 西洋芹 (<i>Apium graveolens</i>)</div> <div>(2) 辣根 (<i>Armoracia rusticana</i>)</div> <div>(3) 甜菜 (<i>Beta vulgaris</i>)</div> <div>(4) 胡瓜 (<i>Cucumis sativas</i>)</div>		亞洲及太平洋地區 <div>(1) 澳大利亞</div> <div>(2) 日本</div> <div>(3) 印度</div> <div>(4) 伊朗</div> <div>(5) 哈薩克</div> <div>(6) 黎巴嫩</div> <div>(7) 紐西蘭</div> <div>(8) 敘利亞</div> <div>(9) 俄羅斯聯邦</div> <div>(10) 土耳其</div>	南芥嵌紋病毒 ( <i>Arabis mosaic virus</i> (Nepovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。	39.下列繁殖用生植株 <div>(種子除外)：</div> <div>(1) 西洋芹 (<i>Apium graveolens</i>)</div> <div>(2) 辣根 (<i>Armoracia rusticana</i>)</div> <div>(3) 甜菜 (<i>Beta vulgaris</i>)</div> <div>(4) 胡瓜 (<i>Cucumis sativus</i>)</div>	亞洲及太平洋地區 <div>(1) 澳大利亞</div> <div>(2) 紐西蘭</div> <div>(3) 俄羅斯聯邦</div> <div>(4) 土耳其</div> <div>(5) 烏克蘭</div> <div>非洲</div> <div>(6) 南非</div> <div>歐洲</div> <div>(7) 比利時</div> <div>(8) 保加利亞</div>	南芥嵌紋病毒 ( <i>Arabis mosaic virus</i> (Nepovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。	一、經風險評估結果，紅藜、奎藜、胡蘿蔔、康乃馨、矮牽牛屬、菜豆及馬鞭草屬具傳播南芥嵌紋病毒風險，且南芥嵌紋病毒具有極高之種子傳播率，爰將前揭植物納入本點規範之植物，並該病毒寄主植物之繁殖用種子一併納入管制範圍。 二、參考 Crop Protection Compendium 資料庫資料，增列日本等十五國為南芥嵌紋病毒發生國家，另經查「南斯拉夫」已分裂，且財政部關務署關港貿作業代碼已查無該國家或實體，爰逕予刪除並依分裂情形增列蒙特內哥羅及科索沃。

(5) <u>紅藜</u> ( <i>Chenopodium giganteum</i> = <i>C. album</i> subsp. <i>amaranticolor</i> )	(11) 烏克蘭 非洲			(5) 豆科 (Fabaceae)	(9) 捷克			
(6) <u>白藜</u> ( <i>Chenopodium quinoa</i> )	(12) 埃及			(6) 連翹 ( <i>Forsythia suspense</i> )	(10) 丹麥			
(7) <u>胡蘿蔔</u> ( <i>Daucus carota</i> )	(13) 南非 歐洲			(7) 草莓 ( <i>Fragaria</i> × <i>ananassa</i> )	(11) 法國			
(8) <u>康乃馨</u> ( <i>Dianthus caryophyllus</i> )	(14) 奧地利			(8) 唐菖蒲 ( <i>Gladiolus hybridus</i> )	(12) 德國			
(9) 豆科 (Fabaceae)	(15) 比利時			(9) 蛇麻 ( <i>Humulus lupulus</i> )	(13) 挪威			
(10) 連翹 ( <i>Forsythia suspense</i> )	(16) 保加利亞			(10) 萵苣 ( <i>Lactuca sativa</i> )	(14) 匈牙利			
(11) 草莓 ( <i>Fragaria</i> × <i>ananassa</i> )	(17) 白俄羅斯			(11) 百合屬 ( <i>Lilium</i> spp.)	(15) 愛爾蘭			
(12) 唐菖蒲 ( <i>Gladiolus hybridus</i> )	(18) 捷克			(12) 橄欖 ( <i>Olea europaea</i> )	(16) 義大利			
(13) 蛇麻 ( <i>Humulus lupulus</i> )	(19) 丹麥			(13) 水仙屬 ( <i>Narcissus</i> spp.)	(17) 盧森堡			
(14) 萵苣 ( <i>Lactuca sativa</i> )	(20) 法國			(14) 甜櫻桃 ( <i>Prunus avium</i> )	(18) 摩爾達維亞			
(15) 百合屬 ( <i>Lilium</i> spp.)	(21) 德國			(15) 杏 ( <i>Prunus armeniaca</i> )	(19) 荷蘭			
(16) 水仙屬 ( <i>Narcissus</i> spp.)	(22) 挪威			(16) 歐洲酸櫻桃 ( <i>Prunus cerasus</i> )	(20) 波蘭			
(17) 橄欖 ( <i>Olea europaea</i> )	(23) 克羅埃西亞			(17) 歐洲李 ( <i>Prunus domestica</i> )	(21) 羅馬尼亞			
(18) 矮牽牛屬 ( <i>Petunia</i> spp.)	(24) 匈牙利			(18) 扁桃 ( <i>Prunus dulcis</i> )	(22) <u>南斯拉夫</u>			
(19) <u>敏豆</u> ( <i>Phaseolus vulgaris</i> )	(25) 愛爾蘭			(19) 桂櫻 ( <i>Prunus laurocerasus</i> )	(23) 斯洛維尼亞			
(20) 甜櫻桃 ( <i>Prunus avium</i> )	(26) 義大利			(20) 桃 ( <i>Prunus persica</i> )	(24) 西班牙			
	(27) 盧森堡			(21) 大黃 ( <i>Rheum palmatum</i> )	(25) 瑞典			
	(28) <u>拉脫維亞</u>				(26) 瑞士			
	(29) 摩爾達維亞				(27) 芬蘭			
	(30) <u>蒙特內哥羅</u>				(28) 英國			
	(31) 荷蘭				(29) 烏克蘭			
	(32) 波蘭				北美			
	(33) 羅馬尼亞				(30) 加拿大			
	(34) <u>科索沃</u>							
	(35) <u>塞爾維亞</u>							
	(36) 斯洛維尼亞							
	(37) 西班牙							
	(38) 瑞典							
	(39) 瑞士							
	(40) 芬蘭							
	(41) 英國							
	(42) 烏克蘭							
	北美							
	(43) 加拿大							
	(44) <u>墨西哥</u>							
	(45) <u>美國</u>							
	中南美							
	(46) <u>智利</u>							

<div>(21) 杏 (<i>Prunus armeniaca</i>)</div> <div>(22) 歐洲酸櫻桃 (<i>Prunus cerasus</i>)</div> <div>(23) 歐洲李 (<i>Prunus domestica</i>)</div> <div>(24) 扁桃 (<i>Prunus dulcis</i>)</div> <div>(25) 桂櫻 (<i>Prunus laurocerasus</i>)</div> <div>(26) 桃 (<i>Prunus persica</i>)</div> <div>(27) 大黃 (<i>Rheum palmatum</i>)</div> <div>(28) 薔薇屬 (<i>Rosa</i> spp.)</div> <div>(29) 覆盆子 (<i>Rubus idaeus</i> )</div> <div>(30) 西洋接骨木 (<i>Sambucus nigra</i>)</div> <div>(31) 白花苜蓿 (<i>Trifolium repens</i>)</div> <div>(32) 馬鞭草屬 (<i>Verbena</i> spp.)</div> <div>(33) 葡萄 (<i>Vitis vinifera</i>)</div>					<div>(22) 薔薇屬 (<i>Rosa</i> spp.)</div> <div>(23) 覆盆子 (<i>Rubus idaeus</i> )</div> <div>(24) 西洋接骨木 (<i>Sambucus nigra</i>)</div> <div>(25) 白花苜蓿 (<i>Trifolium repens</i>)</div> <div>(26) 葡萄 (<i>Vitis vinifera</i>)</div>				
50.下列繁殖用生植株 (種子除外)： (1) 無花果 ( <i>Ficus carica</i> )		亞洲及太平洋地區 (1) 澳大利亞 (2) 中國大陸 (3) 伊朗 (4) 以色列 (5) 日本 (6) 約旦 (7) 黎巴嫩 (8) 紐西蘭 (9) 敘利亞	無花果嵌紋病毒 ( <i>Fig mosaic virus</i> (Emaravirus))	應檢附輸出國 植物檢疫機關 (構)簽發之植 物 檢 疫 證 明 書，證明經田間 檢疫或於輸出 前經實驗室檢 測未罹染無花 果嵌紋病毒，否 則銷燬或退運。					一、 <u>本項新增。</u> 二、依據有害生物風險評估報告，無花果嵌紋病毒經由疫區之生植株或地上部傳入我國風險高，爰依據本局植物防疫檢疫諮議會檢疫小組第四十二次會議決議，增列本項規定。

		(10) 土耳其 非洲 (11) 阿爾及利亞 (12) 突尼西亞 歐洲 (13) 克羅埃西亞 (14) 希臘 (15) 義大利 (16) 塞爾維亞 (17) 西班牙 (18) 英國 北美 (19) 加拿大 (20) 美國 中南美 (21) 波多黎各				
	51.下列繁殖用生植株 (種子除外): (1) 烏頭屬 ( <i>Aconitum</i> spp.) (2) 百合水仙屬 ( <i>Alstroemeria</i> spp.) (3) 白頭翁屬 ( <i>Anemone</i> spp.) (4) 金魚草屬 ( <i>Antirrhinum</i> spp.) (5) 花生 ( <i>Arachis hypogaea</i> ) (6) 臺灣山蘇花 ( <i>Asplenium nidus</i> ) (7) 秋海棠屬 ( <i>Begonia</i> spp.) (8) 寒丁子屬 ( <i>Bouvardia</i> spp.) (9) 翠菊屬 ( <i>Callistephus</i>	亞洲及太平洋地區 (1) 中國大陸 (2) 伊朗 (3) 以色列 (4) 日本 (5) 紐西蘭 非洲 (6) 烏干達 歐洲 (7) 奧地利 (8) 比利時 (9) 保加利亞 (10) 捷克 (11) 法國 (12) 德國 (13) 匈牙利 (14) 義大利 (15) 馬其頓 (16) 荷蘭 (17) 波蘭 (18) 葡萄牙 (19) 斯洛維尼亞 (20) 西班牙	鳳仙花壞疽斑點 病毒( <i>Impatiens necrotic spot virus</i> , Tospovirus)	應檢附輸出國 植物檢疫機關 (構)簽發之植 物檢疫證明 書,證明經田間 檢疫未染鳳仙 花壞疽斑點病 毒,或於輸出前 經實驗室檢測 未染鳳仙花壞 疽斑點病毒,否 則銷燬或退運。		一、 <u>本項新增</u> 。 二、依據防檢局植物防疫檢疫諮議委員會 檢疫小組第四十六次會議決議,新增 鳳仙花壞疽斑點病毒( <i>Impatiens necrotic spot virus</i> , Tospovirus)之檢疫 條件,爰增列本項。

	spp.) (10) 番椒屬 ( <i>Capsicum</i> spp.) (11) 菊苣 ( <i>Cichorium endivia</i> ) (12) 菊屬 ( <i>Chrysanthemum</i> spp. = <i>Dendranthema</i> spp.) (13) 鯨魚花屬 ( <i>Columnea</i> spp.) (14) 胡瓜 ( <i>Cucumis sativus</i> ) (15) 仙客來 ( <i>Cyclamen persicum</i> ) (16) 大理花屬 ( <i>Dahlia</i> spp.) (17) 石斛蘭屬 ( <i>Dendrobium</i> spp.) (18) 洋桔梗 ( <i>Eustoma grandiflorum</i> ) (19) 紫芳草 ( <i>Exacum affine</i> ) (20) 八角金盤 ( <i>Fatsia japonica</i> ) (21) 唐菖蒲屬 ( <i>Gladiolus</i> spp.) (22) 大丁草屬 ( <i>Gerbera</i> spp.) (23) 蜘蛛百合屬 ( <i>Hymenocallis</i> spp.) (24) 鳳仙花屬 ( <i>Impatiens</i> spp.)	(21) 英國 (22) 烏克蘭 <b>北美</b> (23) 加拿大 (24) 墨西哥 (25) 美國 <b>中南美</b> (26) 智利 (27) 哥斯大黎加					
--	---	--	--	--	--	--	--

(25) 萵苣 ( <i>Lactuca sativa</i> )						
(26) 補血草屬 ( <i>Limonium</i> spp.)						
(27) 山梗菜屬 ( <i>Lobelia</i> spp.)						
(28) 囊距花屬 ( <i>Nemesia</i> spp.)						
(29) 菸草 ( <i>Nicotiana tabacum</i> )						
(30) 羅勒 ( <i>Ocimum basilicum</i> )						
(31) 蝴蝶蘭屬 ( <i>Phalaenopsis spp.</i> )						
(32) 墨西哥酸漿 ( <i>Physalis ixocarpa</i> )						
(33) 海桐花屬 ( <i>Pittosporum spp.</i> )						
(34) 櫻草屬 ( <i>Primula</i> spp.)						
(35) 毛茛屬 ( <i>Ranunculus spp.</i> )						
(36) 懸鉤子屬 ( <i>Rubus</i> spp.)						
(37) 長生草屬 ( <i>Sempervivum spp.</i> )						
(38) 瓜葉菊 ( <i>Senecio cruentus</i> )						
(39) 大岩桐 ( <i>Sinningia speciosa</i> = <i>Gloxinia speciosa</i> )						

	(40) 番茄 <i>(Solanum lycopersicum = Lycopersicum esculentum)</i> (41) 馬鈴薯 <i>(Solanum tuberosum)</i> (42) 芭葉芋屬 <i>(Spathiphyllum spp.)</i> (43) 菠菜 <i>(Spinacea oleracea = Spinacia oleracea)</i> (44) 蒿苳纈草 <i>(Valerianella olitoria)</i> (45) 海芋 <i>(Zantedeschia aethiopica )</i>					
52.下列繁殖用生植株 (種子除外) (1) 蘭科 (Orchidaceae)	<b>亞洲及太平洋地區</b> (1) 中國大陸 (2) 日本 (3) 南韓 (4) 澳大利亞 <b>非洲</b> (5) 南非 <b>歐洲</b> (6) 德國 (7) 丹麥 <b>北美</b> (8) 美國 <b>中南美</b> (9) 巴西 (10) 哥倫比亞 (11) 哥斯大黎加	蘭花斑點病毒 <i>(Orchid fleck virus)</i>	應檢附輸出國 植物檢疫機關 (構)簽發之植 物檢疫證明 書，證明經田間 檢疫未染蘭花 斑點病毒，或於 輸出前經實驗 室檢測未染蘭 花斑點病毒，否 則銷燬或退運。			一、 <u>本項新增</u> 。 二、依據防檢局植物防疫檢疫諮議委員會檢疫小組第四十六次會議決議，新增蘭花斑點病毒( <i>Orchid fleck virus</i> )之檢疫條件，爰增列本項。



<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群（Taxa）有害生物採取檢疫處理措施。</p> <p><b>昆蟲類(342 種)</b> <i>Acalolepta cervina</i> <i>Acanthoscelides obtectus</i> <i>Acanthoscelides pallidipennis</i> <i>Acleris gloverana</i> <i>Acleris variana</i> <i>Acrogonia terminalis</i> <i>Acrolepiopsis assectella</i> <i>Acropolitis rudisana</i> <i>Adelges tsugae</i> <i>Adoxophyes orana</i> <i>Aeolesthes sarta</i> <i>Aeolothrips fasciatus</i> <i>Aethina tumida</i> <i>Affirmaspis socotrana</i> <i>Agrilus mali</i> <i>Amorbia emigratella</i> <i>Anaphothrips obscurus</i> <i>Anastrepha grandis</i> <i>Anastrepha striata</i> <i>Anastrepha suspensa</i> <i>Anchastus swezeyi</i> <i>Anomala sulcatula</i> <i>Anthonomus bisignifer</i> <i>Anthonomus eugenii</i> <i>Anthonomus grandis</i> <i>Aonidiella lauretorum</i> <i>Aonidiella orientalis</i> <i>Aonidiella tinerfinensis</i> <i>Aphis fabae</i> <i>Aphis sedi</i> <i>Apis mellifera capensis</i> <i>Apis mellifera scutellata</i> <i>Archips micaceanus</i> <i>Argyrotaenia ljugiana</i> <i>Artitropa comus</i> <i>Aspidiotus nerii</i> <i>Aspidiotus spinosus</i> <i>Asterolecanium</i> spp. <i>Bactrocera albistrigata</i> <i>Bactrocera aquilonis</i> <i>Bactrocera cucumis</i> <i>Bactrocera decipiens</i></p>	<p>十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群（Taxa）有害生物採取檢疫處理措施。</p> <p><b>昆蟲類(340 種)</b> <i>Acalolepta cervina</i> <i>Acanthoscelides obtectus</i> <i>Acanthoscelides pallidipennis</i> <i>Acleris gloverana</i> <i>Acleris variana</i> <i>Acrogonia terminalis</i> <i>Acrolepiopsis assectella</i> <i>Acropolitis rudisana</i> <i>Adelges tsugae</i> <i>Adoxophyes orana</i> <i>Aeolesthes sarta</i> <i>Aeolothrips fasciatus</i> <i>Aethina tumida</i> <i>Affirmaspis socotrana</i> <i>Agrilus mali</i> <i>Amorbia emigratella</i> <i>Anaphothrips obscurus</i> <i>Anastrepha grandis</i> <i>Anastrepha striata</i> <i>Anastrepha suspensa</i> <i>Anchastus swezeyi</i> <i>Anomala sulcatula</i> <i>Anthonomus bisignifer</i> <i>Anthonomus eugenii</i> <i>Anthonomus grandis</i> <i>Aonidiella lauretorum</i> <i>Aonidiella orientalis</i> <i>Aonidiella tinerfinensis</i> <i>Aphis fabae</i> <i>Aphis sedi</i> <i>Apis mellifera capensis</i> <i>Apis mellifera scutellata</i> <i>Archips micaceanus</i> <i>Argyrotaenia ljugiana</i> <i>Artitropa comus</i> <i>Aspidiotus nerii</i> <i>Aspidiotus spinosus</i> <i>Asterolecanium</i> spp. <i>Bactrocera albistrigata</i> <i>Bactrocera aquilonis</i> <i>Bactrocera cucumis</i> <i>Bactrocera decipiens</i></p>	<p>依據有害生物風險評估結果，昆蟲類增列石斛癭蚧 <i>Contarinia maculipennis</i> 及石斛白盾介殼蟲 <i>Pseudaulacaspis dendrobii</i>，病毒類配合鳳仙花壞疽斑點病毒(<i>Impatiens necrotic spot virus</i>, <i>Tospovirus</i>)於乙、第一點第 51 項訂定檢疫條件，爰自清單刪除，另真菌類之 <i>Didymella ligulicola</i> 依科學資料應修正為 <i>Stagonosporopsis chrysanthemi</i> (無性世代：<i>Didymella ligulicola</i>)。</p>
---	---	--

<i>Bactrocera diversa</i> <i>Bactrocera fascialis</i> <i>Bactrocera frauenfeldi</i> <i>Bactrocera jarvisi</i> <i>Bactrocera kirki</i> <i>Bactrocera latifrons</i> <i>Bactrocera melanota</i> <i>Bactrocera musae</i> <i>Bactrocera neohumeralis</i> <i>Bactrocera occipitalis</i> <i>Bactrocera oleae</i> <i>Bactrocera passiflorae</i> <i>Bactrocera psidii</i> <i>Bactrocera trivialis</i> <i>Bactrocera tuberculata</i> <i>Bactrocera umbrosa</i> <i>Bagrada hilaris</i> <i>Bactrocera xanthodes</i> <i>Bemisia cordylinidis</i> <i>Blitopertha orientalis</i> <i>Brachycaudus cardui</i> <i>Brachycaudus persicae</i> <i>Brachycerus spp.</i> <i>Brachydactyla discoidea</i> <i>Bruchophagus roddi</i> <i>Bruchus pisorum</i> <i>Bruchus rufimanus</i> <i>Bulbifer homeorhynchus</i> <i>Cacoecimorpha pronubana</i> <i>Cacopsylla chinensis</i> <i>Cacyreus marshalli</i> <i>Callipogon relictus</i> <i>Callosobruchus analis</i> <i>Callosobruchus phaseoli</i> <i>Camponotus floridanus</i> <i>Camponotus herculeanus</i> <i>Camponotus kiusiuensis</i> <i>Camponotus noveboracensis</i> <i>Camponotus obscuripes</i> <i>Camponotus pennsylvanicus</i> <i>Capitophorus horni</i> <i>Capua tortrix</i> <i>Cataenococcus hispidus</i> <i>Catamacta lotinana</i> <i>Ceratitis spp.</i> <i>Chaetanaphothrips signipennis</i> <i>Chalcophora japonica</i> <i>Choristoneura conflictana</i> <i>Choristoneura fumiferana</i>	<i>Bactrocera diversa</i> <i>Bactrocera fascialis</i> <i>Bactrocera frauenfeldi</i> <i>Bactrocera jarvisi</i> <i>Bactrocera kirki</i> <i>Bactrocera latifrons</i> <i>Bactrocera melanota</i> <i>Bactrocera musae</i> <i>Bactrocera neohumeralis</i> <i>Bactrocera occipitalis</i> <i>Bactrocera oleae</i> <i>Bactrocera passiflorae</i> <i>Bactrocera psidii</i> <i>Bactrocera trivialis</i> <i>Bactrocera tuberculata</i> <i>Bactrocera umbrosa</i> <i>Bagrada hilaris</i> <i>Bactrocera xanthodes</i> <i>Bemisia cordylinidis</i> <i>Blitopertha orientalis</i> <i>Brachycaudus cardui</i> <i>Brachycaudus persicae</i> <i>Brachycerus spp.</i> <i>Brachydactyla discoidea</i> <i>Bruchophagus roddi</i> <i>Bruchus pisorum</i> <i>Bruchus rufimanus</i> <i>Bulbifer homeorhynchus</i> <i>Cacoecimorpha pronubana</i> <i>Cacopsylla chinensis</i> <i>Cacyreus marshalli</i> <i>Callipogon relictus</i> <i>Callosobruchus analis</i> <i>Callosobruchus phaseoli</i> <i>Camponotus floridanus</i> <i>Camponotus herculeanus</i> <i>Camponotus kiusiuensis</i> <i>Camponotus noveboracensis</i> <i>Camponotus obscuripes</i> <i>Camponotus pennsylvanicus</i> <i>Capitophorus horni</i> <i>Capua tortrix</i> <i>Cataenococcus hispidus</i> <i>Catamacta lotinana</i> <i>Ceratitis spp.</i> <i>Chaetanaphothrips signipennis</i> <i>Chalcophora japonica</i> <i>Choristoneura conflictana</i> <i>Choristoneura fumiferana</i>	
---	---	--

<i>Choristoneura occidentalis</i> <i>Choristoneura rosaceana</i> <i>Chrysomphalus diversicolor</i> <i>Chrysomphalus pinnulifer</i> <i>Cilaeopeplus swezeyi</i> <i>Coccidohystrix insolita</i> <i>Coccus spp.</i> <i>Conoderus eveillardi</i> <i>Conoderus rufangulus</i> <i>Conopia hector</i> <i>Conotrachelus aguacatae</i> <u><i>Contarinia maculipennis</i></u> <i>Contarinia nasturtii</i> <i>Contarinia sorghicola</i> <i>Coptotermes curvignathus</i> <i>Copturus aguacatae</i> <i>Crematogaster matsumurai</i> <i>Crematogaster teranishii</i> <i>Cryptophlebia leucotreta</i> <i>Cryptorhynchus lapathi</i> <i>Curculio davidi</i> <i>Curculio elephas</i> <i>Curculio nucum</i> <i>Cydia latiferreana</i> <i>Cydia splendana</i> <i>Dacus bivittatus</i> <i>Dacus vertebrates</i> <i>Daktulosphaira vitifoliae</i> <i>Dasineura mali</i> <i>Dendroctonus adjunctus</i> <i>Dendroctonus ponderosae</i> <i>Dendroctonus rufipennis</i> <i>Dendrolimus sibiricus</i> <i>Delia antique</i> <i>Delia platura</i> <i>Diabrotica barberi</i> <i>Diabrotica speciosa</i> <i>Diabrotica undecimpunctata</i> <i>Diabrotica virgifera virgifera</i> <i>Diaprepes abbreviatus</i> <i>Diaspidiotus gigas</i> <i>Diaspidiotus ostreaeformis</i> <i>Diaspidiotus pyri</i> <i>Diatraea saccharalis</i> <i>Dilobopterus costalimai</i> <i>Dociostaurus maroccanus</i> <i>Draeculacephala minerva</i> <i>Dreyfusia piceae</i> <i>Drosophila suzukii</i>	<i>Choristoneura occidentalis</i> <i>Choristoneura rosaceana</i> <i>Chrysomphalus diversicolor</i> <i>Chrysomphalus pinnulifer</i> <i>Cilaeopeplus swezeyi</i> <i>Coccidohystrix insolita</i> <i>Coccus spp.</i> <i>Conoderus eveillardi</i> <i>Conoderus rufangulus</i> <i>Conopia hector</i> <i>Conotrachelus aguacatae</i>  <i>Contarinia nasturtii</i> <i>Contarinia sorghicola</i> <i>Coptotermes curvignathus</i> <i>Copturus aguacatae</i> <i>Crematogaster matsumurai</i> <i>Crematogaster teranishii</i> <i>Cryptophlebia leucotreta</i> <i>Cryptorhynchus lapathi</i> <i>Curculio davidi</i> <i>Curculio elephas</i> <i>Curculio nucum</i> <i>Cydia latiferreana</i> <i>Cydia splendana</i> <i>Dacus bivittatus</i> <i>Dacus vertebrates</i> <i>Daktulosphaira vitifoliae</i> <i>Dasineura mali</i> <i>Dendroctonus adjunctus</i> <i>Dendroctonus ponderosae</i> <i>Dendroctonus rufipennis</i> <i>Dendrolimus sibiricus</i> <i>Delia antique</i> <i>Delia platura</i> <i>Diabrotica barberi</i> <i>Diabrotica speciosa</i> <i>Diabrotica undecimpunctata</i> <i>Diabrotica virgifera virgifera</i> <i>Diaprepes abbreviatus</i> <i>Diaspidiotus gigas</i> <i>Diaspidiotus ostreaeformis</i> <i>Diaspidiotus pyri</i> <i>Diatraea saccharalis</i> <i>Dilobopterus costalimai</i> <i>Dociostaurus maroccanus</i> <i>Draeculacephala minerva</i> <i>Dreyfusia piceae</i> <i>Drosophila suzukii</i>	
---	--	--

<i>Dryocoetes confuses</i> <i>Dryocosmus kuriphilus</i> <i>Dysmicoccus nesophilus</i> <i>Dyspessa ulula</i> <i>Earias vittella</i> <i>Echinothrips americanus</i> <i>Elytroteinus subtruncatus</i> <i>Epiphyas postvittana</i> <i>Epitrix cucumeris</i> <i>Epitrix tuberis</i> <i>Eriosoma lanigerum</i> <i>Eublemma rufimixta</i> <i>Eucalymnatus tessellatus</i> <i>Euproctis chrysorrhoea</i> <i>Eurytoma laricis</i> <i>Eustalodes anthivora</i> <i>Exosoma lusitanica</i> <i>Frankliniella spp.</i> <i>Furcaspis oceanica</i> <i>Glaucothrips glaucus</i> <i>Gnathotrichus sulcatus</i> <i>Gonipterus gibberus</i> <i>Graphocephala atropunctata</i> <i>Grapholita funebrana</i> <i>Grapholita inopinata</i> <i>Grapholita molesta</i> <i>Grapholita packardi</i> <i>Grapholita prunivora</i> <i>Heilipus lauri</i> <i>Helicoverpa zea</i> <i>Hemiberlesia cyanophylli</i> <i>Hemiberlesia palmae</i> <i>Hemimene juliana</i> <i>Hesperophanes campestris</i> <i>Heterobostrychus aequalis</i> <i>Heteronychus arator</i> <i>Holotrichia mindanaona</i> <i>Homalodisca coagulata</i> <i>Howardia biclavis</i> <i>Hylastes ater</i> <i>Hylurgopinus rufipes</i> <i>Hyphantria cunea</i> <i>Hypothenemus hampei</i> <i>Insulaspis orsoni</i> <i>Ips calligraphus</i> <i>Ips confusus</i> <i>Ips grandicollis</i> <i>Ips lecontei</i> <i>Ips pini</i>	<i>Dryocoetes confuses</i> <i>Dryocosmus kuriphilus</i> <i>Dysmicoccus nesophilus</i> <i>Dyspessa ulula</i> <i>Earias vittella</i> <i>Echinothrips americanus</i> <i>Elytroteinus subtruncatus</i> <i>Epiphyas postvittana</i> <i>Epitrix cucumeris</i> <i>Epitrix tuberis</i> <i>Eriosoma lanigerum</i> <i>Eublemma rufimixta</i> <i>Eucalymnatus tessellatus</i> <i>Euproctis chrysorrhoea</i> <i>Eurytoma laricis</i> <i>Eustalodes anthivora</i> <i>Exosoma lusitanica</i> <i>Frankliniella spp.</i> <i>Furcaspis oceanica</i> <i>Glaucothrips glaucus</i> <i>Gnathotrichus sulcatus</i> <i>Gonipterus gibberus</i> <i>Graphocephala atropunctata</i> <i>Grapholita funebrana</i> <i>Grapholita inopinata</i> <i>Grapholita molesta</i> <i>Grapholita packardi</i> <i>Grapholita prunivora</i> <i>Heilipus lauri</i> <i>Helicoverpa zea</i> <i>Hemiberlesia cyanophylli</i> <i>Hemiberlesia palmae</i> <i>Hemimene juliana</i> <i>Hesperophanes campestris</i> <i>Heterobostrychus aequalis</i> <i>Heteronychus arator</i> <i>Holotrichia mindanaona</i> <i>Homalodisca coagulata</i> <i>Howardia biclavis</i> <i>Hylastes ater</i> <i>Hylurgopinus rufipes</i> <i>Hyphantria cunea</i> <i>Hypothenemus hampei</i> <i>Insulaspis orsoni</i> <i>Ips calligraphus</i> <i>Ips confusus</i> <i>Ips grandicollis</i> <i>Ips lecontei</i> <i>Ips pini</i>	
---	---	--

<i>Ips plastographus</i>	<i>Ips plastographus</i>	
<i>Ips typographus</i>	<i>Ips typographus</i>	
<i>Iridomyrmex cordatus</i>	<i>Iridomyrmex cordatus</i>	
<i>Iridomyrmex humilis</i> = <i>Linepithema humile</i>	<i>Iridomyrmex humilis</i> = <i>Linepithema humile</i>	
<i>Ischnaspis longirostris</i>	<i>Ischnaspis longirostris</i>	
<i>Kandyosilis cochleata</i>	<i>Kandyosilis cochleata</i>	
<i>Kytorhinus immixtus</i>	<i>Kytorhinus immixtus</i>	
<i>Laspeyresia</i> spp.	<i>Laspeyresia</i> spp.	
<i>Lepidosaphes salicina</i>	<i>Lepidosaphes salicina</i>	
<i>Lepidosaphes tokionis</i>	<i>Lepidosaphes tokionis</i>	
<i>Leptocybe invasa</i>	<i>Leptocybe invasa</i>	
<i>Leucoptera malifoliella</i>	<i>Leucoptera malifoliella</i>	
<i>Limonium californicus</i>	<i>Limonium californicus</i>	
<i>Liposcelis decolor</i>	<i>Liposcelis decolor</i>	
<i>Listroderes subcinctus</i>	<i>Listroderes subcinctus</i>	
<i>Listronotus bonariensis</i>	<i>Listronotus bonariensis</i>	
<i>Lobesia botrana</i>	<i>Lobesia botrana</i>	
<i>Locusta migratoria</i>	<i>Locusta migratoria</i>	
<i>Lopholeucaspis cockerelli</i>	<i>Lopholeucaspis cockerelli</i>	
<i>Lymantria dispar</i>	<i>Lymantria dispar</i>	
<i>Lymantria monacha</i>	<i>Lymantria monacha</i>	
<i>Macrosiphum euphorbiae</i>	<i>Macrosiphum euphorbiae</i>	
<i>Malacosoma americanum</i>	<i>Malacosoma americanum</i>	
<i>Malacosoma disstria</i>	<i>Malacosoma disstria</i>	
<i>Margarodes prieskaensis</i>	<i>Margarodes prieskaensis</i>	
<i>Margarodes vredendalensis</i>	<i>Margarodes vredendalensis</i>	
<i>Matsucoccus matsumurae</i>	<i>Matsucoccus matsumurae</i>	
<i>Mayetiola destructor</i>	<i>Mayetiola destructor</i>	
<i>Megalometis chilensis</i>	<i>Megalometis chilensis</i>	
<i>Melanaspis corticosa</i>	<i>Melanaspis corticosa</i>	
<i>Melanaspis elaeagni</i>	<i>Melanaspis elaeagni</i>	
<i>Melanaspis nigropunctata</i>	<i>Melanaspis nigropunctata</i>	
<i>Melanotus communis</i>	<i>Melanotus communis</i>	
<i>Metamasius</i> spp.	<i>Metamasius</i> spp.	
<i>Monochamus</i> spp.	<i>Monochamus</i> spp.	
<i>Mudaria luteileprosa</i>	<i>Mudaria luteileprosa</i>	
<i>Mudaria magniplaga</i>	<i>Mudaria magniplaga</i>	
<i>Mycetaspis personata</i>	<i>Mycetaspis personata</i>	
<i>Mycetaspis sphaerioides</i>	<i>Mycetaspis sphaerioides</i>	
<i>Myzus ornatus</i>	<i>Myzus ornatus</i>	
<i>Nasutitermes corniger</i>	<i>Nasutitermes corniger</i>	
<i>Naupactus xanthographus</i>	<i>Naupactus xanthographus</i>	
<i>Nemorimyza maculosa</i>	<i>Nemorimyza maculosa</i>	
<i>Neomaskellia bergii</i>	<i>Neomaskellia bergii</i>	
<i>Neoselenaspidus silvaticus</i>	<i>Neoselenaspidus silvaticus</i>	
<i>Nipaecoccus nipae</i>	<i>Nipaecoccus nipae</i>	
<i>Nomadacris septemfasciata</i>	<i>Nomadacris septemfasciata</i>	
<i>Nysius vinitor</i>	<i>Nysius vinitor</i>	
<i>Oncometopia fascialis</i>	<i>Oncometopia fascialis</i>	

<i>Operophtera brumata</i> <i>Opogona sacchari</i> <i>Opuntiaspis carinata</i> <i>Orgyia antiqua</i> <i>Orgyia pseudotsugata</i> <i>Orthezia insignis</i> <i>Oryctes monoceros</i> <i>Ostrinia nubilalis</i> <i>Otiorhynchus ligustici</i> <i>Oulema melanopus</i> <i>Oviticoccus agavium</i> <i>Pammene fasciana</i> <i>Paralipsa gularis</i> <i>Paranthrene tabaniformis</i> <i>Paraputo hispidus</i> <i>Parthenolecanium corni</i> <i>Pectinophora scutigera</i> <i>Perileucoptera coffeella</i> <i>Phalaenoides glycinae</i> <i>Phenacaspis tangana</i> <i>Phenacoccus manihoti</i> <i>Phyllophaga</i> spp. <i>Pinnaspis dracaenae</i> <i>Pinnaspis strachani</i> <i>Pissodes nemorensis</i> <i>Pissodes strobi</i> <i>Pissodes terminalis</i> <i>Pogonomymex occidentalis</i> <i>Prays endocarpa</i> <i>Premnotypes latithorax</i> <i>Premnotypes suturicallus</i> <i>Premnotypes vorax</i> <i>Proeulia</i> spp. <i>Promecotheca cumingii</i> <i>Prostephanus truncatus</i> <i>Proterhinus vestitus</i> <i>Pseudischnaspis bowreyi</i> <u><i>Pseudaulacaspis dendrobii</i></u> <i>Pseudococcus</i> spp. <i>Pterandrus</i> spp. <i>Ptilodactyla exotica</i> <i>Pulvinaria urticae</i> <i>Pulvinaria vitis</i> <i>Rhagoletis cerasi</i> <i>Rhagoletis cingulata</i> <i>Rhagoletis fausta</i> <i>Rhagoletis indifferens</i> <i>Rhagoletis mendax</i> <i>Rhizoecus amorphophalli</i>	<i>Operophtera brumata</i> <i>Opogona sacchari</i> <i>Opuntiaspis carinata</i> <i>Orgyia antiqua</i> <i>Orgyia pseudotsugata</i> <i>Orthezia insignis</i> <i>Oryctes monoceros</i> <i>Ostrinia nubilalis</i> <i>Otiorhynchus ligustici</i> <i>Oulema melanopus</i> <i>Oviticoccus agavium</i> <i>Pammene fasciana</i> <i>Paralipsa gularis</i> <i>Paranthrene tabaniformis</i> <i>Paraputo hispidus</i> <i>Parthenolecanium corni</i> <i>Pectinophora scutigera</i> <i>Perileucoptera coffeella</i> <i>Phalaenoides glycinae</i> <i>Phenacaspis tangana</i> <i>Phenacoccus manihoti</i> <i>Phyllophaga</i> spp. <i>Pinnaspis dracaenae</i> <i>Pinnaspis strachani</i> <i>Pissodes nemorensis</i> <i>Pissodes strobi</i> <i>Pissodes terminalis</i> <i>Pogonomymex occidentalis</i> <i>Prays endocarpa</i> <i>Premnotypes latithorax</i> <i>Premnotypes suturicallus</i> <i>Premnotypes vorax</i> <i>Proeulia</i> spp. <i>Promecotheca cumingii</i> <i>Prostephanus truncatus</i> <i>Proterhinus vestitus</i> <i>Pseudischnaspis bowreyi</i>  <i>Pseudococcus</i> spp. <i>Pterandrus</i> spp. <i>Ptilodactyla exotica</i> <i>Pulvinaria urticae</i> <i>Pulvinaria vitis</i> <i>Rhagoletis cerasi</i> <i>Rhagoletis cingulata</i> <i>Rhagoletis fausta</i> <i>Rhagoletis indifferens</i> <i>Rhagoletis mendax</i> <i>Rhizoecus amorphophalli</i>	
---	--	--

<i>Rhizoecus floridanus</i> <i>Rhizoecus simplex</i> <i>Rhodogastria carneola</i> <i>Rhynchophorus palmarum</i> <i>Rondotia mencia</i> <i>Sahlbergella singularis</i> <i>Sardia pluto</i> <i>Scirtothrips aurantii</i> <i>Scirtothrips citri</i> <i>Schistocerca gregaria</i> <i>Scolytus morawitzi</i> <i>Scolytus multistriatus</i> <i>Scolytus scolytus</i> <i>Scyphophorus acupunctatus</i> <i>Selenaspidus antsingyi</i> <i>Selenaspidus littoralis</i> <i>Sesamia cretica</i> <i>Sirex noctilio</i> <i>Sitophilus granarius</i> <i>Sminthurus viridis</i> <i>Solenopsis invicta</i> <i>Solenopsis richteri</i> <i>Solenopsis richteri</i> × <i>Solenopsis</i> <i>Solenopsis xyloni</i> <i>Sphaeraspis vitis</i> <i>Spilonota lechriaspis</i> <i>Spilonota pyrusicola</i> <i>Spodoptera eridania</i> <i>Spodoptera frugiperda</i> <i>Spodoptera littoralis</i> <i>Stenoma catenifer</i> <i>Taeniothrips samdensis</i> <i>Tecia solanivora</i> <i>Tessaratomya papillosa</i> <i>Tetropium castaneum</i> <i>Tetropium fuscum</i> <i>Tetropium gracilicorne</i> <i>Thrips</i> spp. <i>Tomicus piniperda</i> <i>Toxotrypana curvicauda</i> <i>Trioza erytreae</i> <i>Trogoderma granarium</i> <i>Unaspis citri</i> <i>Urocerus japonicus</i> <i>Voraspis tangana</i> <i>Wasmannia auropunctata</i> <i>Xyleborus affinis</i> <i>Xyleborus ferrugineus</i> <i>Xyleborus rugatus</i>	<i>Rhizoecus floridanus</i> <i>Rhizoecus simplex</i> <i>Rhodogastria carneola</i> <i>Rhynchophorus palmarum</i> <i>Rondotia mencia</i> <i>Sahlbergella singularis</i> <i>Sardia pluto</i> <i>Scirtothrips aurantii</i> <i>Scirtothrips citri</i> <i>Schistocerca gregaria</i> <i>Scolytus morawitzi</i> <i>Scolytus multistriatus</i> <i>Scolytus scolytus</i> <i>Scyphophorus acupunctatus</i> <i>Selenaspidus antsingyi</i> <i>Selenaspidus littoralis</i> <i>Sesamia cretica</i> <i>Sirex noctilio</i> <i>Sitophilus granarius</i> <i>Sminthurus viridis</i> <i>Solenopsis invicta</i> <i>Solenopsis richteri</i> <i>Solenopsis richteri</i> × <i>Solenopsis</i> <i>Solenopsis xyloni</i> <i>Sphaeraspis vitis</i> <i>Spilonota lechriaspis</i> <i>Spilonota pyrusicola</i> <i>Spodoptera eridania</i> <i>Spodoptera frugiperda</i> <i>Spodoptera littoralis</i> <i>Stenoma catenifer</i> <i>Taeniothrips samdensis</i> <i>Tecia solanivora</i> <i>Tessaratomya papillosa</i> <i>Tetropium castaneum</i> <i>Tetropium fuscum</i> <i>Tetropium gracilicorne</i> <i>Thrips</i> spp. <i>Tomicus piniperda</i> <i>Toxotrypana curvicauda</i> <i>Trioza erytreae</i> <i>Trogoderma granarium</i> <i>Unaspis citri</i> <i>Urocerus japonicus</i> <i>Voraspis tangana</i> <i>Wasmannia auropunctata</i> <i>Xyleborus affinis</i> <i>Xyleborus ferrugineus</i> <i>Xyleborus rugatus</i>	
--	--	--

<i>Xylopsocus capucinus</i> <i>Xylotrechus altaicus</i> <i>Xyphon</i> (formerly <i>Carneocephala</i> ) <i>fulgida</i> <i>Yponomeuta malinellus</i> <i>Zabrotes subfasciatus</i> <i>Zonocerus elegans</i>  <b>真菌類（82 種）</b> <i>Alternaria gaisen</i> <i>Anisogramma anomala</i> <i>Apiosporina morbosa</i> <i>Atropellis piniphila</i> <i>Botryosphaeria laricina</i> <i>Calonectria ilicicola</i> <i>Ceratocystis fagacearum</i> <i>Ceratocystis fimbriata</i> <i>Chrysomyxa abietis</i> <i>Chrysomyxa ledi</i> <i>Ciborinia camelliae</i> <i>Colletotrichum coccodes</i> <i>Cronartium coleosporioides</i> <i>Cronartium flaccidum</i> <i>Cronartium quercuum</i> f. sp. <i>fusiforme</i> <i>Cronartium himalayense</i> <i>Cronartium kamtschaticum</i> <i>Cronartium quercuum</i> <i>Cryphonectria parasitica</i> <i>Cylindrocarpon destructans</i> <i>Cytospora</i> sp.  <i>Diaporthe phaseolorum</i> <i>Diaporthe tanakae</i> <i>Diaporthe vaccinii</i> <i>Didymella ligulicola</i> <i>Elsinoe australis</i> <i>Endocronartium harknessii</i> <i>Entyloma holwayi</i> H. & P. Sydow <i>Eutypa lata</i> <i>Fusarium subglutinans</i> <i>Fusarium oxysporum</i> f. sp. <i>Gaeumannomyces graminis</i> <i>Gibberella circinata</i> <i>Gremmeniella abietina</i> <i>Gymnosporangium asiaticum</i> <i>Gymnosporangium clavipes</i> <i>Gymnosporangium fuscum</i> <i>Gymnosporangium globosum</i> <i>Gymnosporangium yamadae</i>	<i>Xylopsocus capucinus</i> <i>Xylotrechus altaicus</i> <i>Xyphon</i> (formerly <i>Carneocephala</i> ) <i>fulgida</i> <i>Yponomeuta malinellus</i> <i>Zabrotes subfasciatus</i> <i>Zonocerus elegans</i>  <b>真菌類（82 種）</b> <i>Alternaria gaisen</i> <i>Anisogramma anomala</i> <i>Apiosporina morbosa</i> <i>Atropellis piniphila</i> <i>Botryosphaeria laricina</i> <i>Calonectria ilicicola</i> <i>Ceratocystis fagacearum</i> <i>Ceratocystis fimbriata</i> <i>Chrysomyxa abietis</i> <i>Chrysomyxa ledi</i> <i>Ciborinia camelliae</i> <i>Colletotrichum coccodes</i> <i>Cronartium coleosporioides</i> <i>Cronartium flaccidum</i> <i>Cronartium quercuum</i> f. sp. <i>fusiforme</i> <i>Cronartium himalayense</i> <i>Cronartium kamtschaticum</i> <i>Cronartium quercuum</i> <i>Cryphonectria parasitica</i> <i>Cylindrocarpon destructans</i> <i>Cytospora</i> sp. <u><i>Diaporthe mali</i></u> <i>Diaporthe phaseolorum</i> <i>Diaporthe tanakae</i> <i>Diaporthe vaccinii</i> <i>Didymella ligulicola</i> <i>Elsinoe australis</i> <i>Endocronartium harknessii</i> <i>Entyloma holwayi</i> H. & P. Sydow <i>Eutypa lata</i> <i>Fusarium subglutinans</i> <i>Fusarium oxysporum</i> f. sp. <i>Gaeumannomyces graminis</i> <i>Gibberella circinata</i> <i>Gremmeniella abietina</i> <i>Gymnosporangium asiaticum</i> <i>Gymnosporangium clavipes</i> <i>Gymnosporangium fuscum</i> <i>Gymnosporangium globosum</i> <i>Gymnosporangium yamadae</i>	
---	---	--



<i>Hymenoscyphus pseudoalbidus</i> <i>Lachnellula willkommii</i> <i>Leptosphaeria maculans</i> <i>Leptosphaeria nodorum</i> <i>Macrophomina phaseolina</i> <i>Marasmiellus scandens</i> <i>Melampsora farlowii</i> <i>Monilinia fructigena</i> <i>Nectria galligena</i> <i>Nectria mauritiicola</i> <i>Nectriella pironii</i> <i>Ophiostoma novo-ulmi</i> <i>Ophiostoma ulmi</i> <i>Ophiostoma wagneri</i> <i>Peronosclerospora maydis</i> <i>Peronosclerospora sacchari</i> <i>Phoma andigena</i> <i>Phoma exigua</i> var. <i>foveata</i> <i>Phoma tracheiphila</i> <i>Phomopsis viticola</i> <i>Phomopsis vitimegaspora</i> <i>Phomopsis vitimegasora</i> <i>Phymatotrichopsis omnivora</i> <i>Phytophthora fragariae</i> <i>Puccinia gladioli</i> <i>Puccinia mccleanii</i> <i>Puccinia pittieriana</i> <i>Rigidioporus lignosus</i> <i>Sclerotium cepivorum</i> <u><i>Stagonosporopsis chrysanthemi</i> (無性世代：<i>Didymella ligulicola</i>)</u> <i>Septoria lycopersici</i> <i>Stenocarpella maydis</i> <i>Thecaphora solani</i> <i>Tilletia barclayana</i> <i>Tilletia indica</i> <i>Trachysphaera fructigena</i> <i>Uredo dioscoreae-alatae</i> <i>Uredo gladioli-buettneri</i> <i>Urocystis agropyri</i> <i>Urocystis tritici</i> <i>Ustilago scitaminea</i> <i>Verticillium alboatrum</i> <i>Verticillium dahliae</i> 病毒類（ <b>466</b> 種） <i>Abutilon mosaic virus</i> (AbMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Ageratum yellow vein virus</i> (AYVV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>African cassava mosaic virus</i> (ACMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Agropyron mosaic virus</i> (AgMV) ( <i>Potyviridae</i> , <i>Bymovirus</i> ) <i>Alfalfa cryptic virus 1</i> (ACV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> )	<i>Hymenoscyphus pseudoalbidus</i> <i>Lachnellula willkommii</i> <i>Leptosphaeria maculans</i> <i>Leptosphaeria nodorum</i> <i>Macrophomina phaseolina</i> <i>Marasmiellus scandens</i> <i>Melampsora farlowii</i> <i>Monilinia fructigena</i> <i>Nectria galligena</i> <i>Nectria mauritiicola</i> <i>Nectriella pironii</i> <i>Ophiostoma novo-ulmi</i> <i>Ophiostoma ulmi</i> <i>Ophiostoma wagneri</i> <i>Peronosclerospora maydis</i> <i>Peronosclerospora sacchari</i> <i>Phoma andigena</i> <i>Phoma exigua</i> var. <i>foveata</i> <i>Phoma tracheiphila</i> <i>Phomopsis viticola</i> <i>Phomopsis vitimegaspora</i> <i>Phomopsis vitimegasora</i> <i>Phymatotrichopsis omnivora</i> <i>Phytophthora fragariae</i> <i>Puccinia gladioli</i> <i>Puccinia mccleanii</i> <i>Puccinia pittieriana</i> <i>Rigidioporus lignosus</i> <i>Sclerotium cepivorum</i>  <i>Septoria lycopersici</i> <i>Stenocarpella maydis</i> <i>Thecaphora solani</i> <i>Tilletia barclayana</i> <i>Tilletia indica</i> <i>Trachysphaera fructigena</i> <i>Uredo dioscoreae-alatae</i> <i>Uredo gladioli-buettneri</i> <i>Urocystis agropyri</i> <i>Urocystis tritici</i> <i>Ustilago scitaminea</i> <i>Verticillium alboatrum</i> <i>Verticillium dahliae</i> 病毒類（ <b>467</b> 種） <i>Abutilon mosaic virus</i> (AbMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Ageratum yellow vein virus</i> (AYVV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>African cassava mosaic virus</i> (ACMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Agropyron mosaic virus</i> (AgMV) ( <i>Potyviridae</i> , <i>Bymovirus</i> ) <i>Alfalfa cryptic virus 1</i> (ACV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Alfalfa enation virus</i>	
---	---	--

<p><i>Alfalfa enation virus</i></p> <p><i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>)</p> <p><i>Alsike clover vein mosaic virus</i></p> <p><i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p> <p><i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>)</p> <p><i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>)</p> <p><i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>)</p> <p><i>Apple chat fruit disease</i></p> <p><i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>)</p> <p><i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>)</p> <p><i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p> <p><i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviriod</i>)</p> <p><i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>)</p> <p><i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>)</p> <p><i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>)</p> <p><i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>)</p> <p><i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>)</p> <p><i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>)</p> <p><i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>)</p> <p><i>Barley mild mosaic virus</i> (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>)</p> <p><i>Barley mosaic virus</i> (BBV)</p> <p><i>Barley yellow dwarf virus-GPV</i> (BYDV-GPV) (<i>Luteovirus</i>)</p> <p><i>Barley yellow mosaic virus</i> (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>)</p> <p><i>Barley yellow striate mosaic virus</i> (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>)</p> <p><i>Bean calico mosaic virus</i> (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Bean common mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Bean golden mosaic virus</i> (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Bean leaf roll virus</i> (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Bean mild mosaic virus</i> (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>)</p> <p><i>Bean pod mottle virus</i> (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>)</p> <p><i>Bean rugose mosaic virus</i> (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>)</p> <p><i>Bean southern mosaic virus</i> (SBMV) (<i>sobemovirus</i>)</p> <p><i>Bean yellow vein banding virus</i> (BYVBV) (<i>Umbravirus</i>)</p> <p><i>Beet distortion mosaic virus</i></p> <p><i>Beet mild yellowing virus</i> (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Beet mosaic virus</i> (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Beet soil-borne virus</i> (BSBV) (<i>Pomovirus</i>)</p> <p><i>Beet western yellows virus</i> (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Beet yellows virus</i> (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>)</p> <p><i>Beet yellow stunt virus</i> (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>)</p> <p><i>Beet curly top virus</i> (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>)</p> <p><i>Beet leaf curl virus</i> (BLCV) (<i>Rhabdoviridae</i>)</p> <p><i>Beet necrotic yellow vein virus</i> (BNYVV) (<i>Benyvirus</i>)</p>	<p><i>Alfalfa mosaic virus</i> (AIMV) (<i>Bromoviridae</i>, <i>alfamovirus</i>)</p> <p><i>Alsike clover vein mosaic virus</i></p> <p><i>Alstroemeria mosaic virus</i> (AIMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Amaranthus leaf mottle virus</i> (AmLMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>American plum line pattern virus</i> (APLPV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p> <p><i>Andean potato latent virus</i> (APLV) (<i>Tymovirus</i>)</p> <p><i>Andean potato mottle virus</i> (APMoV) (<i>Comoviridae</i>, <i>Comovirus</i>)</p> <p><i>Anthoxanthum latent blanching virus</i> (ALBV) (<i>Hordeivirus</i>)</p> <p><i>Anthriscus yellows virus</i> (AYV) (<i>Sequiviridae</i>, <i>waikavirus</i>)</p> <p><i>Apple chat fruit disease</i></p> <p><i>Apple chlorotic leaf spot virus</i> (ACLSV) (<i>Trichovirus</i>, <i>Flexiviridae</i>)</p> <p><i>Apple dimple fruit viroid</i> (ADFVd) (<i>Apscaviroid</i>, <i>Pospiviroidae</i>)</p> <p><i>Apple mosaic virus</i> (ApMV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)</p> <p><i>Apple scar skin viroid</i> (ASSVd) (<i>Pospiviroidae</i>, <i>Apscaviriod</i>)</p> <p><i>Apple stem grooving virus</i> (ASGV) (<i>Capillovirus</i>, <i>Flexiviridae</i>)</p> <p><i>Apple stem pitting virus</i> (ASPV) (<i>Foveavirus</i>, <i>Flexiviridae</i>)</p> <p><i>Araujia mosaic virus</i> (ArjMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Arracacha Virus A</i> (AVA) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Arracacha Virus B</i> (AVB) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Arracacha Virus Y</i> (AVY) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Artichoke Italian latent virus</i> (AILV) (<i>Comoviridae</i>, <i>nepovirus</i>)</p> <p><i>Artichoke latent virus</i> (ArLV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Artichoke mottled crinkle virus</i> (AMCV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>)</p> <p><i>Artichoke yellow ringspot virus</i> (AYRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>)</p> <p><i>Asparagus virus 1</i> (AV-1) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Asparagus virus 2</i> (AV-2) (<i>Bromoviridae</i>, <i>ilarvirus</i>)</p> <p><i>Asparagus virus 3</i> (AV-3) (<i>Potexvirus</i>)</p> <p><i>Banana bunchy top virus</i> (BBTV) (<i>Nanovirus</i>)</p> <p><i>Barley mild mosaic virus</i> (BaMMV) (<i>Potyviridae</i>, <i>bymovirus</i>)</p> <p><i>Barley mosaic virus</i> (BBV)</p> <p><i>Barley yellow dwarf virus-GPV</i> (BYDV-GPV) (<i>Luteovirus</i>)</p> <p><i>Barley yellow mosaic virus</i> (BaYMV) (<i>Potyviridae</i>, <i>Bymovirus</i>)</p> <p><i>Barley yellow striate mosaic virus</i> (BYSMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>)</p> <p><i>Bean calico mosaic virus</i> (BCaMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Bean common mosaic virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Bean golden mosaic virus</i> (BGMV) (<i>Geminiviridae</i>, <i>Begomovirus</i>)</p> <p><i>Bean leaf roll virus</i> (BLRV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Bean mild mosaic virus</i> (BMMV) (<i>Tombusviridae</i>, <i>carmovirus</i>)</p> <p><i>Bean pod mottle virus</i> (BPMV) (<i>Comoviridae</i>, <i>comovirus</i>)</p> <p><i>Bean rugose mosaic virus</i> (BRMV) (<i>Comoviridae</i>, <i>comovirus</i>)</p> <p><i>Bean southern mosaic virus</i> (SBMV) (<i>sobemovirus</i>)</p> <p><i>Bean yellow vein banding virus</i> (BYVBV) (<i>Umbravirus</i>)</p> <p><i>Beet distortion mosaic virus</i></p> <p><i>Beet mild yellowing virus</i> (BMYV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Beet mosaic virus</i> (BtMV) (<i>Potyviridae</i>, <i>potyvirus</i>)</p> <p><i>Beet soil-borne virus</i> (BSBV) (<i>Pomovirus</i>)</p> <p><i>Beet western yellows virus</i> (BWYV) (<i>Luteoviridae</i>, <i>luteovirus</i>)</p> <p><i>Beet yellows virus</i> (BYV) (<i>Closteroviridae</i>, <i>closterovirus</i>)</p> <p><i>Beet yellow stunt virus</i> (BYSV) (<i>Closteroviridae</i>, <i>closterovirus</i>)</p> <p><i>Beet curly top virus</i> (BCTV) (<i>Geminiviridae</i>, <i>Curtomovirus</i>)</p> <p><i>Beet leaf curl virus</i> (BLCV) (<i>Rhabdoviridae</i>)</p> <p><i>Beet necrotic yellow vein virus</i> (BNYVV) (<i>Benyvirus</i>)</p> <p><i>Belladonna mottle virus</i> (BeMV) (<i>Tymovirus</i>)</p>
--	--

<i>Belladonna mottle virus</i> (BeMV) ( <i>Tymovirus</i> ) <i>Bermuda grass etched-line virus</i> (BELV) ( <i>Marafivirus</i> ) <i>Bhendi yellow vein mosaic virus</i> (BYVMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Bidens mosaic virus</i> (BiMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Bidens mottle virus</i> (BiMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Black raspberry latent ilarvirus</i> <i>Black raspberry necrosis virus</i> (BRNV) <i>Blackcurrant reversion associated virus</i> (BRAV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Blueberry leaf mottle virus</i> (BLMoV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Blueberry necrotic shock virus</i> (BlShV) ( <i>ilarvirus</i> ) <i>Blueberry red ringspot virus</i> (BRRV) ( <i>Caulimoviridae</i> , <i>caulimovirus</i> ) <i>Blueberry scorch virus</i> (BBScV) ( <i>carlavirus</i> ) <i>Blueberry shoestring virus</i> (BSSV) ( <i>sobemovirus</i> ) <i>Broad bean B virus</i> <i>Broad bean necrosis virus</i> (BBNV) ( <i>Pomovirus</i> ) <i>Broad bean severe chlorosis virus</i> ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Broad bean stain virus</i> (BBSV) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Broad bean true mosaic virus</i> (BBTMV) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Broad bean wilt virusd</i> (BBWV) ( <i>Comoviridae</i> , <i>fabavirus</i> ) <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus</i> ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Broccoli necrotic yellows virus</i> (BNYV) ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Brome mosaic virus</i> (BMV) ( <i>Bromoviridae</i> , <i>bromovirus</i> ) <i>Brome streak mosaic virus</i> (BrStMV) ( <i>Potyviridae</i> , <i>Tritimovirus</i> ) <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus</i> (BuYV) ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Cacao necrosis virus</i> (CNV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Cacao swollen shoot virus</i> (CSSV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Cacao yellow mosaic virus</i> (CYMV) ( <i>Tymovirus</i> ) <i>Cactus virus</i> (CV-2) ( <i>Carlavirus</i> ) <i>Canna yellow mottle VIRUS</i> (CaYMV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Caper latent virus</i> (CapLV) ( <i>Carlavirus</i> ) <i>Cardamine chlorotic fleck virus</i> (CCFV) ( <i>Tombusviridae</i> , <i>carmovirus</i> ) <i>Cardamom mosaic virus</i> (CdMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Carnation cryptic virus 1</i> (CCV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carnation etched ring virus</i> (CERV) ( <i>Cualimoviridae</i> , <i>caulimovirus</i> ) <i>Carnation Italian ringspot virus</i> (CIRV) ( <i>Tombusviridae</i> , <i>tombusvirus</i> ) <i>Carnation latent virus</i> (CLV) ( <i>Carlavirus</i> ) <i>Carnation mottle virus</i> (CarMV) ( <i>Carmovirus</i> ) <i>Carnation necrotic fleck virus</i> (CNFV) ( <i>Clostreoviridae</i> , <i>closterovirus</i> ) <i>Carnation ringspot virus</i> (CRSV) ( <i>Tombusviridae</i> , <i>dianthovirus</i> ) <i>Carnation vein mottle virus</i> (CVMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Carrot latent virus</i> (CtLV) ( <i>Rhabdoviridae</i> , <i>nucleorhabdovirus</i> ) <i>Carrot mottle mimic virus</i> (CmoMV) ( <i>Umbravirus</i> ) <i>Carrot mottle virus</i> (CMoV) ( <i>Umbravirus</i> ) <i>Carrot red leaf virus</i> (CtRLV) ( <i>Luteoviridae</i> , <i>luteovirus</i> ) <i>Carrot temperate virus 1</i> (CteV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot temperate virus 2</i> (CteV-2) ( <i>Partitiviridae</i> , <i>betacryptovirus</i> ) <i>Carrot temperate virus 3</i> (CteV-3) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot temperate virus 4</i> (CteV-4) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot thin leaf virus</i> (CTLV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cowpea chlorotic mottle virus</i> (CCMV) ( <i>Bromoviridae</i> , <i>Bromovirus</i> )	<i>Bermuda grass etched-line virus</i> (BELV) ( <i>Marafivirus</i> ) <i>Bhendi yellow vein mosaic virus</i> (BYVMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Bidens mosaic virus</i> (BiMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Bidens mottle virus</i> (BiMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Black raspberry latent ilarvirus</i> <i>Black raspberry necrosis virus</i> (BRNV) <i>Blackcurrant reversion associated virus</i> (BRAV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Blueberry leaf mottle virus</i> (BLMoV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Blueberry necrotic shock virus</i> (BlShV) ( <i>ilarvirus</i> ) <i>Blueberry red ringspot virus</i> (BRRV) ( <i>Caulimoviridae</i> , <i>caulimovirus</i> ) <i>Blueberry scorch virus</i> (BBScV) ( <i>carlavirus</i> ) <i>Blueberry shoestring virus</i> (BSSV) ( <i>sobemovirus</i> ) <i>Broad bean B virus</i> <i>Broad bean necrosis virus</i> (BBNV) ( <i>Pomovirus</i> ) <i>Broad bean severe chlorosis virus</i> ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Broad bean stain virus</i> (BBSV) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Broad bean true mosaic virus</i> (BBTMV) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Broad bean wilt virusd</i> (BBWV) ( <i>Comoviridae</i> , <i>fabavirus</i> ) <i>Broad bean yellow ringspot virus</i> <i>Broad bean yellow vein virus</i> ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Broccoli necrotic yellows virus</i> (BNYV) ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Brome mosaic virus</i> (BMV) ( <i>Bromoviridae</i> , <i>bromovirus</i> ) <i>Brome streak mosaic virus</i> (BrStMV) ( <i>Potyviridae</i> , <i>Tritimovirus</i> ) <i>Burdock mosaic virus</i> <i>Burdock mottle virus</i> <i>Burdock yellows virus</i> (BuYV) ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Cacao necrosis virus</i> (CNV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Cacao swollen shoot virus</i> (CSSV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Cacao yellow mosaic virus</i> (CYMV) ( <i>Tymovirus</i> ) <i>Cactus virus</i> (CV-2) ( <i>Carlavirus</i> ) <i>Canna yellow mottle VIRUS</i> (CaYMV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Caper latent virus</i> (CapLV) ( <i>Carlavirus</i> ) <i>Cardamine chlorotic fleck virus</i> (CCFV) ( <i>Tombusviridae</i> , <i>carmovirus</i> ) <i>Cardamom mosaic virus</i> (CdMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Carnation cryptic virus 1</i> (CCV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carnation etched ring virus</i> (CERV) ( <i>Cualimoviridae</i> , <i>caulimovirus</i> ) <i>Carnation Italian ringspot virus</i> (CIRV) ( <i>Tombusviridae</i> , <i>tombusvirus</i> ) <i>Carnation latent virus</i> (CLV) ( <i>Carlavirus</i> ) <i>Carnation mottle virus</i> (CarMV) ( <i>Carmovirus</i> ) <i>Carnation necrotic fleck virus</i> (CNFV) ( <i>Clostreoviridae</i> , <i>closterovirus</i> ) <i>Carnation ringspot virus</i> (CRSV) ( <i>Tombusviridae</i> , <i>dianthovirus</i> ) <i>Carnation vein mottle virus</i> (CVMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Carrot latent virus</i> (CtLV) ( <i>Rhabdoviridae</i> , <i>nucleorhabdovirus</i> ) <i>Carrot mottle mimic virus</i> (CmoMV) ( <i>Umbravirus</i> ) <i>Carrot mottle virus</i> (CMoV) ( <i>Umbravirus</i> ) <i>Carrot red leaf virus</i> (CtRLV) ( <i>Luteoviridae</i> , <i>luteovirus</i> ) <i>Carrot temperate virus 1</i> (CteV-1) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot temperate virus 2</i> (CteV-2) ( <i>Partitiviridae</i> , <i>betacryptovirus</i> ) <i>Carrot temperate virus 3</i> (CteV-3) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot temperate virus 4</i> (CteV-4) ( <i>Partitiviridae</i> , <i>alphacryptovirus</i> ) <i>Carrot thin leaf virus</i> (CTLV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cowpea chlorotic mottle virus</i> (CCMV) ( <i>Bromoviridae</i> , <i>Bromovirus</i> ) <i>Cowpea golden mosaic virus</i> (CPGMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> )	
--	---	--

<i>Cowpea golden mosaic virus</i> (CPGMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Cowpea green vein-banding virus</i> (CGVBV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Cowpea mosaic virus</i> (CPMV) ( <i>Comoviridae</i> , <i>Comovirus</i> ) <i>Cowpea rugose mosaic virus</i> (CPRMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Cowpea severe mosaic virus</i> (CPSMV) ( <i>Comoviridae</i> , <i>Comovirus</i> ) <i>Cowpea stunt virus</i> ( <i>Luteovirus</i> ) <i>Cassava African mosaic virus</i> (ACMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Cassava green mottle virus</i> (CaGMV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Cassava Indian mosaic virus</i> (ICMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Cassava Ivorian bacilliform virus</i> (CsIBV) ( <i>Ourmiavirus</i> ) <i>Cassava virus X</i> (CsVX) ( <i>Potexvirus</i> ) <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus</i> (CYBV) ( <i>Bromoviridae</i> , <i>bromovirus</i> ) <i>Cassia yellow spot virus</i> (CasYSV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cauliflower mosaic virus</i> (CaMV) ( <i>Caulimoviridae</i> , <i>caulimovirus</i> ) <i>Celery mosaic virus</i> (CeMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cereal northern mosaic virus</i> (NCMV) ( <i>cytorhabdovirus</i> ) <i>Cassava brown streak virus</i> (CsBSV) ( <i>Potyviridae</i> , <i>Ipomovirus</i> ) <i>Cassava common mosaic virus</i> (CsCMV) ( <i>Potexvirus</i> ) <i>Cereal chlorotic mosaic virus</i> (CCMoV) ( <i>Rhabdoviridae</i> ) <i>Cherry green ring mottle virus</i> (CGRMV) ( <i>Foveavirus</i> ) <i>Cherry leaf roll virus</i> (CLRV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Cherry mottle leaf virus</i> (CMLV) ( <i>Trichovirus</i> ) <i>Cherry rasp leaf virus</i> (CRLV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Cherry virus A</i> (CVA) ( <i>Capillovirus</i> ) <i>Chickpea bushy dwarf virus</i> (CpBDV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Chickpea distortion mosaic virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Chicory virus</i> (ChVX) ( <i>potexvirus</i> ) <i>Chicory yellow mottle virus</i> (ChYMV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Chino del tomate virus</i> (CdTV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Chloris striate mosaic virus</i> (CSMV) ( <i>Geminiviridae</i> , <i>monogeminivirus</i> ) <i>Chrysanthemum virus B</i> (CVB) ( <i>Carlavirus</i> ) <i>Citrus blight disease</i> <i>Citrus leprosis virus</i> (CiLV) ( <i>Rhabdoviridae</i> ) <i>Citrus yellow mosaic virus</i> (CiYMV) ( <i>Caulimoviridae</i> , <i>Badnavirus</i> ) <i>Citrus leaf rugose virus</i> (CiLRV) ( <i>Rhabdoviridae</i> , <i>ilarvirus</i> ) <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus</i> (CSD- associated virus) ( <i>Marafivirus</i> , <i>Tymoviridae</i> ) <i>Citrus variegation virus</i> (CVV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Clitoria yellow vein virus</i> (CYVV) ( <i>Tymovirus</i> ) <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus</i> (WTV) ( <i>Phytoreovirus</i> ) <i>Clover yellow mosaic virus</i> (CIYMV) ( <i>potexvirus</i> ) <i>Clover yellows virus</i> (CYV) ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Clover yellow vein virus</i> (CIYVV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cocksfoot mottle virus</i> (CoMV) ( <i>Sobemovirus</i> ) <i>Coconut foliar decay virus</i> (CFDV) ( <i>Nanavirus</i> ) <i>Commelina diffusa virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Commelina mosaic virus</i> (ComMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Commelina virus X</i> (ComVX) ( <i>potexvirus</i> ) <i>Commelina yellow mottle virus</i> (ComYMV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> )	<i>Cowpea green vein-banding virus</i> (CGVBV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Cowpea mosaic virus</i> (CPMV) ( <i>Comoviridae</i> , <i>Comovirus</i> ) <i>Cowpea rugose mosaic virus</i> (CPRMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Cowpea severe mosaic virus</i> (CPSMV) ( <i>Comoviridae</i> , <i>Comovirus</i> ) <i>Cowpea stunt virus</i> ( <i>Luteovirus</i> ) <i>Cassava African mosaic virus</i> (ACMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Cassava green mottle virus</i> (CaGMV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Cassava Indian mosaic virus</i> (ICMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Cassava Ivorian bacilliform virus</i> (CsIBV) ( <i>Ourmiavirus</i> ) <i>Cassava virus X</i> (CsVX) ( <i>Potexvirus</i> ) <i>Cassia mosaic virus</i> <i>Cassia ringspot virus</i> <i>Cassia yellow blotch virus</i> (CYBV) ( <i>Bromoviridae</i> , <i>bromovirus</i> ) <i>Cassia yellow spot virus</i> (CasYSV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cauliflower mosaic virus</i> (CaMV) ( <i>Caulimoviridae</i> , <i>caulimovirus</i> ) <i>Celery mosaic virus</i> (CeMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cereal northern mosaic virus</i> (NCMV) ( <i>cytorhabdovirus</i> ) <i>Cassava brown streak virus</i> (CsBSV) ( <i>Potyviridae</i> , <i>Ipomovirus</i> ) <i>Cassava common mosaic virus</i> (CsCMV) ( <i>Potexvirus</i> ) <i>Cereal chlorotic mosaic virus</i> (CCMoV) ( <i>Rhabdoviridae</i> ) <i>Cherry green ring mottle virus</i> (CGRMV) ( <i>Foveavirus</i> ) <i>Cherry leaf roll virus</i> (CLRV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Cherry mottle leaf virus</i> (CMLV) ( <i>Trichovirus</i> ) <i>Cherry rasp leaf virus</i> (CRLV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Cherry virus A</i> (CVA) ( <i>Capillovirus</i> ) <i>Chickpea bushy dwarf virus</i> (CpBDV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Chickpea distortion mosaic virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Chicory virus</i> (ChVX) ( <i>potexvirus</i> ) <i>Chicory yellow mottle virus</i> (ChYMV) ( <i>Comoviridae</i> , <i>nepovirus</i> ) <i>Chino del tomate virus</i> (CdTV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Chloris striate mosaic virus</i> (CSMV) ( <i>Geminiviridae</i> , <i>monogeminivirus</i> ) <i>Chrysanthemum virus B</i> (CVB) ( <i>Carlavirus</i> ) <i>Citrus blight disease</i> <i>Citrus leprosis virus</i> (CiLV) ( <i>Rhabdoviridae</i> ) <i>Citrus yellow mosaic virus</i> (CiYMV) ( <i>Caulimoviridae</i> , <i>Badnavirus</i> ) <i>Citrus leaf rugose virus</i> (CiLRV) ( <i>Rhabdoviridae</i> , <i>ilarvirus</i> ) <i>Citrus ringspot virus</i> <i>Citrus sudden death-associated virus</i> (CSD- associated virus) ( <i>Marafivirus</i> , <i>Tymoviridae</i> ) <i>Citrus variegation virus</i> (CVV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Clitoria yellow vein virus</i> (CYVV) ( <i>Tymovirus</i> ) <i>Clover mild mosaic virus</i> <i>Clover wound tumor virus</i> (WTV) ( <i>Phytoreovirus</i> ) <i>Clover yellow mosaic virus</i> (CIYMV) ( <i>potexvirus</i> ) <i>Clover yellows virus</i> (CYV) ( <i>Closteroviridae</i> , <i>closterovirus</i> ) <i>Clover yellow vein virus</i> (CIYVV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Cocksfoot mottle virus</i> (CoMV) ( <i>Sobemovirus</i> ) <i>Coconut foliar decay virus</i> (CFDV) ( <i>Nanavirus</i> ) <i>Commelina diffusa virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Commelina mosaic virus</i> (ComMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Commelina virus X</i> (ComVX) ( <i>potexvirus</i> ) <i>Commelina yellow mottle virus</i> (ComYMV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Cocksfoot mild mosaic virus</i> (CoMV) ( <i>Sobemovirus</i> )	
--	---	--

<i>Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)</i> <i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae,bigeminivirus )</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus )</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus )</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DYY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i>	<i>Cocoa mottle leaf virus</i> <i>Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)</i> <i>Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)</i> <i>Cocoa yellow mosaic virus</i> <i>Colombian datura virus (CDV) (Potyviridae, Potyvirus)</i> <i>Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)</i> <i>Cotton leaf crumple virus (CLCrV) (Geminiviridae,bigeminivirus )</i> <i>Cowpea mild mottle virus (CPMMV) (Carlavirus)</i> <i>Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)</i> <i>Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)</i> <i>Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus )</i> <i>Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)</i> <i>Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)</i> <i>Cucumber mosaic virus subgroup II (CMV-II)(Bromoviridae, Cucumovirus)</i> <i>Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)</i> <i>Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)</i> <i>Cucumber vein yellowing virus (CVYV)</i> <i>Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)</i> <i>Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)</i> <i>Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)</i> <i>Cynodon chlorotic streak virus</i> <i>Cynosurus mottle virus (CnMoV) (Sobemovirus)</i> <i>Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus )</i> <i>Dandelion latent virus (DaLV) (Carlavirus)</i> <i>Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)</i> <i>Daphne virus X (DVX) (Potexvirus)</i> <i>Daphne virus Y (DYY) (Potyviridae, potyvirus)</i> <i>Datura Colombian virus (CDV) (Potyviridae, potyvirus)</i> <i>Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)</i> <i>Datura necrosis virus (DNV) (Potyviridae, potyvirus)</i> <i>Datura shoestring virus (DSTV) (Potyviridae, potyvirus)</i> <i>Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)</i> <i>Datura distortion virus</i> <i>Datura enation mosaic virus</i> <i>Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)</i> <i>Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)</i> <i>Desmodium yellow mottle virus (DYMV) (Tymovirus)</i> <i>Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)</i> <i>Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)</i> <i>Dioscorea alata virus (Potyviridae, potyvirus)</i> <i>Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)</i> <i>Dioscorea green banding mosaic virus (Potyviridae, potyvirus)</i> <i>Dodonaea yellows-associated virus</i> <i>Dolichos yellow mosaic virus (DoMYV) (Geminiviridae,bigeminivirus)</i> <i>Dulcamara mottle virus (DuMV) (Tymovirus)</i> <i>Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)</i> <i>Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdoviru)</i> <i>Elderberry virus (EV) (Carlavirus 1)</i> <i>Epirus cherry virus (EpCV) (Ourmiavirus)</i> <i>Erysimum latent virus (ErLV) (Tymovirus)</i> <i>Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)</i> <i>Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)</i>	
---	--	--

<p> <i>Elm mottle virus</i> (EMoV) (<i>Bromoviridae</i>, <i>Ilarvirus</i>)  <i>European wheat striate mosaic virus</i> (EWSMV) (<i>Tenuivirus</i>)  <i>Euphorbia mosaic virus</i> (EuMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Euphorbia ringspot virus</i> (EuRV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Faba bean necrotic yellows virus</i> (FBNYV) (<i>Nanovirus</i>)  <i>Festuca leaf streak virus</i> (FLSV) (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>)  <i>Fig virus S</i> (FVS) (<i>Carlavirus</i>)  <i>Figwort mosaic virus</i> (FMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>)  <i>Foxtail mosaic virus</i> (FoMV) (<i>Potexvirus</i>)  <i>Frangipani mosaic virus</i> (FrMV) (<i>Tobamovirus</i>)  <i>French bean mosaic virus</i>  <i>Freesia leaf necrosis virus</i> (FLNV) (<i>Varicosavirus</i>)  <i>Freesia mosaic virus</i> (FreMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Galinsoga mosaic virus</i> (GaMV) (<i>Tombusviridae</i>, <i>carmovirus</i>)  <i>Glycine mosaic virus</i> (GMV) (<i>Comoviridae</i>, <i>Comovirus</i>)  <i>Grapevine Algerian latent virus</i> (GALV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>)  <i>Grapevine asteroid mosaic virus</i>  <i>Grapevine berry inner necrosis virus</i> (GINV) (<i>Trichovirus</i>)  <i>Grapevine Bulgarian latent virus</i> (GBLV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine chrome mosaic virus</i> (GCMV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine leafroll-associated virus 1</i> (GLRAV-1)(<i>Closteroviridae</i>, <i>Ampelovirus</i>)  <i>Grapevine stem pitting associated closterovirus</i> (<i>Closteroviridae</i>, <i>Closterovirus</i>)  <i>Grapevine Tunisian ringspot virus</i> (GTRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine fanleaf virus</i> (GFLV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Grapevine fleck virus</i> (GFkV)  <i>Grapevine stunt virus</i>  <i>Grapevine vein necrosis virus</i>  <i>Grapevine virus A</i> (GVA) (<i>Betaflexiviridae</i>, <i>Vitivirus</i>)  <i>Grapevine virus B</i> (GVB) (<i>Vitivirus</i>, <i>Flexiviridae</i>)  <i>Grapevine yellow speckle viroid</i> (GYSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>)  <i>Groundnut chlorotic leaf streak virus</i>  <i>Groundnut chlorotic spotting virus</i>  <i>Groundnut rosette assistor virus</i> (GRAV) (<i>Luteoviridae</i>, <i>Enamovirus</i>)  <i>Groundnut rosette virus</i> (GRV) (<i>Umbravirus</i>)  <i>Groundnut eyespot virus</i> (GEV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Guar symptomless virus</i> (GSLV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Guar top necrosis virus</i>  <i>Guinea grass mosaic virus</i> (GGMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Helenium virus S</i> (HVS) (<i>Carlavirus</i>)  <i>Helenium virus Y</i> (HVV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Henbane mosaic virus</i> (HMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Heracleum latent virus</i> (HLV) (<i>Vitivirus</i>)  <i>Hibiscus latent ringspot virus</i> (HLRSV) (<i>Comoviridae</i>, <i>)nepovirus</i>  <i>Hibiscus chlorotic ringspot virus</i> (HCRSV) (<i>Tombusviridae</i>, <i>Carmovirus</i>)  <i>Hippeastrum mosaic virus</i>  <i>Honeysuckle latent virus</i> (LnLV) (<i>Carlavirus</i>)  <i>Hop American latent</i> (AHLV) (<i>Carlavirus</i>)  <i>Hop latent virus</i> (HpLV) (<i>Carlavirus</i>)  <i>Hop mosaic virus</i> (HpMV) (<i>Carlavirus</i>)  <i>Hop trefoil cryptic virus 1</i> (HTCV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)  <i>Hop trefoil cryptic virus 2</i> (HTCV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>)  <i>Hop trefoil cryptic virus 3</i> (HTCV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)  <i>Hop stunt viroid</i> (HpSVd) (<i>Hostuviroid</i>, <i>Pospiviroidae</i>)  </p>	<p> <i>European wheat striate mosaic virus</i> (EWSMV) (<i>Tenuivirus</i>)  <i>Euphorbia mosaic virus</i> (EuMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Euphorbia ringspot virus</i> (EuRV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Faba bean necrotic yellows virus</i> (FBNYV) (<i>Nanovirus</i>)  <i>Festuca leaf streak virus</i> (FLSV) (<i>Rhabdoviridae</i>, <i>cytorhabdovirus</i>)  <i>Fig virus S</i> (FVS) (<i>Carlavirus</i>)  <i>Figwort mosaic virus</i> (FMV) (<i>Caulimoviridae</i>, <i>caulimovirus</i>)  <i>Foxtail mosaic virus</i> (FoMV) (<i>Potexvirus</i>)  <i>Frangipani mosaic virus</i> (FrMV) (<i>Tobamovirus</i>)  <i>French bean mosaic virus</i>  <i>Freesia leaf necrosis virus</i> (FLNV) (<i>Varicosavirus</i>)  <i>Freesia mosaic virus</i> (FreMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Galinsoga mosaic virus</i> (GaMV) (<i>Tombusviridae</i>, <i>carmovirus</i>)  <i>Glycine mosaic virus</i> (GMV) (<i>Comoviridae</i>, <i>Comovirus</i>)  <i>Grapevine Algerian latent virus</i> (GALV) (<i>Tombusviridae</i>, <i>Tombusvirus</i>)  <i>Grapevine asteroid mosaic virus</i>  <i>Grapevine berry inner necrosis virus</i> (GINV) (<i>Trichovirus</i>)  <i>Grapevine Bulgarian latent virus</i> (GBLV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine chrome mosaic virus</i> (GCMV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine leafroll-associated virus 1</i> (GLRAV-1)(<i>Closteroviridae</i>, <i>Ampelovirus</i>)  <i>Grapevine stem pitting associated closterovirus</i> (<i>Closteroviridae</i>, <i>Closterovirus</i>)  <i>Grapevine Tunisian ringspot virus</i> (GTRSV) (<i>Comoviridae</i>, <i>Nepovirus</i>)  <i>Grapevine fanleaf virus</i> (GFLV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Grapevine fleck virus</i> (GFkV)  <i>Grapevine stunt virus</i>  <i>Grapevine vein necrosis virus</i>  <i>Grapevine virus A</i> (GVA) (<i>Betaflexiviridae</i>, <i>Vitivirus</i>)  <i>Grapevine virus B</i> (GVB) (<i>Vitivirus</i>, <i>Flexiviridae</i>)  <i>Grapevine yellow speckle viroid</i> (GYSVd) (<i>Pospiviroidae</i>, <i>Apscaviroid</i>)  <i>Groundnut chlorotic leaf streak virus</i>  <i>Groundnut chlorotic spotting virus</i>  <i>Groundnut rosette assistor virus</i> (GRAV) (<i>Luteoviridae</i>, <i>Enamovirus</i>)  <i>Groundnut rosette virus</i> (GRV) (<i>Umbravirus</i>)  <i>Groundnut eyespot virus</i> (GEV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Guar symptomless virus</i> (GSLV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Guar top necrosis virus</i>  <i>Guinea grass mosaic virus</i> (GGMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Helenium virus S</i> (HVS) (<i>Carlavirus</i>)  <i>Helenium virus Y</i> (HVV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Henbane mosaic virus</i> (HMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  <i>Heracleum latent virus</i> (HLV) (<i>Vitivirus</i>)  <i>Hibiscus latent ringspot virus</i> (HLRSV) (<i>Comoviridae</i>, <i>)nepovirus</i>  <i>Hibiscus chlorotic ringspot virus</i> (HCRSV) (<i>Tombusviridae</i>, <i>Carmovirus</i>)  <i>Hippeastrum mosaic virus</i>  <i>Honeysuckle latent virus</i> (LnLV) (<i>Carlavirus</i>)  <i>Hop American latent</i> (AHLV) (<i>Carlavirus</i>)  <i>Hop latent virus</i> (HpLV) (<i>Carlavirus</i>)  <i>Hop mosaic virus</i> (HpMV) (<i>Carlavirus</i>)  <i>Hop trefoil cryptic virus 1</i> (HTCV-1) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)  <i>Hop trefoil cryptic virus 2</i> (HTCV-2) (<i>Partitiviridae</i>, <i>betacryptovirus</i>)  <i>Hop trefoil cryptic virus 3</i> (HTCV-3) (<i>Partitiviridae</i>, <i>alphacryptovirus</i>)  <i>Hop stunt viroid</i> (HpSVd) (<i>Hostuviroid</i>, <i>Pospiviroidae</i>)  <i>Hordeum mosaic virus</i> (HoMV) (<i>Potyviridae</i>, <i>Potyvirus</i>)  </p>	
---	--	--



<i>Hordeum mosaic virus</i> (HoMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Humulus japonicus virus</i> (HJV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Hyacinth mosaic virus</i> (HyaMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Hydrangea mosaic virus</i> (HdMV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Hydrangea ringspot virus</i> (HRSV) ( <i>Potexvirus</i> ) <i>Horsegram yellow mosaic virus</i> (HgYMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Iris fulva mosaic virus</i> (IFMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Iris Japanese necrotic ring virus</i> <i>Iris mild mosaic virus</i> (IMMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Iris severe mosaic virus</i> (ISMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> )  <i>Indian peanut clump virus</i> (IPCV) ( <i>Pecluvirus</i> ) <i>Indonesian soybean dwarf virus</i> (ISDV) ( <i>Luteoviridae</i> , <i>Enamovirus</i> ) <i>Iranian maize mosaic virus</i> <i>Jatropha mosaic virus</i> (JMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Johnsongrass mosaic</i> (JGMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kalanchoe isometric virus</i> <i>Kalanchoe latent virus</i> (KLV) ( <i>Carlavirus</i> ) <i>Kalanchoe top-spotting virus</i> (KTSV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Kennedya yellow mosaic virus</i> (KYMV) ( <i>Tymovirus</i> ) <i>Kennedya virus Y</i> (KVY) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kyuri green mottle mosaic virus</i> (KGMMV) ( <i>Tobamovirus</i> ) <i>Konjac mosaic virus</i> (KoMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kober stem grooving</i> <i>Lamium mild mottle virus</i> (LMMV) ( <i>Comoviridae</i> , <i>fabavirus</i> ) <i>Lato River virus</i> (LRV) ( <i>Tombusviridae</i> , <i>tombusvirus</i> ) <i>Leek yellow stripe virus</i> (LYSV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lettuce big-vein virus</i> (LBVV) ( <i>Varicosavirus</i> ) <i>Lettuce mosaic virus</i> (LMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lettuce necrotic yellows virus</i> (LNYV) ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Lettuce speckles mottle virus</i> (LSMV) ( <i>Umbravirus</i> ) <i>Lilac chlorotic leafspot virus</i> (LCLV) ( <i>Capillovirus</i> ) <i>Lilac mottle virus</i> (LiMV) ( <i>Carlavirus</i> ) <i>Lilac ring mottle virus</i> (LRMV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Lily mottle virus</i> (LMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lily virus X</i> (LVX) ( <i>Potexvirus</i> ) <i>Lettuce infectious yellows virus</i> (LIYV) ( <i>Closteroviridae</i> , <i>Crinivirus</i> ) <i>Limabean golden mosaic virus</i> (LGMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Little cherry virus</i> (LChV) ( <i>Closteroviridae</i> , <i>Closterovirus</i> ) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) ( <i>Sobemovirus</i> ) <i>Lychnis ringspot virus</i> (LRSV) ( <i>Hordeivirus</i> ) <i>Maclura mosaic virus</i> (MacMV) ( <i>Potyviridae</i> , <i>macluravirus</i> ) <i>Maize chlorotic dwarf virus</i> (MCDV) ( <i>Sequiviridae</i> , <i>waikavirus</i> ) <i>Maize chlorotic mottle virus</i> (MCMV) ( <i>Tombusviridae</i> , <i>machlomovirus</i> ) <i>Maize dwarf mosaic virus</i> (MDMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) ( <i>Rhabdoviridae</i> , <i>nucleorhabdovirus</i> ) <i>Maize rayado fino virus</i> (MRFV) ( <i>Marafivirus</i> ) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i>	<i>Humulus japonicus virus</i> (HJV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Hyacinth mosaic virus</i> (HyaMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Hydrangea mosaic virus</i> (HdMV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Hydrangea ringspot virus</i> (HRSV) ( <i>Potexvirus</i> ) <i>Horsegram yellow mosaic virus</i> (HgYMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Iris fulva mosaic virus</i> (IFMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Iris Japanese necrotic ring virus</i> <i>Iris mild mosaic virus</i> (IMMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Iris severe mosaic virus</i> (ISMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <u><i>Impatiens necrotic spot virus</i> (INSV) (<i>Bunyaviridae</i>, <i>Tospovirus</i>)</u> <i>Indian peanut clump virus</i> (IPCV) ( <i>Pecluvirus</i> ) <i>Indonesian soybean dwarf virus</i> (ISDV) ( <i>Luteoviridae</i> , <i>Enamovirus</i> ) <i>Iranian maize mosaic virus</i> <i>Jatropha mosaic virus</i> (JMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Johnsongrass mosaic</i> (JGMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kalanchoe isometric virus</i> <i>Kalanchoe latent virus</i> (KLV) ( <i>Carlavirus</i> ) <i>Kalanchoe top-spotting virus</i> (KTSV) ( <i>Caulimoviridae</i> , <i>badnavirus</i> ) <i>Kennedya yellow mosaic virus</i> (KYMV) ( <i>Tymovirus</i> ) <i>Kennedya virus Y</i> (KVY) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kyuri green mottle mosaic virus</i> (KGMMV) ( <i>Tobamovirus</i> ) <i>Konjac mosaic virus</i> (KoMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Kober stem grooving</i> <i>Lamium mild mottle virus</i> (LMMV) ( <i>Comoviridae</i> , <i>fabavirus</i> ) <i>Lato River virus</i> (LRV) ( <i>Tombusviridae</i> , <i>tombusvirus</i> ) <i>Leek yellow stripe virus</i> (LYSV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lettuce big-vein virus</i> (LBVV) ( <i>Varicosavirus</i> ) <i>Lettuce mosaic virus</i> (LMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lettuce necrotic yellows virus</i> (LNYV) ( <i>Rhabdoviridae</i> , <i>cytorhabdovirus</i> ) <i>Lettuce speckles mottle virus</i> (LSMV) ( <i>Umbravirus</i> ) <i>Lilac chlorotic leafspot virus</i> (LCLV) ( <i>Capillovirus</i> ) <i>Lilac mottle virus</i> (LiMV) ( <i>Carlavirus</i> ) <i>Lilac ring mottle virus</i> (LRMV) ( <i>Bromoviridae</i> , <i>ilarvirus</i> ) <i>Lily mottle virus</i> (LMoV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Lily virus X</i> (LVX) ( <i>Potexvirus</i> ) <i>Lettuce infectious yellows virus</i> (LIYV) ( <i>Closteroviridae</i> , <i>Crinivirus</i> ) <i>Limabean golden mosaic virus</i> (LGMV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Little cherry virus</i> (LChV) ( <i>Closteroviridae</i> , <i>Closterovirus</i> ) <i>LN33 stem grooving</i> <i>Lucerne Australian symptomless virus</i> (LASV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Lucerne vein yellowing virus</i> <i>Lucerne transient streak virus</i> (LTSV) ( <i>Sobemovirus</i> ) <i>Lychnis ringspot virus</i> (LRSV) ( <i>Hordeivirus</i> ) <i>Maclura mosaic virus</i> (MacMV) ( <i>Potyviridae</i> , <i>macluravirus</i> ) <i>Maize chlorotic dwarf virus</i> (MCDV) ( <i>Sequiviridae</i> , <i>waikavirus</i> ) <i>Maize chlorotic mottle virus</i> (MCMV) ( <i>Tombusviridae</i> , <i>machlomovirus</i> ) <i>Maize dwarf mosaic virus</i> (MDMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Maize line virus</i> <i>Maize mosaic virus</i> (MMV) ( <i>Rhabdoviridae</i> , <i>nucleorhabdovirus</i> ) <i>Maize rayado fino virus</i> (MRFV) ( <i>Marafivirus</i> ) <i>Maize white line mosaic virus</i> (MWLMV) <i>Maize mottle/chlorotic stunt virus</i> <i>Maize rough dwarf virus</i> (MRDV) ( <i>Reoviridae</i> , <i>Fijivirus</i> )	
---	--	--

<p> <i>Maize rough dwarf virus</i> (MRDV) (<i>Reoviridae</i>, <i>Fijivirus</i>)  <i>Maize streak virus</i> (MSV) (<i>Genimiviridae</i>, <i>Mastrevirus</i>)  <i>Malvastrum mottle virus</i>  <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae</i>, <i>bromovirus</i>)  <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae</i>, <i>carmovirus</i>)  <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>)  <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>)  <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>)  <i>Mimosa mosaic virus</i>  <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>)  <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Mulberry latent virus</i> (MLV) (<i>Carlavirus</i>)  <i>Mulberry ringspot virus</i> (MRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Mung bean yellow mosaic virus</i> (MYMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Muskmelon vein necrosis virus</i> (MuVNV) (<i>Carlavirus</i>)  <i>Myrobalan latent ringspot virus</i> (MLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Narcissus latent virus</i> (NLV) (<i>Potyviridae</i>, <i>macluravirus</i>)  <i>Narcissus mosaic virus</i> (NMV) (<i>Potexvirus</i>)  <i>Narcissus yellow stripe virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Natsudaidai dwarf virus</i> (NDV) (<i>Sadwavirus</i>)  <i>Neckar River virus</i> (NRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>)  <i>Nerine latent virus</i> (NeLV) (<i>Carlavirus</i>)  <i>Nerine virus</i> (NV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Nerine virus X</i> (NVX) (<i>Potexvirus</i>)  <i>Northern cereal mosaic virus</i> (NCMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>)  <i>Oak ringspot virus</i>  <i>Oat blue dwarf virus</i> (OBDV) (<i>Marafivirus</i>)  <i>Oat golden stripe virus</i> (OGSV) (<i>Furovirus</i>)  <i>Oat mosaic virus</i> (OMV)(<i>Potyviridae</i>, <i>bymovirus</i>)  <i>Oat necrotic mottle virus</i> (ONMV) (<i>Potyviridae</i>, <i>rymovirus</i>)  <i>Oat red streak mosaic virus</i>  <i>Oat sterile dwarf virus</i> (OSDV) (<i>Reoviridae</i>, <i>Fijivirus</i>)  <i>Okra leaf-curl virus</i> (OLCV) (<i>Geminivirus</i>, <i>bigeminivirus</i>)  <i>Okra mosaic virus</i> (OkMV) (<i>Tymovirus</i>)  <i>Olive latent ringspot virus</i> (OLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Ononis yellow mosaic virus</i> (OYMV) (<i>Tymovirus</i>)  <i>Opuntia Sammons' virus</i> (SOV) (<i>Tobamovirus</i>)  <i>Ornithogalum mosaic virus</i>  <i>Pangola stunt virus</i> (PaSV) (<i>Reoviridae</i>, <i>Fijivirus</i>)  <i>Panicum streak virus</i> (PanSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Papaya leaf curl virus</i> (PaLCuV) (<i>Begomovirus</i>, <i>Geminiviridae</i>)  <i>Papaya meleira virus</i> (PMeV)  <i>Papaya mosaic virus</i> (PapMV) (<i>Potexvirus</i>, <i>Flexiviridae</i>)  <i>Paprika mild mottle virus</i> (PaMMV) (<i>Tobamovirus</i>)  <i>Parietaria mottle virus</i> (PmoV) (<i>Bromoviridae</i>, <i>ilarvirus</i>)  <i>Parsnip leafcurl virus</i>  <i>Parsnip mosaic virus</i> (ParMV)  <i>Parsnip yellow fleck virus</i> (PYFV) (<i>Sequiviridae</i>, <i>sequivirus</i>)  <i>Paspalum striate mosaic virus</i> (PSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Passiflora latent virus</i> (PLV)(<i>Carlavirus</i>) </p>	<p> <i>Maize streak virus</i> (MSV) (<i>Genimiviridae</i>, <i>Mastrevirus</i>)  <i>Malvastrum mottle virus</i>  <i>Malva vein clearing virus</i> (MVCV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Marigold mottle virus</i> (MaMoV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Melandrium yellow fleck virus</i> (MYFV) (<i>Bromoviridae</i>, <i>bromovirus</i>)  <i>Melon leaf curl virus</i> (MLCV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Melon necrotic spot virus</i> (MNSV) (<i>Tombusviridae</i>, <i>carmovirus</i>)  <i>Melon Ourmia virus</i> (OuMV) (<i>Ourmiavirus</i>)  <i>Melon rugose mosaic virus</i> (MRMV) (<i>Tymovirus</i>)  <i>Milk vetch dwarf virus</i> (MDV) (<i>Nanovirus</i>)  <i>Mimosa mosaic virus</i>  <i>Mirabilis mosaic virus</i> (MiMV) (<i>Caulimovirus</i>)  <i>Miscanthus streak virus</i> (MiSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Mulberry latent virus</i> (MLV) (<i>Carlavirus</i>)  <i>Mulberry ringspot virus</i> (MRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Mung bean yellow mosaic virus</i> (MYMV) (<i>Geminiviridae</i>, <i>bigeminivirus</i>)  <i>Muskmelon vein necrosis virus</i> (MuVNV) (<i>Carlavirus</i>)  <i>Myrobalan latent ringspot virus</i> (MLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Narcissus latent virus</i> (NLV) (<i>Potyviridae</i>, <i>macluravirus</i>)  <i>Narcissus mosaic virus</i> (NMV) (<i>Potexvirus</i>)  <i>Narcissus yellow stripe virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Natsudaidai dwarf virus</i> (NDV) (<i>Sadwavirus</i>)  <i>Neckar River virus</i> (NRV) (<i>Tombusviridae</i>, <i>tombusvirus</i>)  <i>Nerine latent virus</i> (NeLV) (<i>Carlavirus</i>)  <i>Nerine virus</i> (NV) (<i>Potyviridae</i>, <i>potyvirus</i>)  <i>Nerine virus X</i> (NVX) (<i>Potexvirus</i>)  <i>Northern cereal mosaic virus</i> (NCMV) (<i>Rhabdoviridae</i>, <i>Cytorhabdovirus</i>)  <i>Oak ringspot virus</i>  <i>Oat blue dwarf virus</i> (OBDV) (<i>Marafivirus</i>)  <i>Oat golden stripe virus</i> (OGSV) (<i>Furovirus</i>)  <i>Oat mosaic virus</i> (OMV)(<i>Potyviridae</i>, <i>bymovirus</i>)  <i>Oat necrotic mottle virus</i> (ONMV) (<i>Potyviridae</i>, <i>rymovirus</i>)  <i>Oat red streak mosaic virus</i>  <i>Oat sterile dwarf virus</i> (OSDV) (<i>Reoviridae</i>, <i>Fijivirus</i>)  <i>Okra leaf-curl virus</i> (OLCV) (<i>Geminivirus</i>, <i>bigeminivirus</i>)  <i>Okra mosaic virus</i> (OkMV) (<i>Tymovirus</i>)  <i>Olive latent ringspot virus</i> (OLRSV) (<i>Comoviridae</i>, <i>nepovirus</i>)  <i>Ononis yellow mosaic virus</i> (OYMV) (<i>Tymovirus</i>)  <i>Opuntia Sammons' virus</i> (SOV) (<i>Tobamovirus</i>)  <i>Ornithogalum mosaic virus</i>  <i>Pangola stunt virus</i> (PaSV) (<i>Reoviridae</i>, <i>Fijivirus</i>)  <i>Panicum streak virus</i> (PanSV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Papaya leaf curl virus</i> (PaLCuV) (<i>Begomovirus</i>, <i>Geminiviridae</i>)  <i>Papaya meleira virus</i> (PMeV)  <i>Papaya mosaic virus</i> (PapMV) (<i>Potexvirus</i>, <i>Flexiviridae</i>)  <i>Paprika mild mottle virus</i> (PaMMV) (<i>Tobamovirus</i>)  <i>Parietaria mottle virus</i> (PmoV) (<i>Bromoviridae</i>, <i>ilarvirus</i>)  <i>Parsnip leafcurl virus</i>  <i>Parsnip mosaic virus</i> (ParMV)  <i>Parsnip yellow fleck virus</i> (PYFV) (<i>Sequiviridae</i>, <i>sequivirus</i>)  <i>Paspalum striate mosaic virus</i> (PSMV) (<i>Geminiviridae</i>, <i>monogeminivirus</i>)  <i>Passiflora latent virus</i> (PLV)(<i>Carlavirus</i>)  <i>Passiflora South African virus</i> (<i>Potyviridae</i>, <i>potyvirus</i>) </p>	
---	--	--



<i>Passiflora South African virus</i> (Potyviridae, potyvirus) <i>Passiflora ringspot virus</i> (PFRSV) (Potyviridae, potyvirus) <i>Passionfruit woodiness virus</i> (PWV) (Potyviridae, potyvirus) <i>Passionfruit yellow mosaic virus</i> (PaYMV) (Tymovirus) <i>Patchouli mosaic virus</i> (Potyviridae, potyvirus) <i>Pea early browning virus</i> (PEBV) (Tobravirus) <i>Pea enation mosaic virus-1</i> (PEMV-1) (Luteovirus) <i>Pea enation mosaic virus-2</i> (PEMV-2) (Umbravirus) <i>Pea mild mosaic virus</i> (PmiMV) (Comoviridae, comovirus ) <i>Pea mosaic virus</i> (Potyviridae, potyvirus) <i>Peanut chlorotic streak virus</i> (PCSV) (Caulimoviridae, caulimovirus) <i>Peanut green mosaic virus</i> (Potyviridae, potyvirus) <i>Peanut stunt virus</i> (PSV) (Bromoviridae, cucumovirus) <i>Peanut yellow spot virus</i> (PeYMV) (Tospovirus) <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid</i> (PLMVd) <i>Peach mosaic virus</i> (PMV) (Trichovirus) <i>Peach rosette mosaic virus</i> (PRMV) (Comoviridae, Nepovirus) <i>Peanut clump virus</i> (PCV) (Pecluvirus) <i>Pear blister canker viroid</i> (PBCVd) (Pospiviroidae, Apscaviriod) <i>Pear necrotic spot virus</i> <i>Pineapple bacilliform virus</i> (PBV) (Badnavirus, Caulimoviridae) <i>Pineapple mealybug wilt-associated virus-1</i> (PMWaV-1) (Ampelovirus, Closteroviridae) <i>Pineapple mealybug wilt-associated virus-2</i> (PMWaV-2) (Ampelovirus, Closteroviridae) <i>Plum American line pattern virus</i> (APLPV) (Ilarvirus, Bromoviridae) <i>Plum bark split virus</i> <i>Plum pox virus</i> (PPV) (Potyviridae, Potyvirus) <i>Plum rusty blotch</i> <i>Potato black ringspot virus</i> (PBRSV) (Comoviridae, Nepovirus) <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus</i> (PMTV) (Pomovirus) <i>Potato virus T</i> (PVT) (Trichovirus) <i>Potato virus U</i> (PVU) (Comoviridae, Nepovirus) <i>Potato virus V</i> (PVV) (Potyviridae, Potyvirus) <i>Potato yellow dwarf virus</i> (PYDV) (Rhabdoviridae, Nucleorhabdovirus) <i>Potato yellow vein virus</i> (PYVV) (Closteroviridae, Crinivirus) <i>Potato yellowing virus</i> <i>Prune dwarf virus</i> (PDV) (Bromoviridae, Ilarvirus) <i>Prunus necrotic ringspot virus</i> (PNRSV) (Bromoviridae, Ilarvirus) <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus</i> (RpRSV) (Comoviridae, Nepovirus) <i>Red clover mottle virus</i> (RCMV) (Comoviridae, Comovirus) <i>Rice gall dwarf virus</i> (RGDV) (Reoviridae, Phytoreovirus) <i>Rice tungro bacilliform virus</i> (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus) <i>Rice tungro spherical virus</i> (RTSV) (Sequiviridae, Waikavirus) <i>Rice yellow mottle virus</i> (RYMV) (Sobemovirus) <i>Rupestris stem pitting-associated virus</i> (Foveavirus, Flexiviridae) <i>Squash leaf curl virus</i> (SLCV) (Geminiviridae, Begomovirus) <i>Squash mosaic virus</i> (SqMV) (Comoviridae, Comovirus) <i>Strawberry latent ringspot virus</i> (SLRSV) (Sadwavirus)	<i>Passiflora ringspot virus</i> (PFRSV) (Potyviridae, potyvirus) <i>Passionfruit woodiness virus</i> (PWV) (Potyviridae, potyvirus) <i>Passionfruit yellow mosaic virus</i> (PaYMV) (Tymovirus) <i>Patchouli mosaic virus</i> (Potyviridae, potyvirus) <i>Pea early browning virus</i> (PEBV) (Tobravirus) <i>Pea enation mosaic virus-1</i> (PEMV-1) (Luteovirus) <i>Pea enation mosaic virus-2</i> (PEMV-2) (Umbravirus) <i>Pea mild mosaic virus</i> (PmiMV) (Comoviridae, comovirus ) <i>Pea mosaic virus</i> (Potyviridae, potyvirus) <i>Peanut chlorotic streak virus</i> (PCSV) (Caulimoviridae, caulimovirus) <i>Peanut green mosaic virus</i> (Potyviridae, potyvirus) <i>Peanut stunt virus</i> (PSV) (Bromoviridae, cucumovirus) <i>Peanut yellow spot virus</i> (PeYMV) (Tospovirus) <i>Peach American mosaic virus</i> <i>Peach latent mosaic viroid</i> (PLMVd) <i>Peach mosaic virus</i> (PMV) (Trichovirus) <i>Peach rosette mosaic virus</i> (PRMV) (Comoviridae, Nepovirus) <i>Peanut clump virus</i> (PCV) (Pecluvirus) <i>Pear blister canker viroid</i> (PBCVd) (Pospiviroidae, Apscaviriod) <i>Pear necrotic spot virus</i> <i>Pineapple bacilliform virus</i> (PBV) (Badnavirus, Caulimoviridae) <i>Pineapple mealybug wilt-associated virus-1</i> (PMWaV-1) (Ampelovirus, Closteroviridae) <i>Pineapple mealybug wilt-associated virus-2</i> (PMWaV-2) (Ampelovirus, Closteroviridae) <i>Plum American line pattern virus</i> (APLPV) (Ilarvirus, Bromoviridae) <i>Plum bark split virus</i> <i>Plum pox virus</i> (PPV) (Potyviridae, Potyvirus) <i>Plum rusty blotch</i> <i>Potato black ringspot virus</i> (PBRSV) (Comoviridae, Nepovirus) <i>Potato deforming mosaic virus</i> <i>Potato mop-top virus</i> (PMTV) (Pomovirus) <i>Potato virus T</i> (PVT) (Trichovirus) <i>Potato virus U</i> (PVU) (Comoviridae, Nepovirus) <i>Potato virus V</i> (PVV) (Potyviridae, Potyvirus) <i>Potato yellow dwarf virus</i> (PYDV) (Rhabdoviridae, Nucleorhabdovirus) <i>Potato yellow vein virus</i> (PYVV) (Closteroviridae, Crinivirus) <i>Potato yellowing virus</i> <i>Prune dwarf virus</i> (PDV) (Bromoviridae, Ilarvirus) <i>Prunus necrotic ringspot virus</i> (PNRSV) (Bromoviridae, Ilarvirus) <i>Raspberry leaf curl virus</i> <i>Raspberry ringspot virus</i> (RpRSV) (Comoviridae, Nepovirus) <i>Red clover mottle virus</i> (RCMV) (Comoviridae, Comovirus) <i>Rice gall dwarf virus</i> (RGDV) (Reoviridae, Phytoreovirus) <i>Rice tungro bacilliform virus</i> (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus) <i>Rice tungro spherical virus</i> (RTSV) (Sequiviridae, Waikavirus) <i>Rice yellow mottle virus</i> (RYMV) (Sobemovirus) <i>Rupestris stem pitting-associated virus</i> (Foveavirus, Flexiviridae) <i>Squash leaf curl virus</i> (SLCV) (Geminiviridae, Begomovirus) <i>Squash mosaic virus</i> (SqMV) (Comoviridae, Comovirus) <i>Strawberry latent ringspot virus</i> (SLRSV) (Sadwavirus) <i>Strawberry veinbanding virus</i> (SVBV) (Caulimoviridae, Caulimovirus)	
--	---	--

<i>Strawberry veinbanding virus</i> (SVBV) ( <i>Caulimoviridae</i> , <i>Caulimovirus</i> ) <i>Sugarcane yellow leaf virus</i> (ScYLV) ( <i>Polerovirus</i> , <i>Luteoviridae</i> ) <i>Tobacco rattle virus</i> (TRV) ( <i>Tobravirus</i> ) <i>Tobacco ringspot virus</i> (TRSV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tobacco mosaic virus</i> (TMV) ( <i>Tobamovirus</i> ) <i>Tobacco necrosis virus</i> <i>Tobacco streak virus</i> (TSV) ( <i>Ilarvirus</i> , <i>Bromoviridae</i> ) <i>Tomato black ring virus</i> (TBRV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tomato bushy stunt virus</i> (TBSV) ( <i>Tombusvirus</i> , <i>Tombusviridae</i> ) <i>Tomato mottle virus</i> (ToMoV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Tomato ringspot virus</i> (ToRSV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tulare apple mosaic virus</i> (TAMV) ( <i>Ilarvirus</i> , <i>Bromoviridae</i> ) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Ullucus mild mottle virus</i> (UMMV) ( <i>Tobamovirus</i> ) <i>Ullucus mosaic virus</i> (UMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Urd bean leaf crinkle virus</i> <i>Vallota mosaic virus</i> (ValMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Vanilla mosaic virus</i> (VanMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Vanilla necrosis virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Velvet tobacco mottle virus</i> (VTMoV) ( <i>Sobemovirus</i> ) <i>Viola mottle virus</i> (VMV) ( <i>Potexvirus</i> ) <i>Voandzeia distortion mosaic virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Voandzeia necrotic mosaic virus</i> (VNMV) ( <i>Tymovirus</i> ) <i>Watercress yellow spot virus</i> (WYSV) <i>Watermelon chlorotic stunt virus</i> (WmCSV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Watermelon curly mottle virus</i> (WmCMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Watermelon mosaic virus 2</i> (WMV-2) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Wheat American striate mosaic virus</i> (WASMV) ( <i>Rhabdovirus</i> , <i>ucleorhabdovirus</i> ) <i>Wheat yellow leaf virus</i> (WYLV) ( <i>Closteroviridae</i> , <i>Closterovirus</i> ) <i>Wheat dwarf virus</i> (WDV) ( <i>Geminiviridae</i> , <i>monogeminivirus</i> ) <i>Wheat soil-borne mosaic virus</i> (SBWMV) ( <i>Furovirus</i> ) <i>Wheat streak mosaic virus</i> (WSMV) ( <i>Potyviridae</i> , <i>rymovirus</i> ) <i>Wheat spindle streak mosaic virus</i> (WSSMV) ( <i>Potyvirida</i> , <i>bymovirus</i> ) <i>Wheat yellow mosaic virus</i> (WYMV) ( <i>Potyviridae</i> , <i>bymovirus</i> ) <i>White clover mosaic virus</i> (WCIMV) ( <i>Potexvirus</i> ) <i>Wild cucumber mosaic virus</i> (WCMV) ( <i>Tymovirus</i> ) <i>Wild potato mosaic</i> (WPMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Wineberry latent virus</i> (WLV) <i>Wisteria vein mosaic virus</i> (WVMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Yam mosaic virus</i> (YMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Zucchini yellow fleck virus</i> (ZYFV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) 備註：以上病毒之媒介有害生物亦一併列入管制	<i>Sugarcane yellow leaf virus</i> (ScYLV) ( <i>Polerovirus</i> , <i>Luteoviridae</i> ) <i>Tobacco rattle virus</i> (TRV) ( <i>Tobravirus</i> ) <i>Tobacco ringspot virus</i> (TRSV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tobacco mosaic virus</i> (TMV) ( <i>Tobamovirus</i> ) <i>Tobacco necrosis virus</i> <i>Tobacco streak virus</i> (TSV) ( <i>Ilarvirus</i> , <i>Bromoviridae</i> ) <i>Tomato black ring virus</i> (TBRV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tomato bushy stunt virus</i> (TBSV) ( <i>Tombusvirus</i> , <i>Tombusviridae</i> ) <i>Tomato mottle virus</i> (ToMoV) ( <i>Geminiviridae</i> , <i>Begomovirus</i> ) <i>Tomato ringspot virus</i> (ToRSV) ( <i>Comoviridae</i> , <i>Nepovirus</i> ) <i>Tulare apple mosaic virus</i> (TAMV) ( <i>Ilarvirus</i> , <i>Bromoviridae</i> ) <i>Tulip breaking virus</i> <i>Ullucus virus C</i> (UVC) ( <i>Comoviridae</i> , <i>comovirus</i> ) <i>Ullucus mild mottle virus</i> (UMMV) ( <i>Tobamovirus</i> ) <i>Ullucus mosaic virus</i> (UMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Urd bean leaf crinkle virus</i> <i>Vallota mosaic virus</i> (ValMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Vanilla mosaic virus</i> (VanMV) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Vanilla necrosis virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Velvet tobacco mottle virus</i> (VTMoV) ( <i>Sobemovirus</i> ) <i>Viola mottle virus</i> (VMV) ( <i>Potexvirus</i> ) <i>Voandzeia distortion mosaic virus</i> ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Voandzeia necrotic mosaic virus</i> (VNMV) ( <i>Tymovirus</i> ) <i>Watercress yellow spot virus</i> (WYSV) <i>Watermelon chlorotic stunt virus</i> (WmCSV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Watermelon curly mottle virus</i> (WmCMV) ( <i>Geminiviridae</i> , <i>bigeminivirus</i> ) <i>Watermelon mosaic virus 2</i> (WMV-2) ( <i>Potyviridae</i> , <i>potyvirus</i> ) <i>Wheat American striate mosaic virus</i> (WASMV) ( <i>Rhabdovirus</i> , <i>ucleorhabdovirus</i> ) <i>Wheat yellow leaf virus</i> (WYLV) ( <i>Closteroviridae</i> , <i>Closterovirus</i> ) <i>Wheat dwarf virus</i> (WDV) ( <i>Geminiviridae</i> , <i>monogeminivirus</i> ) <i>Wheat soil-borne mosaic virus</i> (SBWMV) ( <i>Furovirus</i> ) <i>Wheat streak mosaic virus</i> (WSMV) ( <i>Potyviridae</i> , <i>rymovirus</i> ) <i>Wheat spindle streak mosaic virus</i> (WSSMV) ( <i>Potyvirida</i> , <i>bymovirus</i> ) <i>Wheat yellow mosaic virus</i> (WYMV) ( <i>Potyviridae</i> , <i>bymovirus</i> ) <i>White clover mosaic virus</i> (WCIMV) ( <i>Potexvirus</i> ) <i>Wild cucumber mosaic virus</i> (WCMV) ( <i>Tymovirus</i> ) <i>Wild potato mosaic</i> (WPMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Wineberry latent virus</i> (WLV) <i>Wisteria vein mosaic virus</i> (WVMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Yam mosaic virus</i> (YMV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) <i>Zucchini yellow fleck virus</i> (ZYFV) ( <i>Potyviridae</i> , <i>Potyvirus</i> ) 備註：以上病毒之媒介有害生物亦一併列入管制	
---	---	--

# 中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十一點輸入貨品使用之木質包裝材料檢疫條件第二點、第三點修正對照表

修正規定	現行規定	說明																																																																											
<p>二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：</p> <p>(一) 溴化甲烷(Methyl bromide，CH<sub>3</sub>Br)燻蒸：最低溫度不得低於 10℃，燻蒸時間最少應為 24 小時。</p> <table><tr><th>溫度</th><th>24 小時濃度時間積 CT(g.h/ m<sup>3</sup>)</th><th>處理 24 小時後最低濃度 (g/m<sup>3</sup>)</th></tr><tr><td>21℃ 以上</td><td>650</td><td>24</td></tr><tr><td>16℃ 以上，未達 21℃</td><td>800</td><td>28</td></tr><tr><td>10℃ 以上，未達 16℃</td><td>900</td><td>32</td></tr></table> <p>符合上表之燻蒸劑量範例如下：</p> <table><tr><th rowspan="2">溫度</th><th rowspan="2">劑量 (g/ m<sup>3</sup>)</th><th colspan="3">最低濃度(g/m<sup>3</sup>)</th></tr><tr><th>2 小時</th><th>4 小時</th><th>24 小時</th></tr><tr><td>21℃ 以上</td><td>48</td><td>36</td><td>31</td><td>24</td></tr><tr><td>16℃ 以上，未達 21℃</td><td>56</td><td>42</td><td>36</td><td>28</td></tr><tr><td>10℃ 以上，未達 16℃</td><td>64</td><td>48</td><td>42</td><td>32</td></tr></table> <p>(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到 56℃，處理三十分鐘以上。</p> <p>(三) 射頻加熱處理(Heat treatment using dielectric heating)：以微波或無線電波加熱木質包裝材中心及表面溫度達到 60℃，處理一分鐘以上。</p>	溫度	24 小時濃度時間積 CT(g.h/ m <sup>3</sup> )	處理 24 小時後最低濃度 (g/m <sup>3</sup> )	21℃ 以上	650	24	16℃ 以上，未達 21℃	800	28	10℃ 以上，未達 16℃	900	32	溫度	劑量 (g/ m <sup>3</sup> )	最低濃度(g/m <sup>3</sup> )			2 小時	4 小時	24 小時	21℃ 以上	48	36	31	24	16℃ 以上，未達 21℃	56	42	36	28	10℃ 以上，未達 16℃	64	48	42	32	<p>二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：</p> <p>(一) 溴化甲烷(Methyl bromide，CH<sub>3</sub>Br)燻蒸：最低溫度不得低於 10℃，燻蒸時間最少應為 24 小時。</p> <table><tr><th>溫度</th><th>24 小時濃度時間積 CT(g.h/ m<sup>3</sup>)</th><th>處理 24 小時後最低濃度 (g/m<sup>3</sup>)</th></tr><tr><td>21℃ 以上</td><td>650</td><td>24</td></tr><tr><td>16℃ 以上，未達 21℃</td><td>800</td><td>28</td></tr><tr><td>10℃ 以上，未達 16℃</td><td>900</td><td>32</td></tr></table> <p>符合上表之燻蒸劑量範例如下：</p> <table><tr><th rowspan="2">溫度</th><th rowspan="2">劑量 (g/ m<sup>3</sup>)</th><th colspan="4">最低濃度(g/m<sup>3</sup>)</th></tr><tr><th>2 小時</th><th>4 小時</th><th>12 小時</th><th>24 小時</th></tr><tr><td>21℃ 以上</td><td>48</td><td>36</td><td>31</td><td>28</td><td>24</td></tr><tr><td>16℃ 以上，未達 21℃</td><td>56</td><td>42</td><td>36</td><td>32</td><td>28</td></tr><tr><td>10℃ 以上，未達 16℃</td><td>64</td><td>48</td><td>42</td><td>36</td><td>32</td></tr></table> <p>(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到 56℃，處理三十分鐘以上。</p>	溫度	24 小時濃度時間積 CT(g.h/ m <sup>3</sup> )	處理 24 小時後最低濃度 (g/m <sup>3</sup> )	21℃ 以上	650	24	16℃ 以上，未達 21℃	800	28	10℃ 以上，未達 16℃	900	32	溫度	劑量 (g/ m <sup>3</sup> )	最低濃度(g/m <sup>3</sup> )				2 小時	4 小時	12 小時	24 小時	21℃ 以上	48	36	31	28	24	16℃ 以上，未達 21℃	56	42	36	32	28	10℃ 以上，未達 16℃	64	48	42	36	32	<p>本點規範木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之檢疫處理方式進行處理，刪除第一款溴化甲烷處理十二小時後之最低濃度，另增列第三款射頻加熱 (Dielectric heating)及第四款硫醯氟 (Sulphuryl fluoride) 等二種檢疫處理方式及基準。</p>
溫度	24 小時濃度時間積 CT(g.h/ m <sup>3</sup> )	處理 24 小時後最低濃度 (g/m <sup>3</sup> )																																																																											
21℃ 以上	650	24																																																																											
16℃ 以上，未達 21℃	800	28																																																																											
10℃ 以上，未達 16℃	900	32																																																																											
溫度	劑量 (g/ m <sup>3</sup> )	最低濃度(g/m <sup>3</sup> )																																																																											
		2 小時	4 小時	24 小時																																																																									
21℃ 以上	48	36	31	24																																																																									
16℃ 以上，未達 21℃	56	42	36	28																																																																									
10℃ 以上，未達 16℃	64	48	42	32																																																																									
溫度	24 小時濃度時間積 CT(g.h/ m <sup>3</sup> )	處理 24 小時後最低濃度 (g/m <sup>3</sup> )																																																																											
21℃ 以上	650	24																																																																											
16℃ 以上，未達 21℃	800	28																																																																											
10℃ 以上，未達 16℃	900	32																																																																											
溫度	劑量 (g/ m <sup>3</sup> )	最低濃度(g/m <sup>3</sup> )																																																																											
		2 小時	4 小時	12 小時	24 小時																																																																								
21℃ 以上	48	36	31	28	24																																																																								
16℃ 以上，未達 21℃	56	42	36	32	28																																																																								
10℃ 以上，未達 16℃	64	48	42	36	32																																																																								


(四) 硫 醯 氟 (Sulphuryl fluoride , SO<sub>2</sub>F<sub>2</sub>) 燻蒸：最低溫度不得低於 20℃，燻蒸時間最少應為 24 小時。

溫 度 及 時 間	濃 度 時 間 積 CT(g.h/ m <sup>3</sup> )	處 理 後 最 低 濃 度 (g/m <sup>3</sup> )
30℃ 以 上 處 理 24 小 時	1400	41
20℃ 以 上，未達 30 ℃ 處 理 48 小 時	3000	29

符合上表之燻蒸劑量範例如下：

溫 度	劑 量 (g / m <sup>3</sup> )	最低濃度(g/m <sup>3</sup> )						
		0 ÷ 5 — 小 時	2 — 小 時	4 小 時	12 小 時	24 小 時	36 小 時	48 小 時
30 ℃ 以 上	82	8 7	7 8	7 3	58	41	—	—
20 ℃ 以 上， 未 達 30 ℃	1 2 0	1 2 4	1 1 2	1 0 4	82	58	41	29


三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



標記說明：

1. IPPC：《國際植物保護公約》

三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



標記說明：

1. IPPC：《國際植物保護公約》

配合國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定已增訂硫 醯 氟 (Sulphuryl fluoride) 及 射 頻 加 熱 (Dielectric heating) 等二種檢疫處理方式，爰於標記說明 4.YY 增訂前述檢疫處理章戳樣式範例，以利現場查核。

<p>的英文縮寫符號</p> <p>2.XX：國際標準化組織(ISO)規定的 2 個字母國家編號</p> <p>3.000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號</p> <p>4.YY：國際植物保護公約所採用的批准措施，如溴化甲烷燻蒸-MB；熱處理-HT；射頻加熱-DH 及<u>硫醯氟燻蒸-SF</u></p>	<p>的英文縮寫符號</p> <p>2.XX：國際標準化組織(ISO)規定的 2 個字母國家編號</p> <p>3.000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號</p> <p>4.YY：國際植物保護公約所採用的批准措施，如溴化甲烷燻蒸—MB；熱處理—HT</p>	
--	---	--